

-  FLOOD TYPE AREA FLOODLIGHT
ON 1st POLE (DAVIT)
 FLOOD TYPE ISLAND LIGHT ON
2nd POLE (TWIN)
 5 LIGHT TOP LIGHT (FLOOD ON SPOT)
 EXISTING GRADE
 PROPOSED GRADE

CONTRACTOR SHALL IMPROVE SITE FOR STRUCTURES, POLES, BUILDINGS, TREES, ETC. EXCAVATING REMOVAL TO OBTAIN THE END RESULT. THE AMERICAN OIL CO. AGREES TO IMMEDIATELY FOR OILS.

72000 TRASH CLOSURE AS MANUFACTURED BY HUNTINGTON
KENT HARRINGTON CO., P. O. BOX 9084, MEMPHIS 12,
TN., MODEL #406-8-20, SIZE 8' x 6' HIGH. FLOOR
SHALL BE A 4" CONCRETE SLAB REINFORCED WITH #6"x10/10
GAGE STEEL ROADWAY REIN. SLAB SHALL FINISH 4" ABOVE
FINISHED GRADE AND SLOPE AWAY FROM BUILDING 1/4" TO
1 FT. CLEARANCE BETWEEN SLAB AND CLOSURE SIDE PANEL
SHALL BE 1/2" MINIMUM AT THE CLOSURE JOINT.

"Termco 12 gauge deep beam highway guard rail, mill primed for painting as manufactured by Precision Metal Fabricators Company and distributed by: Diversified Contractors & Erectors
P. O. Box 6836
Towson 4, Maryland
Phone 825-3770"

NOTE: CONTRACTOR SHALL FURNISH AND INSTALL PERMCO STEEL CURB FORMS AT PUMP ISLANDS, BUILDING CURB WALKS, WHEEL GUARDS. MANUFACTURED BY PRECISION METAL FABRICATORS CO.

FOR INFORMATION CONTACT:
DIVERSIFIED CONTRACTORS & ENGINEERS
P. O. BOX 8858
TOWSON 4, MARYLAND
PHONE 825-2770

PLANS APPROVED
OFFICE OF PLANNING & ZONING
BY: J. S. Gaurish
DATE: 8/1/84

AMERICAN OIL COMPANY

PROPOSED C0384
REISTERSTOWN RD NR SLADE AVE
PIKEVILLE
BALTIMORE COUNTY, MARYLAND
ELECTION DISTRICT NO. 3

BALTIMORE REGION
BALTIMORE DISTRICT
OFF. CHARGE: **116**
SPL. CHARGE:
SPL. CHARGE:
NO. 2877 84 0000

DO NOT SCALE. USE DIMENSIONS ONLY
26.375 Sq. Ft.