UP-2017-0055-SI

#### BALTIMORE COUNTY

DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS 111 WEST CHESAPEAKE AVENUE


TOWSON, MD 21204 410-887-3391 B 157095 A 755960

The applicant is authorized to affirm that there are no current violations at this site pursuant to Section 112.7 BCC

#### SIGN USE PERMIT

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"  Initials
PROPERTY ADDRESS 726 Levilworth Dr 1 ZIP CODE 21204
BUSINESS NAME Migi of Baltimore ZONING BM
OWNER'S NAME 5 6 5 LL PHONE NO. 416-296-7906 HISTORIC DISTRICT Yes No
MAILING ADDRESS 110 West Tele Towson MD 21204 Soite 500
APPLICANT/OWNER'S AGENT MARC COHEN PHONE NO. 4/0 296 790
SIGN COMPANY NAME United Tribuile PHONE NO.
TYPE OF SIGN: TAX ACCOUNT NO. 18 / 00 / 009 489
☐ Temporary-Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☐ No
Permanent
Freestanding Pylon Monument Illuminated (separate electrical permit required)
Size: $\frac{32}{}$ feet x $\frac{3}{}$ feet = $\frac{21}{}$ square feet Height: feet (freestanding signs)
Property Line/Street Pight-of-Way Setbacks: front, sidesand, and rear
NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached; a site plan also
must be attached for freestanding signs.
Table of Sign Regulations: 450.4.Attachment 1, 1 An Electronic Changeable Copy Sign may only have a maximum Frequency of one instantaneous message change per 15 second cycle.  450.6.B.3 Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.  PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):  1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.  2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.  31 Signs cannot be placed in or project into or above street right of way or governmental property.  4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.  5. Vehicle cannot be parked for the purpose of displaying an attached sign.  6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.  7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. – C.T. zones.  8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.  9. No sign may emit sound
Work Description (including number of signs, special conditions, materials, locations and size):  WALL - MOUNTED ENTER PRISE SIGN (§ 450, 4, AHH 1.5 (a))
FRT WALL 90LF CORNER LOT
OWNER/AGENT CERTIFICATION  I colomply offirm under the peneltics of perions and upon personal languages that the contents of the above on the colombia.
I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.
Signature Date Print/Type Name
Require Planning Signature
Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)  REV 10/14  Authority under Section 500.4, BCZR-PAI Approval (SIGN ONLY)  Signature  Authority under Section 500.4, BCZR-PAI Approval (SIGN ONLY)  Date








#### FABRICATION / ASSEMBLY NOTES

Sign modules are fabricated from .090 aluminum faces painted G2. Internally illuminated routed faces. Lettering is acrylic push-through 7328 White. Logo modules are identical to pylon modules, mounted w/ S.S. hardware.

- 1 200 mm pole bearing structure. Length as required (2" past outside cantilevers, typ.)
- 2 Cantilever supports at each end of facade module (30" ±) w/ 1/2" S.S. mounting hardware
- 3 LED insert strip on front of bearing structure (typ)
- (4) Blank insert strip on building side of bearing structure (typ)
- (5) End cap (typ)
- Wall brackets: spaced no further than 10'-6" as required for overall length. Minimum three required per bearing structure.
- (7) Middle support brackets: on modules longer than 10 feet, brackets add stability to sign structure. Spaced 6'-0" on center (CNM1-3) and 3'-0" on center for
- 8 Electrical requirements: vary with length of copy. Most signs will not exceed one 20 a circuit.








THIS DRAWING IS THE PROPERTY OF UNITED SIGN SYSTEMS.

ALL RIGHTS TO ITS USE FOR REPRODUCTION ARE RESERVED BY U.S.S. OF TAMPA, FL

MINI-CNM1 SERVICE

IMPORTANT: Permanent access to the back side of the wall is required or installation and wiring of the





## Permits, Approvals & Inspections

111W. Chesapeake Avenue Towson, MD 21204 Report Generated On: 6/2/2017

## Permit Processing Commerical Permit & Development Report

Page 1 of 1

**Property Information** 

Tax Account Number: 1800009489

**Election District: 9** 

Owner Name(s): 5-CS LLC

**PDM #:** 09-0713

Address: 700 KENILWORTH AVE

Premise Address: 720 KENILWORTH DR

Zoning District(s): BM

TOWSON,MD 21204

Elevation Range: 362ft - 366ft

Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111	Bldg.	lts.	Alts.	sbı	MS.		%Bulk		Occup.	tenna	righty following policies	Plumb	Agency Acknowledgmen
Contact Agency	Potential Overlay Issues Growth Tier 1: Served by public sewer and inside URDL	New Com	Interior Alts.	Add / Ext. /	Piers/Pilings	Grading/SW	Tanks	Ret.Walls/Bulk	Razing	Chg. of O	Tower Antenna	signs	Elect. & P	Initial & Date
DEPS-Sed. Control Jefferson Building 4th Floor Phone: 410-887-3226	Note: All Razing Permits must be sent to Sediment Control for review.							1					ш	
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.												en unicen	
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: R-1960-4919; R-1968-0104; R-1961-5180; R-1972-0063; 1978-0091-A; 2017-0072-A; 2017-0259-A; 2016-0325-SPH	X		X	X	X	X			X		X		
			montantina binacio bindentivada por necesario de contrologica en propositione de contrologica				A CONTRACTOR OF THE CONTRACTOR					The first May with the first three for the first three for the first three fir	AND AND POTOTOR BANDO SPRINTED AND REPORT OF A PROPERTY OF THE PROPERTY OF THE PARTY OF THE PART	

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant. Form171C



#### **Permits, Approvals & Inspections**

111W. Chesapeake Avenue Towson, MD 21204

Report Generated On: 6/2/2017

## Permit Processing Commerical Permit & Development Report

Page 1 of 1

**Property Information** 

Tax Account Number: 1800007541

**Election District: 9** 

Owner Name(s): 5-CS LLC

PDM #: 09-0713

Address: 700 KENILWORTH AVE

Zoning District(s): BM


Premise Address:

TOWSON,MD 21204 KENILWORTH DR

Elevation Range: 362ft - 374ft

Premise Address. NEMEYO	JINTIT DIN	-												
Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111	Bldg.	ts.	Alts.	sbı	We		%Bulk	Carried Control of the Control of th	Occup.	itenna		Plumb	Agency Acknowledgment
Contact Agency	Potential Overlay Issues Growth Tier 1: Served by public sewer and inside URDL	New Com	Interior Alts.	Add / Ext. Alts.	Piers/Pilings	Grading/SW	Tanks	Ret.Walls/Bulk	Razing	Chg. of O	Tower Antenna	Signs	∞	Initial & Date
DEPS-Sed. Control Jefferson Building 4th Floor Phone: 410-887-3226	Note: All Razing Permits must be sent to Sediment Control for review.				APPLICATION OF THE PROPERTY OF				Control of the contro					
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.													
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: R-1960-4919; R-1968-0104; R-1961-5180; R-1972-0063; 1978-0091-A; 2017-0072-A; 2017-0259-A; 2016-0325-SPH	X			X	X					X			

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant. Form171C




# **BALTIMORE COUNTY** DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS 111 WEST CHESAPEAKE AVENUE TOWSON, MD 21204 410-887-3391

The applicant is authorized to affirm that there are no current violations at this

4	MRYLAND	SIGN USE PERMIT		site pursuant to Section
	Permit Fees are Non-Refundable; Make Check Payable to			112.7 BCC Initials
	PROPERTY ADDRESS 720 Kenipus th Dr		ZIP CODE 2	264.
	BUSINESS NAME Mui of Ballimore		_ ZONING	BM
	OWNER'S NAME 5CS LLC	PHONE NO. 460-296-79	HISTORIC	DISTRICT 🗌 Yes 🔀 No
	MAILING ADDRESS 116 West 120 South	500 Tausan Mol	21204	
	APPLICANT/OWNER'S AGENTMarc (1)	1-N	PHÔNE NO.	44 04 0
			PHONE NO.	410 290 79
,	TYPE OF SIGN: Window Sign	TAX ACCOUNT N	10. 18 10	0 1009489
7	☐ Temporary- Including Real Estate/Construction/Event	Temporar	y Signs in the Las	Year: Yes No
	Permanent Changeable Copy Wall	☐ Face Change Only [	Non-Illuminate	d
	Freestanding Pylon Monument Willum			
	Size: 1 feet x 4 feet = 47.75 square feet	Height:_	feet (free	standing signs)
	Property Line/Sureet Right-of-Way Setbacks: front			
	NOTE: A construction plan, drawn to scale and clearly show	ing that all requirements have	been met, must be	attached; a site plan also
	must be attached for freestanding signs.			
	Table of Sign Regulations: 450.4. Attachment 1, 1 An Electinstantaneous message change per 15 second cycle.  450.6.B.3 Changeable copy signs must operate flashing, blinking, strobing, scrolling, oscillate PROHIBITIONS: including roof signs (Sections 450.5.B.7.)  1. Signs cannot impair motorist's clear view of traffice 2. Signs cannot imitate or resemble government signs, 3. Signs cannot be placed in or project into or above struct.  4. Sign or framework cannot obstruct window or open 5. Vehicle cannot be parked for the purpose of displays 6. Except for flags exempted, flags, pennants, ribbons, prohibited.  7. Portable signs are prohibited, except for A-frame an 8. There can be no display or simulation of moving parchangeable copy sign, or a thermometer, barometer, 9. No sign may emit sound	te at a constant intensity and ting, or alternating lights.  I and 450.6.A, Baltimore Construction or government signs. All signs except for private traffic contructer right of way or governmenting for light and air or access thing an attached sign.  Streamers, tethered balloons, in the streamers, tethered balloons, in the streamers are the signs is sued to the streamers are the signs is sued to the streamers are the streamers are the streamers.	unty Zoning Regularies are subject to Sector and notice signs and property.  To building, fire hydracer projections, and a use permit in B. utdoor advertising clock.	earance of movement by  lations): tion 102.5, BCZR.  drant, or stand pipe.  nd similar objects are  M. – C.T. zones.
	Work Description (including number of signs, special co	eprise SIGN (	is and size): \$\int 450.4	CORNER LOT
	OWNER/A  I solemnly affirm under the penalties of perjury and upon	GENT CERTIFICATION  I personal knowledge that the	e contents of the	above are true and furthe
	agree to locate the proposed sign such that it will not viola			) ;
	1/42/10 5/17/1	7 Marc	A. C	hen
	Signature Date	Print/Type Nar	me	
		\		

ction 500 BCZR PAI Approval (SIGN ONLY)

(3)





Priority 1 Automotive
700 Kenihworth Dr
Towson, MD 21204


Proposed Signage Exhibit

Mini of Baltimore

720 Kenilworth Dr
Towson, MD 21204
POA012b

PSE-1 SCALE: 1/8" = 1'-0" 11 x 17





ML Sq Ft "x 11'-11 1/4" 47.75 Sq Ft 47.75sq.f). .063 aluminum returns painted G1 with .063 backs. W/W .063" x 1" x 5/8" aluminum retainers Mounted flush to interior wall per field conditions 3/16" 7328 White S.G. acrylic faces .090 aluminum backs White LED's LED power supply Disconnect Switch-10" to C. Power feed on Back EXACT ELECTRICAL FEED LOCATION IS TO BE DETER //INED. 120V. / 20 A. CIRCUIT WILL BE PROVIDED TO SIGN AREA BY OTHERS. ALL ELECTRICAL COMPONENTS TO MEET CSA & UL.2161 & NEC. REQ'MTS. Scale: 3/4"=1'-0" @ 11 x 17

CLIENT:	MINI of Baultimore Ounty	
LOCATION:	Towson MD	
DATE:	04.12.16	STURE
DRAWING #	MIN-Baltimore-304	
DRAWN BY:	U1-	SHEET SIZE 11 x 17

THIS DESIGN IS SUBMITTED AS PART OF OUR PROPOSAL AND IS TO REMAIN OUR PROPERTY EXCLUSIVELY UNTIL ACCEPTED AND APPROVED BY PURCHASE.



HIS SIDN IS INTENDED TO B
STALL D IN ACCORDANCE WIT
HE REF URREMENTS OF ARTICL
20 OF I BE NATIONAL ELECTRICA
ODE A N D : OR OTHE
PPLICABLE LOCAL CODES. THI
CLUDES PROPER GROUNDIN
NINDRO DING OTHE SIDN
NINDRO DING OTHE SIDN

CUSTOMER APPROVAL:

SIGNATURE

DATE:

APPROVAL RECEIVED BY UNITED

ROVAL: MPORTANT:

FERMANENT ACCESS TO THE BACK SIDE OF THE WALL IS REQUIRED FOR INSTALLATION AND WIRMS OF THE SIGN.

BY UNITED

BY THE CUSTOMER BEFORE INSTALLATION.



206 Tower Drive Oldsmar, Florida 34677 unitedaignsystems.com 888-704-1516 A Drission of Unitad Advantage Sign Companies, Inc.

