



BALTIMORE COUNTY
DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
111 WEST CHESAPEAKE AVENUE
TOWSON, MD 21204
410-887-3391

\$150.00

SIGN USE PERMIT

up-2017-0066-SI
B 939040
A 758995

The applicant is authorized to affirm that there are no current violations at this site pursuant to Section 112.7 BCC
Initials _____

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"

PROPERTY ADDRESS 11715 Pulaski Hwy White Marsh, MD ZIP CODE 21162
BUSINESS NAME Copart ZONING MH/BR
OWNER'S NAME Furnkas Catherine M PHONE NO. _____ HISTORIC DISTRICT ☐ Yes ☐ No
Patton David D Trustees
MAILING ADDRESS PO Box 333 White Marsh, MD 21162

APPLICANT/OWNER'S AGENT Nina Moazzami PHONE NO. 703-474-8485

SIGN COMPANY NAME Empire Graphics PHONE NO. 301-893-2700

TYPE OF SIGN: ☐ Window Sign TAX ACCOUNT NO. 11 / 06 / 082251

☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☐ No

☒ Permanent ☐ Changeable Copy ☐ Wall ☐ Face Change Only ☒ Non-Illuminated

☒ Freestanding ☒ Pylon ☐ Monument ☐ Illuminated (separate electrical permit required)

Size: 9.16 feet x 7.58 feet = 69.4 square feet Height: 25 feet (freestanding signs)

Property Line/Street Right-of-Way Setbacks: front 10', sides N/A and N/A, and rear N/A.

NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached; a site plan also must be attached for freestanding signs.

Table of Sign Regulations: 450.4. Attachment 1, 1.- An Electronic Changeable Copy Sign may only have a maximum Frequency of one instantaneous message change per 15 second cycle.

450.6.B.3 Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.

PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):

1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.
2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.
3. Signs cannot be placed in or project into or above street right of way or governmental property.
4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.
5. Vehicle cannot be parked for the purpose of displaying an attached sign.
6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.
7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. - C.T. zones.
8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.
9. No sign may emit sound

Work Description (including number of signs, special conditions, materials, locations and size):

Install new pylon sign, NO OTHER FREESTANDING SIGNS ON THE PROPERTY. PER BCZR SECTION 450.3.5g CORNER LOT ☐

OWNER/AGENT CERTIFICATION

I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.

Nina Moazzami
Signature

8/10/17
Date

Nina Moazzami
Print/Type Name

☐ Require Planning Signature _____ Date _____

Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)

REV 10/14

Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)

Jelby Perlow
Signature

JNP
Initials

8/10/17
Date

FIELD SURVEY OF PROPERTY REQUIRED PRIOR TO MANUFACTURE



Specifications:

POLE SIGN: FABRICATED ALUMINUM CABINET PAINTED TO MATCH PMS 280
 CABINET: PAINTED TO MATCH PMS 280C
 LOGO: OVERLAY VINYL APPLIED FIRST SURFACE.
 ADDRESS: WHITE VINYL 3M 7725-10
 POLE: PAINTED WHITE

ALL WIRING AND COMPONENTS TO MEET U.L. STANDARDS

BLACK
 3M VINYL WHITE 7725-10 / WHITE MATTHEWS SV2025P SATIN
 TO MATCH BLUE PMS 280C
 TO MATCH PMS 2535C
 TO MATCH PMS 423C

A

NEW D/F NON-ILLUMINATED PYLON SIGN (PS-01)

SCALE: 1/2" = 1'

THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY NSMC. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF NSMC.



**National Sign
& MARKETING CORPORATION**
 13580 5th St., Chino, CA 91710
 Tel 909.591.4742 Fax 909.591.9792
 e-mail: sales@nsmc.com
 Lic# 745030 - Exp. 01/31/16

Project: Copart Yard #102B
Address: 11715 Pulaski Highway, White Marsh, MD 21162
Phone: _____ **Account Mgr.** S. Rosenbloom
Designer: Duffy, S. **Scale:** Noted **Date:** 12/18/2013

Client Approval: _____
 Date: _____

This sign intended to be in accordance with the requirements of Article 630 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of this sign.

Revisions:
 1. 12/18/14 - 102 - Remove sign B.
 2. 12/18/14 - 102 - Remove wall sign add pylon sign.
 3. 02/01/17 - 102 - Revise to new addr. Delete item 1. RE-APPLY LETTERING FROM AVINING

Drawing Number
25940
R3



Scope of Work

A NEW D/F NON-ILLUM. PYLON SIGN
(PS-01)



Copart - 102B - 11715 Pulaski Highway, White Marsh, MD 21162 - Site Plan

SCALE: NTS

THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY NSMC. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF NSMC.



**National Sign
& MARKETING CORPORATION**
13580 5th St., Chino, CA 91710
Tel 909.591.4742 Fax 909.591.9792
e-mail : sales @nsmc.com
Lic# 745030 - Exp. 01/31/16

Project: Copart Yard #102B
Address: 11715 Pulaski Highway, White Marsh, MD 21162
Phone: _____ **Account Mgr.** S. Rosenbloom
Designer: Duffy, S. **Scale:** Noted **Date:** 12/18/2013

Client Approval:

Date: _____

This sign intended to be in accordance with the requirements of Article 610 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of this sign.



Revisions:

12/18/2013	Remove sign B
12/18/2013	Remove sign C and pylon sign
12/18/2013	Remove sign D and pylon sign
12/18/2013	Remove sign E and pylon sign
12/18/2013	Remove sign F and pylon sign
12/18/2013	Remove sign G and pylon sign
12/18/2013	Remove sign H and pylon sign
12/18/2013	Remove sign I and pylon sign
12/18/2013	Remove sign J and pylon sign
12/18/2013	Remove sign K and pylon sign
12/18/2013	Remove sign L and pylon sign
12/18/2013	Remove sign M and pylon sign
12/18/2013	Remove sign N and pylon sign
12/18/2013	Remove sign O and pylon sign
12/18/2013	Remove sign P and pylon sign
12/18/2013	Remove sign Q and pylon sign
12/18/2013	Remove sign R and pylon sign
12/18/2013	Remove sign S and pylon sign
12/18/2013	Remove sign T and pylon sign
12/18/2013	Remove sign U and pylon sign
12/18/2013	Remove sign V and pylon sign
12/18/2013	Remove sign W and pylon sign
12/18/2013	Remove sign X and pylon sign
12/18/2013	Remove sign Y and pylon sign
12/18/2013	Remove sign Z and pylon sign

Drawing Number

**25940
R3**



GENERAL

1. ALL MATERIALS AND WORK SHALL CONFORM TO THE REQUIREMENTS OF THE MARYLAND BUILDING PERFORMANCE STANDARDS (MBPS) AND THE 2015 INTERNATIONAL BUILDING CODE (IBC).
2. CONSTRUCTION METHODS AND PROJECT SAFETY: DRAWINGS AND SPECIFICATIONS REPRESENT THE FINISHED STRUCTURE AND DO NOT INDICATE METHODS, PROCEDURES, OR SEQUENCE OF CONSTRUCTION. TAKE NECESSARY PRECAUTIONS TO MAINTAIN AND ENSURE THE INTEGRITY OF THE STRUCTURE DURING CONSTRUCTION. THE EOR WILL NOT ENFORCE SAFETY MEASURES OR REGULATIONS. THE CONTRACTOR SHALL DESIGN, CONSTRUCT, AND MAINTAIN ALL SAFETY DEVICES AND SHALL BE SOLELY RESPONSIBLE FOR CONFORMING TO ALL LOCAL, STATE, AND FEDERAL SAFETY AND HEALTH STANDARDS, LAWS, AND REGULATIONS.
3. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, ELEVATIONS AND SITE CONDITIONS PRIOR TO THE START OF CONSTRUCTION AND NOTIFY THE ENGINEER IMMEDIATELY OF ANY DISCREPANCIES OR INCONSISTENCIES THAT ARE FOUND. NOTED DIMENSIONS TAKE PRECEDENCE OVER SCALED DIMENSIONS. DO NOT SCALE DRAWINGS.
4. ALL OMISSIONS AND/OR CONFLICTS BETWEEN THE VARIOUS ELEMENTS OF THE WORKING DRAWINGS AND SPECIFICATIONS SHALL BE BROUGHT TO THE ATTENTION OF THE ENGINEER AND FIELD INSPECTOR. THE ENGINEER SHALL PROVIDE A SOLUTION PRIOR TO PROCEEDING WITH ANY WORK AFFECTED BY THE CONFLICT OR OMISSION.
5. WHERE NO CONSTRUCTION DETAILS ARE SHOWN OR NOTED FOR ANY PART OF THE WORK, USE THOSE FOR OTHER SIMILAR WORK.
6. WHEN A DETAIL IS IDENTIFIED AS TYPICAL, THE CONTRACTOR IS TO APPLY THIS DETAIL IN ESTIMATING AND CONSTRUCTION TO EVERY USE CONDITION WHETHER OR NOT THE REFERENCE IS REPEATED IN EVERY INSTANCE.
7. CHANGES TO THE DRAWINGS: OBTAIN PRIOR WRITTEN APPROVAL.
8. WORK PERFORMED IN CONFLICT WITH THE STRUCTURAL DRAWINGS OR APPLICABLE BUILDING CODE REQUIREMENTS SHALL BE CORRECTED AT THE EXPENSE OF THE CONTRACTOR.
9. VERIFICATION: VERIFY ALL DIMENSIONS, ELEVATIONS, AND SITE CONDITIONS BEFORE STARTING WORK. NOTIFY THE EOR IMMEDIATELY OF ANY DISCREPANCIES.

DESIGN CRITERIA

1. STRUCTURE IS DESIGNED IN ACCORDANCE WITH ASCE 7-10: MINIMUM DESIGN LOADS FOR BUILDINGS AND OTHER STRUCTURES.
2. WIND LOAD:
BASIC WIND SPEED: 115 MPH
RISK CATEGORY II, EXPOSURE C

STEEL

1. STEEL SHAPES SHALL CONFORM TO THE FOLLOWING:
RND. HSS ASTM A500, GR. B Fy=42 KSI MIN.
SQUARE. HSS ASTM A500, GR. B Fy=46 KSI MIN.
THREADED ROD ASTM A36 Fy=36 KSI MIN.
STEEL PLATE ASTM A36 Fy=36 KSI MIN.
STD. PIPE ASTM A53, GR. B Fy=35 KSI MIN.
2. BOLTS SHALL CONFORM TO ASTM A507 UNO.
3. BOLTS AND THREADED ROD SHALL BE HOT-DIP GALVANIZED PER ASTM F2329 UNO.
4. ANCHOR BOLTS SHALL CONFORM TO ASTM F1554 UNO.
5. NUTS SHALL CONFORM TO ASTM A563.
6. WASHERS SHALL CONFORM TO ASTM F444.
7. STEEL HARDWARE SHALL BE HOT-DIP GALVANIZED PER ASTM A153 UNO.
8. WELDING:
8.1. WELD STRUCTURAL STEEL IN COMPLIANCE WITH ANSI/AWS D1.1 AND AISC SPECIFICATION, CHAPTER J. WELDERS SHALL BE CERTIFIED AS REQUIRED BY GOVERNING CODE AUTHORITY. WELDING SHALL BE DONE BY ELECTRIC ARC PROCESS USING LOW-HYDROGEN ELECTRODES WITH SPECIFIED TENSILE STRENGTH NOT LESS THAN 70 KSI UNLESS NOTED OTHERWISE.
- 8.2. ALL SHOP AND FIELD WELDS SHALL BE PERFORMED BY AN AISC QUALITY CERTIFIED FABRICATOR.
- 8.3. UNLESS A LARGER WELD SIZE IS INDICATED, PROVIDE MINIMUM WELD PER AISC SPECIFICATION, SECTION J2, TABLE J2.4.

9. ALUMINUM
9.1. FABRICATE AND ERECT ALUMINUM IN COMPLIANCE WITH THE ALUMINUM ASSOCIATION (AA) 2010 ALUMINUM DESIGN MANUAL (ADM) I, THE SPECIFICATIONS FOR ALUMINUM SHEET METAL WORK, (A9M35), AND IBC CHAPTER 20.
- 9.2. PIPE AND TUBE SHALL BE 6061-T6 PER ASTM B241 OR B429 WITH F_u=38 KSI MIN, F_y=35 KSI MIN, F_u=24 KSI MIN, F_y=15 KSI MIN.
- 9.3. STD STRUCTURAL PROFILES SHALL BE 6061-T6 PER B308 WITH F_u=38 KSI MIN, F_y=35 KSI MIN, F_u=24 KSI MIN, F_y=15 KSI MIN.
- 9.4. SHEET AND PLATE SHALL BE 6061-T6 PER ASTM B241 OR B429 WITH F_u=42 KSI MIN, F_y=35 KSI MIN, F_u=24 KSI MIN, F_y=15 KSI MIN.
- 9.5. EXTRUSIONS SHALL BE 6061-T6 PER ASTM B241 OR B429 WITH F_u=38 KSI MIN, F_y=35 KSI MIN, F_u=24 KSI MIN, F_y=15 KSI MIN.
- 9.6. ALL SHOP AND FIELD WELDS SHALL BE PERFORMED BY AN AISC QUALITY CERTIFIED FABRICATOR.
- 9.7. UNLESS A LARGER WELD SIZE IS INDICATED, PROVIDE MINIMUM WELD PER ADM I.
- 9.8. FILLER SHALL BE 5356 ALLOY.

10. CONCRETE & REINFORCEMENT
10.1. MINIMUM 28-DAY COMPRESSIVE STRENGTH (f_c) SHALL BE 2,500 PSI.
- 10.2. REINFORCEMENT TO BE ASTM A615 OR 60, F_y=60 KSI UNO.
- 10.3. CALCIUM CHLORIDE OR ADDED CHLORIDE IS NOT PERMITTED.
- 10.4. VIBRATION: ALL REINFORCED CONCRETE SHALL BE CONSOLIDATED WITH MECHANICAL VIBRATORS.

11. MINIMUM CONCRETE COVER:
CAST AGAINST & EXPOSED TO EARTH 3"
EXPOSED TO EARTH OR WEATHER 2"
6. CHAIRS AND SPACERS: AS REQUIRED TO MAINTAIN COVER.

FOUNDATIONS

1. DESIGN BEARING PRESSURES ARE PER IBC CLASS 4 PRESUMPTIVE VALUES:
LATERAL BEARING: 150 PSF/FT
VERTICAL BEARING: 2,000 PSF

EXISTING CONDITIONS

1. IF EXISTING CONDITIONS ARE NOT AS DETAILED IN THIS DESIGN, THE INSTALLER SHALL CEASE WORK AND NOTIFY REVERENCE ENGINEERING IMMEDIATELY.
2. REVERENCE ENGINEERING WILL NOT BE PERFORMING ON-SITE INSPECTIONS OR VERIFICATIONS. IT IS THE RESPONSIBILITY OF THE INSTALLER, STRUCTURE OWNER, AND PROPERTY OWNER TO IDENTIFY EXISTING CONDITIONS AND CONTACT REVERENCE ENGINEERING WITH ANY DISCREPANCIES OR CONCERNS.
3. INSTALLER SHALL CONFIRM THE DIAMETER AND THICKNESS OF EXISTING MEMBERS AND NOTIFY REVERENCE ENGINEERING OF ANY DISCREPANCIES.
4. INSTALLER SHALL INSPECT AND CONFIRM THE QUALITY OF EXISTING STRUCTURE AS "IN GOOD REPAIR". IF THERE ARE ANY INDICATIONS THAT THIS IS NOT THE CASE, INSTALLER SHALL CEASE WORK IMMEDIATELY AND NOTIFY REVERENCE ENGINEERING.
5. ANY EXISTING INFORMATION SHOWN HAS BEEN FURNISHED BY THE PERSONS OR COMPANY THIS DOCUMENT WAS PREPARED FOR (SEE TITLE BLOCK). REVERENCE ENGINEERING IN NO WAY CERTIFIES THIS INFORMATION AS "AS-BUILT". IF THERE IS ANY REASON TO BELIEVE THE EXISTING CONDITIONS DETAILED HEREIN ARE NOT ACCURATE, REVERENCE ENGINEERING SHALL BE NOTIFIED IMMEDIATELY.

SCOPE OF WORK


LIMITS OF LIABILITY TO EXTEND ONLY TO THE QUANTITY INDICATED. ATTEMPTS IN PART OR IN WHOLE TO INSTALL GREATER QUANTITIES THAN THOSE SPECIFIED WITHOUT CONSULTING REVERENCE ENGINEERING SHALL VOID ALL PROFESSIONAL LIABILITY AND COVERAGE.

ABBREVIATIONS


ABV.	ABOVE	HOR.	HORIZONTAL
ADJ.	ADJACENT	OC.	ON CENTER
ADD.	ADDITIONAL	LOC.	LOCATION
APF	ABOVE FINISHED FLOOR	MAX.	MAXIMUM
ALT.	ALTERNATE	MIN.	MINIMUM
ALUM.	ALUMINUM	d	OVER
AOR.	ARCHITECT OF RECORD	OD.	OUTSIDE DIAMETER
ARCH.	ARCHITECTURAL	OPT.	OPTIONAL
BTM.	BOTTOM	REF.	REINFORCEMENT
BLKG.	BLOCKING	RND.	ROUND
ORC.	CIRCULAR	SM.	SIMILAR
CONC.	CONCRETE	SS.	STAINLESS STEEL
CONN.	CONNECTION	STD.	STANDARD
CONT.	CONTINUOUS	SUPP.	SUPPLEMENTAL
CTR.	CONTRACTOR	SQ.	SQUARE
DIA.	DIAMETER	TO	TO TOP OF
DET.	DETAILER	TYP.	TYPICAL
EA.	EACH	THK.	THICKNESS
E.W.	EACH WAY	UNO.	UNLESS NOTED
ELEV.	ELEVATION	VERT.	VERTICAL
EMB.	EMBEDMENT	W/	WITH
EOR.	ENGINEER OF RECORD	W/O	WITHOUT
FAB.	FABRICATOR/FABRICATION	W/	WITH
FDN.	FOUNDATION	W/O	WITHOUT
FRM.	FRAMING	ZP.	ZINC PLATED
FTG.	FOOTING		
GC.	GENERAL CONTRACTOR		
HDG.	HOT DIP GALVANIZED		

SYMBOLS


STEEL (OR ALUM.)	EARTH
CONCRETE	SAND (UNO.)



ELEVATION



CONNECTION DETAIL



CONNECTION DETAIL

Professional Certification. I hereby certify that these documents were prepared or approved by me, and that I am a duly licensed professional engineer under the laws of the State of Maryland, License No. 49046, Expiration Date: 24 March 2018.

Brett Sauers, P.E.
Digitally signed by Brett Sauers, P.E.
Date: 2017.08.02 03:13:41 -07'00'

www.reverenceengineering.com
(619) 354-1152
101 WEST BROADWAY STE 300
SAN DIEGO, CA 92101

NATIONAL SIGN & MARKETING CORP.

COPART POLE SIGN
1715 PULASKI HIGHWAY
WHITE MARSH, MD 21162

PROJECT # 170704

No.	Issued/Revision	Date
1	Initial Submittal	10 Jul 2017




DATE SIGNED:	ENGINEER:	DWG TITLE:	SHEET:	SUB:
	BJS	STRUCTURAL	S.1	B

FIELD SURVEY OF PROPERTY REQUIRED PRIOR TO MANUFACTURE


PROPOSED NORTHWEST ELEVATION



EXISTING NORTHWEST ELEVATION



**PROPOSED ELEV. - VIEW FROM PULASKI HWY
DRIVING NORTHEAST**



**DO NOT MOUNT PYLON SIGN DIRECTLY UNDERNEATH
EXISTING ELECTRICAL POWER LINES.
EXACT SIGN LOCATION TO BE DETERMINED.**

Pylon Elevation

SCALE: NTS



National Sign
& MARKETING CORPORATION
 13580 5th St., Chino, CA 91710
 Tel 909.591.4742 Fax 909.591.9792
 e-mail : sales @nsmc.com
 Lic# 745030 - Exp. 01/31/16

Project: Copart Yard #102B
Address: 11715 Pulaski Highway, White Marsh, MD 21162
Phone: _____ **Account Mgr.** S. Rosenbloom
Designer: Duffy, S. **Scale:** Noted **Date:** 12/18/2013

Client Approval:

Date: _____

This sign intended to be in accordance with the requirements of Article 600 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of this sign.



Revisions:

01/26/14 SD	Remove sign B
03/19/14 SD	Remove wall sign add nylon sign
06/01/17 LP	Revised to new nylon. Delete item 1 REMOVE LETTERING FROM AWNING

Drawing Number

25940
R3



VISCO
ELECTRONIC SIGNS



Permits, Approvals & Inspections

111W. Chesapeake Avenue
Towson, MD 21204

Report Generated On:
8/10/2017

Permit Processing Commerical Permit & Development Report

Page 1 of 1

Property Information

Tax Account Number: **1106082251**

Election District: **11**

Owner Name(s): FURNKAS CATHERINE M and PATTON DAVID D TRUSTEES

PDM #:

Address: PO BOX 333

Zoning District(s): *MH/BR*

WHITE MARSH, MD 21162

Premise Address: 11715 PULASKI HWY

Elevation Range: 18ft - 46ft

Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111	New Com Bldg.	Interior Alts.	Add / Ext. Alts.	Piers/Pilings	Grading/SW	Tanks	Ret Walls/Bulk	Razing	Chg. of Occup.	Tower Antenna	Signs	Elect. & Plumb	Agency Acknowledgment Initial & Date
Contact Agency	Potential Overlay Issues Growth Tier 4: No New Subdivisions of 4 or More Additional Lots													
DEPS-Dev. Coord. Jefferson Building 4th Floor Phone: 410-887-3733	Chesapeake Bay Critical Area	X		X	X	X	X	X			X			
DEPS-Sed. Control Jefferson Building 4th Floor Phone: 410-887-3226	Note: All Razing Permits must be sent to Sediment Control for review. Chesapeake Bay Critical Area	X		X		X		X						
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.													
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: 1972-0257-SPH; 1975-0280-SPH; 1997-0066-XA; R-1954-3039-X; 1954-3057-X; 1951-2077-X; R-1950-1869 URDL (Outside)	X		X	X	X	X			X	X	X	X	<i>JWP Final 8/10/17</i>