


\mathcal{O}_{i}	DALTIMODE COUNTY	B 15 10 LO
	BALTIMORE COUNTY F PERMITS, APPROVALS & INSPECTIONS WEST CHESAPEAKE AVENUE	A 759 003
****	TOWSON, MD 21204 410-887-3391	The applicant is authorized to affirm that there are no current violations at this
MARYLAND	SIGN USE PERMIT	site pursuant to Section
ermit Fees are Non-Refundable; Make Check Payable to	"Baltimore County, Maryland"	112.7 BCC Initials
ROPERTY ADDRESS 118 SHAWAN ROAD D-10	03 Cockeysville, MD ZIP CODE	21030
USINESS NAME GEABGAGREEN	ZONING BY	1 CT
OWNER'S NAME HUNT VALLEY TOWN CENTER LLC PI	HONE NO. 215 - 665 - 1080 HISTORIC	DISTRICT Yes X No
MAILING ADDRESS do GREENBERG COMMERCIAL	10096 RED RUN BLUD, STE 100, OWIN	65 MILLS, MD 21117
APPLICANT/OWNER'S AGENT SPURGE EISMEIER, Ja	/ PERMITS BY PINECREST PHONE NO.	410-267-1914
IGN COMPANY NAME APPLE SIGNS INC.	PHONE NO.	410-987-7446
YPE OF SIGN: Window Sign	TAX ACCOUNT NO CO	0014926
Temporary- Including Real Estate/Construction/Event	Temporary Signs in the Last	Year: Yes No 68
Permanent Changeable Copy Wall	X Face Change Only ☐ Non-Illuminated	d
Freestanding Pylon Monument Illum	ninated (separate electrical permit required)	
ize: 19.6 feet x 3.42 feet = 66.85 square feet	Height:feet (frees	standing signs)
roperty Line/Street Right-of-Way Setbacks: front,	sides, and rear	
NOTE: A construction plan, drawn to scale and clearly showin	g that all requirements have been met, must be	attached; a site plan also
nust be attached for freestanding signs.		
450.6.B.3 Changeable copy signs must operate flashing, blinking, strobing, scrolling, oscillating PROHIBITIONS: including roof signs (Sections 450.5.B.7 at 1. Signs cannot impair motorist's clear view of traffic or 2. Signs cannot imitate or resemble government signs, ex 3. Signs cannot be placed in or project into or above stre 4. Sign or framework cannot obstruct window or opening 5. Vehicle cannot be parked for the purpose of displaying 6. Except for flags exempted, flags, pennants, ribbons, st prohibited. 7. Portable signs are prohibited, except for A-frame and 8. There can be no display or simulation of moving parts changeable copy sign, or a thermometer, barometer, w 9. No sign may emit sound Work Description (including number of signs, special con	and 450.6.A, Baltimore County Zoning Regular government signs. All signs are subject to Sect except for private traffic control and notice signs are right of way or governmental property. If you have gone and attached sign. It is a streamers, tethered balloons, laser projections, as a sandwich board signs issued a use permit in B. It is or message, except for an outdoor advertising weather vane, barber pole, or clock.	lations): tion 102.5, BCZR. drant, or stand pipe. nd similar objects are M. – C.T. zones.
INSTALL ONE (1) ILLUMINATED CHANNEL		E"FOOD + JUICE".
		CORNER LOT
Fet wall=	35	
OWNER/AG solemnly affirm under the penalties of perjury and upon p	GENT CERTIFICATION	hove are true and further
gree to locate the proposed sign such that it will not violate	e Baltimore County laws and regulations.	above are true and further
Av. 152	2017 SAJEGEON R. EISMEIE	D. le.
Aug. 15,2 Date	SPURCEON R. EISMEIE Print/Type Name	
Require Planning Signature	Date /	_
Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)	Authority under Section 5002, BETR PAI Approval (S	SIGN-ONLY)
REV 10/14	S/gnature Initials	Date /



i				



Permits, Approvals & Inspections

111W. Chesapeake Avenue Towson, MD 21204

Report Generated On: 8/15/2017

Page 1 of 1

BM

Permit Processing Commerical Permit & Development Report

Property Information

Tax Account Number: 1800014925

Plat Ref: 046:027

Election District: 8

Owner Name(s): HUNT VALLEY TOWNE CENTRE LLC

PDM #: 08-0251 Zoning District(s): BM CT

Address: C/O GREENBERG COMMERCIAL 10096 RED RUN BLVD STE 100

MLR

OWINGS MILLS,MD 21117

Premise Address: SHAWAN RD				Elevation Range: 252ft - 406ft												
Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111	Com Bldg.	S.	Alts.	sb	×	No secure selection of	Bulk	Assession "Transporter	Occup.	enna	alto no erribormado.	Plumb	Agency		
Contact Agency	Potential Overlay Issues		Interior Alts.	Add / Ext. /	Piers/Pilings	Grading/SW	ks	Ret.Walls/Bulk	ing	of O	Tower Antenna	S	ంర	Acknowledgment		
	Growth Tier 1: Served by public sewer and inside URDL	New	Inte	Add	Pier	Gra	Tanks	Ret	Razing	Chg. of	Tow	Signs	Elect.	Initial & Date		
DEPS-Dev. Coord. Jefferson Building 4th Floor Phone: 410-887-3733	Possible Flood Hazard - Water Body Present	X	The section of the product of the section of the se	X		X Section of the section of the sect	X	X .	Company of the Compan	APLIA ROMENTAL CONTRACTOR CONTRAC	X		Award Committee on one present a speciment of the committee of the committ			
DEPS-Sed. Control Jefferson Building 4th Floor Phone: 410-887-3226	Note: All Razing Permits must be sent to Sediment Control for review.	NO PROPERTY AND ADDRESS OF THE PARTY AND ADDRE		al-merusana			et waterman			- Constitution						
	Possible Flood Hazard - Water Body Present	X	CONTRACTOR SALES S	X	Action and the second control of the second	X	CONTRACTOR OF THE PROPERTY OF	X	PCMCAEINEMENTALISMOST CONTRACTOR	Charles and the second of the	And the second s			турски противова на при на при на при		
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.		Andrew April (April 1974)	and the second second	in decount of the first of	District Chromenol district	THE WILLIAM CONTRACTOR CONTRACTOR	A COMPANY OF THE PROPERTY OF T	Contraction (Contraction Contraction	And the same of th	Total and the name of the name	APPLICATION HONORSHAPPOOR				
	Possible Flood Hazard - Water Body Present	X	X	X		X	X	X	www.	X	X	Ó	X	OK To File		
Zoning Review County Office Building Room 111	Zoning Cases: 1981-0193-SPH; 2009-0272-X; 2007-0217-A; 2006-0617-SPH; 1998-0098-A; 1998-0061-SPHA; 2011-0152-SPHA; 2015-0232-SPH; 1981-0125-A; 1996-0225-XA	X		X	X	X	X		The second secon	X	X	X		2		
Phone: 410-887-3391		.,		- Annie Marie	All Se Montrace	A40.000	-		Name of the contract of	Olar Salar	-	MVM - VMM-LIER				
Building Plans Review County Office Building Room 120 Phone: 410-887-3987	Possible Flood Hazard - Water Body Present	X		X	X				With the second	New Autoropa, Three OH (Henrich M.) and Carlo Antonio Marketine Marketin Marketine Marketine Marketine Marketine Marketine Marketine Mar	X	Market Market and Control of the Con	TOO SHOWING TO			

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant. Form171C

BLDG CHANNEL LETTER



404 Serendipity Dr. Millersville, Md. 21108 Phone 410.987.7446 Fax 410.987.1580 Visit us at www.applesigns.com

CLIENT: GRABBAGGREEN
CONTACT:
ADDRESS:
118 Shawan Rd. D-103
Cockeysville, MD

PHONE

DATE M/D/Y DESIGNER / TIME 5/15/17 KHUANG 1 5/16/17 KHUANG 1 6/6/17 KHUANG 2 R4 6/15/17 KHUANG 2 R5 6/16/17 KHUANG 1 R6 6/16/17 KHUANG 1 R7 7/6/17 KHUANG 1 R8 7/18/17 KHUANG 1 R9 7/19/17 C OMINELLI 1 KHUANG 1 R10 PMT 8/9/17 KHUANG 1

APPROVALS CLIENT

SALES REP - PROJECT MGR

Date M / D / Y
APPROVED SKETCH#

PRODUCTION Name

Date M / D / Y
APPROVED SKETCH#

INSTALLATION

Date / / D / Y
APPROVED SKETCH#

•

SIGN SQ FT.: 66.85 SQ. FT.

FRONT ELEVATION

SCALE @ 1/2" = 1 FOOT

TRANSLUCENT GREEN VINYL ON FACE

CREATE & INSTALL: ONE (1X) SET OF WHITE LED FACE ILLUMINATED ALUM. CHANNEL LETTERS FLAT MOUNTED TO BUILDING FACADE

- 5" DEEP ALUM. FABRICATED RETURNS, PAINTED BLACK W/ SATIN FINISH
- 1" BLACK TRIM CAPS W/ 3/16" WHITE ACRYLIC FACES
- TRANSLUCENT GREEN VINYL & PERFORATED GRAY VINYL ON LETTER FACES
- WHITE LED SLOAN CL-15 WHITE INTERNAL ILLUMINATION MOUNTED ON LETTER BACKS
- STUDS FLAT MOUNTED TO BUILDING EFIS WALL
- 1/2" THICK FLAT CUT ACRYLIC TAG LINE LETTERS, WHITE PAINTED FACE W/ GRAY PAINTED EDGES, STUD FLAT MOUNTED TO BUILDING FACADE
- PRINTOUT COLORS ARE FOR REFERENCE ONLY.
- VERIFY CONDITIONS IN FIELD.

3630-136 LIME GREEN 3M VINYL

3630-61 SLATE GRAY VINYL

VARY. .063 ALUMINUM BACKING .040 ALUMINUM RETURNS. **EXISTING BUILDING WALL BLACK PAINTED FINISH EFIS BLACK TRIM CAPS & RETAINING SCREW** LISTED SIGN SECTION (CONSISTS OF TRANSFORMER AND SLOAN CL-5 WHITE LED LIGHTING. **ENCLOSURE) SUITABLE FOR OUTDOOR LOCATIONS** SIZE & TYPE VARIES UNLESS MARKED FOR INDOOR USE ONLY. ACCESSIBLE GROUNDED ENCLOSURE W/ SHEET METAL COVER. 3/16" WHITE **ACRYLIC FACE W/** LISTED ELECTRONIC VINYL GRAPHIC OVERLAY POWER SUPPLY, 12 VOLT FASTENERS AS REQUIRED. **FASTENERS AS REQUIRED** PRIMARY ELECTRICAL SOURCE IN 1/2" MINIMUM CONDUIT OR CABLE **WEEP HOLES** AS REQUIRED THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. LISTED DISCONNECT SWITCH THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN IN PRIMARY TO BE WITHIN SIGHT (MAXIMUM 50 FT.) OF SIGN TO EXISTING ELECTRICAL CIRCUIT (MANY INTERPRET TRANSFORMER ENCLOSURE TO BE PART OF SIGN.)

1/2" THICK FLAT CUT ACRYLIC LETTERS, WHITE PAINTED FACES

W/ GRAY PAINTED EDGES, STUD FLAT

MOUNTED TO BUILDING FACADE W/ SILICONE

SECTION VIEW - FACE-LIT CHANNEL NOT TO SCALE



FRONT ELEVATION

SCALE @ 1/4" = 1 FOOT