UP-2017-0109-SI



REV 03/12

\$50.

BALTIMORE COUNTY

DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
111 WEST CHESAPEAKE AVENUE

TOWSON, MD 21204 410-887-3391

	B 15+4-11
NS	A 751701
	The applicant is authorized

The applicant is authorized to affirm that there are no current violations at this site pursuant to Section

MANATA	SIGN USE PERMIT	site pursuant to Section		
Permit Fees are Non-Refundable; Make Check Payable to	"Baltimore County, Maryland"	112.7 BCC Initials		
PROPERTY ADDRESS Golffee 2159 YORK RD Timonium ZIP CODE 21093				
BUSINESS NAME GOIFTEC	ZONING	r.		
DWNER'S NAME Timonium Stop Center Ass. P	HONE NO. HISTOI	RIC DISTRICT Tyes No		
MAILING ADDRESS 3333 5 New Hyde	Park Rd, New Hyde PK	NY 11042-1205		
APPLICANT/OWNER'S AGENT Kimco Realt of PHONE NO.				
SIGN COMPANY NAME Signsations, luc 15igns Plus Phone No. 443 318 4363				
TYPE OF SIGN: Window Sign	TAX ACCOUNT NO. 25 /	00,003921		
Temporary- Including Real Estate/Construction/Event	Temporary Signs in the L	ast Year: Yes No		
Permanent Changeable Copy Wall Face Change Only Non-Illuminated				
Freestanding Pylong 6 Monument Illuminated (separate electrical permit required)				
Size: 2-16 feet x 246.6 feet = 40 square feet Height: MA feet (freestanding signs)				
Property Line/Street Right-of-Way Setbacks: front, sidesand, and rear				
NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached; a site plan also				
nust be attached for freestanding signs.				
 nstantaneous message change per 15 second cycle. PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations): Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs. Signs cannot be placed in or project into or above street right of way or governmental property. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe. Vehicle cannot be parked for the purpose of displaying an attached sign. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. – C.T. zones. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock. No sign may emit sound				
Work Description (including number of signs, special con Channel letters LED internal ill STORE FRONT,	nditions, materials, locations and size): univation 26 = + all on	37.5 LF CORNER LOT		
OWNER/AGENT CERTIFICATION I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further				
agree to locate the proposed sign such that it will not violate the proposed s	personal knowledge that the contents of the Baltimore County laws and regulations. ORE Buggess Print/Type Name			
Require Planning Signature Date				
Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)	Authority under Section 500.4, BCZR PAI Approv	al (SIGN ONLY)		

Signature





SITE MAP

Scale: 1" =200' **Golf Tec**

LOCATION: 2159 York Road Timonium, MD 21903

9200 Valley Rd. Prescott Valley, Arizona 86314 800-257-5095

Account Executive: Gary Johnson

Designer: SG Design Number; 6703


DATE: 03/30/2017

SCALE: AS NOTED REVISIONS: R1-04/13/2017 SG

SHEET:

OF 2

CUSTOMER APPROVAL N/O CHGS WY CHGS DATE: _



Note Field Verify Fascia Area Prior to Fabrication of signs


93 ft 19'-5 1/2" Scale: 3/32" = 1'-0"

PAN CHANNEL LETTERS

Scale: 3/8" = 1'-0"

Manufacture and install one (1) set of LED illuminated pan channel letters with white plex faces. The top of the "G and TEC" will be overlaid with 3M Lime Green (3630-136) vinyl. The bottom of the "G and OLF" will be overlaid with 3M Black Perf. (3635-222) vinyl. The faces will have 3/4" black trim cap with 5" deep black aluminum returns. The letters will then be mounted to a raceway painted to match the building.

Raceway Mounted PC Letter / LEDs - Cross Section Detail



requirements of Article 600 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of the signs

W/O CHGS W/ CHGS

Golf Tec



Account Executive: Gary Johnson Designer: SG

Design Number: 6703 03/30/2017

SCALE: AS NOTED REVISIONS:

2 OF