



BALTIMORE COUNTY
DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
111 WEST CHESAPEAKE AVENUE
TOWSON, MD 21204
410-887-3391

\$100.00

SIGN USE PERMIT

UP-2018-0015-SI

B
A 781158
The applicant is authorized to affirm that there are no current violations at this site pursuant to Section 112.7 BCC
Initials DL

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"

PROPERTY ADDRESS 7927 Belair Rd ZIP CODE 21238
BUSINESS NAME McDonald's ZONING 410 767 1350 BR/0253
OWNER'S NAME McDonald's PHONE NO. 804 691 9279 HISTORIC DISTRICT ☐ Yes ☒ No
MAILING ADDRESS 7927 Belair Road
APPLICANT/OWNER'S AGENT Makayla Ngoun PHONE NO. 804 691 9279
SIGN COMPANY NAME CUSitech LLC PHONE NO. 410 767 1350
TYPE OF SIGN: ☐ Window Sign TAX ACCOUNT NO. 190 / 000 / 1407

☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☒ No

☐ Permanent ☐ Changeable Copy ☐ Wall ☐ Face Change Only ☐ Non-Illuminated

☒ Freestanding ☒ Pylon ☐ Monument ☒ Illuminated (separate electrical permit required)

Size: 4.1354 feet x 4.8333 feet = 19.79 square feet Height: _____ feet (freestanding signs)

Property Line/Street Right-of-Way Setbacks: front existing - not seen from ROW, sides _____ and _____, and rear _____.

NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached; a site plan also must be attached for freestanding signs.

Table of Sign Regulations: 450.4. Attachment 1, 1.- An Electronic Changeable Copy Sign may only have a maximum Frequency of one instantaneous message change per 15 second cycle.

450.6.B.3 Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.

PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):

1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.
2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.
3. Signs cannot be placed in or project into or above street right of way or governmental property.
4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.
5. Vehicle cannot be parked for the purpose of displaying an attached sign.
6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.
7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. - C.T. zones.
8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.
9. No sign may emit sound

Work Description (including number of signs, special conditions, materials, locations and size):

2 dual panel menu boards in drive thru illuminated internally

CORNER LOT ☐

OWNER/AGENT CERTIFICATION

I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.

Signature Makayla Ngoun Date 8/16/18 Print/Type Name Makayla Ngoun

☒ Require Planning Signature Jin Bui Date 8/16/18

Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)

REV 10/14

Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)

Signature Long Initials gn Date 8/16/18



Permits, Approvals & Inspections

111W. Chesapeake Avenue
Towson, MD 21204

Report Generated On:
8/16/2018

Permit Processing Commerical Permit & Development Report

Page 1 of 1

Property Information

Tax Account Number: 1900001407

Plat Ref: 044:116

Election District: 14

Owner Name(s): FP SUB LLC

PDM #: 14-0134

Address: SUITE 100 3333 NEW HYDE PARK RD
NEW HYDE PARK,NY 11042

Zoning District(s): BR BL
DR 5.5


Premise Address: 7927 BELAIR RD

Elevation Range: 150ft - 192ft

Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111.	New Com Bldg.	Interior Alts.	Add / Ext. Alts.	Piers/Pilings	Grading/SW	Tanks	Ret.Walls/Bulk	Razing	Chg. of Occup.	Tower Antenna	Signs	Elect. & Plumb	Agency Acknowledgment
Contact Agency	Potential Overlay Issues													Initial & Date
	Growth Tier 1: Served by public sewer and inside URDL													
Planning Jefferson Building Room 101 Phone: 410-887-3211	B.S.M. 2014 - Failing Traffic Sheds,(US-1&Rossville Blvd) Commercial Revitalization Districts - Overlea	X		X										Final JAB 8/16/18
DEPS-Dev. Coord. Jefferson Building 4th Floor Phone: 410-887-3733	Possible Flood Hazard - Water Body Present	X		X		X	X	X			X			
DEPS-Sed. Control Jefferson Building 4th Floor Phone: 410-887-3226	Note: All Razing Permits must be sent to Sediment Control for review. Possible Flood Hazard - Water Body Present	X		X		X		X						
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services. B.S.M. 2014 - Failing Traffic Sheds,(US-1&Rossville Blvd) Possible Flood Hazard - Water Body Present	X		X		X				X				OK To File OK To File
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: 1982-0089-A; 1953-2807-X; 1953-2816-X; R-1957-4177; 2017-0241-SPHA; 2017-0338-SPHA; 1981-0130-A; 2012-0186-SPH; 2011-0343-A; 1982-0093-A	X		X	X	X	X			X	X	X		gh
Building Plans Review County Office Building Room 120 Phone: 410-887-3987	Possible Flood Hazard - Water Body Present	X	X	X	X		X	X			X			

single panel menu board 10.06 sq. ft.

double panel menu board 19.79 sq. ft.



55" Outdoor digital menuboard


02-55-2S/D Outdoor Menu Board
Permitting Unit Information

Not site specific drawings.

Version 1.0

STANDARD DRAWINGS FOR PROTO-TYPICAL SINGLE PANEL MENU BOARD.

Single Faced: 5' 11 1/3" Height - 10.06 sq. ft. in size. 4' 1 3/4" x 2' 5 1/8" - 1.81' clearance



$$4.1458 \times 2.4271 = \cancel{19.77} \\ 10.06 \text{ sq. ft.}$$

If site specific drawings are required please request them.

55" Outdoor digital menuboard

02-55-2S/D Outdoor Menu Board

Permitting Unit Information



Version 1.0

Coates ODMB

Single screen unit



Area of display




STANDARD DRAWINGS FOR PROTO-TYPICAL DOUBLE PANEL MENU BOARD.

Double Panel: 5' 11 5/8" Height -
19.79 sq. ft. in size.

4'1 5/8" x 4'10" - 1.83' clearance

$$4.1354 \times 4.8333 = 19.79 \text{ sq. ft.}$$

If site specific drawings are required please request them.



55" Outdoor digital menuboard

02-55-2S/D Outdoor Menu Board




Permitting Unit Information

Coates ODMB
Double screen unit



Area of display

Area of display




Coates ODMB

Height variations



Existing design has multiple fixture points already built in for brackets and screens allow for lowering in 2 additional increments.



GENERAL NOTES

1. CONSTRUCTION SHALL COMPLY WITH ALL APPLICABLE LOCAL, STATE, AND NATIONAL CODES AND REGULATIONS.
2. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AND EXISTING CONDITIONS PRIOR TO BID TO DETERMINE THE EXTENT OF WORK. THE CONTRACTOR SHALL NOTIFY THE ARCHITECT OF ANY DISCREPANCIES PRIOR TO BIDDING.
3. ALL EXISTING MATERIALS TO REMAIN WHICH ARE DAMAGED OR OTHERWISE DISTURBED BY THE CONTRACTOR'S OPERATIONS SHALL BE PATCHED OR REPAIRED TO MATCH THE EXISTING ADJACENT MATERIALS, SO THAT THE REPAIR IS IMPERCEPTIBLE.
4. DURING THE COURSE OF CONSTRUCTION, IF THE CONTRACTOR UNCOVERS ANY CODE VIOLATION KNOWN TO HIM OR ANY DISCREPANCY WITH THE DESIGN, CONTRACTOR SHALL NOTIFY THE ARCHITECT OF SUCH IMMEDIATELY.
5. CONTRACTOR SHALL ASSEMBLE AND INSTALL MATERIALS/ PRODUCTS IN STRICT ACCORDANCE WITH THE MANUF'S RECOMMENDATIONS AND INDUSTRIAL/ASSOCIATION STANDARDS.
6. CONTACT ARCHITECT AND COORDINATE WITH TENANT ANY ADDITIONAL SPECIFICATIONS NOT SPECIFIED HEREIN AND/OR CLARIFICATIONS REGARDING THE CONTRACT DOCUMENTS.
7. NO CURRENT SURVEY WAS PERFORMED. THE CONTRACTOR SHALL NOTIFY THE ENGINEER IMMEDIATELY, IN WRITING, OF ANY DISCREPANCIES OR OMISSIONS TO THE TOPOGRAPHIC INFORMATION. THE CONTRACTOR(S) SHALL BE RESPONSIBLE FOR CONFIRMING THE LOCATION (HORIZONTAL/VERTICAL) OF ANY BURIED CABLES, CONDUITS, PIPES, AND STRUCTURES (STORM SEWER, SANITARY SEWER, WATER, GAS, TELEVISION, TELEPHONE, ETC.) WHICH IMPACT THE CONSTRUCTION SITE. THE CONTRACTOR(S) SHALL NOTIFY THE OWNER AND ENGINEER IN WRITING IF ANY DISCREPANCIES ARE FOUND BETWEEN THE ACTUAL CONDITIONS VERSUS THE DATA CONTAINED IN THE CONSTRUCTION PLANS. ANY COSTS INCURRED AS THE RESULT OF NOT CONFIRMING THE ACTUAL LOCATION (HORIZONTAL/VERTICAL) OF SAID CABLES, CONDUITS, PIPES, AND STRUCTURES SHALL BE BORNE BY THE CONTRACTOR. ADDITIONALLY, THE CONTRACTOR(S) SHALL NOTIFY THE OWNER AND ENGINEER IN WRITING IF ANY ERRORS OR DISCREPANCIES ARE FOUND ON THE CONSTRUCTION DOCUMENTS (PS&E), WHICH NEGATIVELY IMPACT THE PROJECT. THE ENGINEER AND OWNER SHALL BE INDEMNIFIED OF PROBLEMS AND/OR COST WHICH MAY RESULT FROM THE CONTRACTOR'S FAILURE TO NOTIFY THE ENGINEER AND OWNER.
8. IT IS STRONGLY RECOMMENDED THAT NO CONTRACTUAL AGREEMENT OF ANY KIND BE SIGNED PRIOR TO RECEIVING AND THOROUGHLY REVIEWING ALL APPROVALS FROM ALL OF THE REGULATORY AUTHORITIES HAVING JURISDICTION OVER THIS PROJECT.

BUILDING CODE SUMMARY

APPLICABLE BUILDING CODE: 2012 INTERNATIONAL BUILDING CODE

APPLICABLE ELECTRICAL CODE: 2011 NATIONAL ELECTRICAL CODE

USE GROUP: M - MERCANTILE

BUILDING DEPARTMENT PHONE NO: (703)792-6930

EXISTING SIGNAGE AREA TO BE REMOVED: 84.0 SQ FT

NEW SIGNAGE AREA TO BE ADDED: 82.2 SQ FT

PROJECT ADDRESS: 12730 HARBOR DR. LAKE RIDGE, VA. 22192

SITE PLAN LEGEND

- NEW DUAL PANEL OUTDOOR DIGITAL MENU BOARD
- NEW SINGLE PANEL OUTDOOR DIGITAL PRE-SELL BOARD
- EXISTING MENU BOARD TO BE REMOVED
- EXISTING CUSTOMER ORDER DISPLAY (ORDER POINT)

SITE PLAN KEY NOTES

- 1 REMOVE EXISTING MENU BOARD. SEE SITE NOTE #3
- 2 EXISTING COD/CANOPY AND DETECTOR LOOP TO REMAIN
- 3 DUAL PANEL MENU BOARD. REFER TO MANUFACTURER SHEET FOR FOOTING INFORMATION.
- 4 SINGLE PANEL MENU BOARD. REFER TO MANUFACTURER SHEET FOR FOOTING INFORMATION.
- 5 EXISTING SIGNAGE TO REMAIN

CONDUIT PLAN KEY NOTES

- 1 ONE 3/4" PVC CONDUIT (4-#12, 1-#12 GRD, 1-#12 IG) FROM PANEL CP TO J-BOX
- 2 ONE 3/4" PVC CONDUIT (2-#12, 1-#12 GRD, 1-#12 IG) FROM J-BOX TO LANE 1 PRE-SELL BOARD
- 3 ONE 3/4" PVC CONDUIT (2-#12, 1-#12 GRD, 1-#12 IG) FROM J-BOX TO LANE 1 MENU BOARD
- 4 ONE 3/4" PVC CONDUIT (2-#12, 1-#12 GRD, 1-#12 IG) FROM J-BOX TO LANE 2 MENU BOARD
- 5 ONE 2" PVC CONDUIT (CAT6 DATA CABLES) FROM BUILDING TO LANE 1 MENU BOARD
- 6 ONE 1" PVC CONDUIT (CAT6 DATA CABLES) FROM LANE 1 MENU BOARD TO LANE 1 PRE-SELL BOARD
- 7 ONE 1 1/4" PVC CONDUIT (CAT6 DATA CABLES) FROM LANE 1 MENU BOARD TO LANE 2 MENU BOARD
- 8 ONE 3/4" PVC CONDUIT (2-#12, 1-#12 GRD, 1-#12 IG) AND ONE 1" PVC CONDUIT (CAT6 DATA CABLES) FROM LANE 2 MENU BOARD TO LANE 2 PRE-SELL BOARD

VICINITY MAP (NTS)



SITE NOTES

1. ALL DIMENSIONS SHOWN ARE TO FACE OF CURB UNLESS NOTED OTHERWISE.
2. BASES, ANCHOR BOLTS, CONDUIT, AND WIRING FOR ALL SIGNS ARE BY THE GENERAL CONTRACTOR.
3. EXISTING MENU BOARDS AND PRE-SELL BOARD TO BE REMOVED FROM BASES AND PLACED IN TEMPORARY STORAGE. COORDINATE WITH OWNER/OPERATOR FOR TEMPORARY STORAGE LOCATION. EXISTING BASES FOR MENU BOARDS AND PRE-SELL BOARD TO BE PROTECTED FROM DAMAGE. CONDUITS TO BE CAPPED TO PREVENT MOISTURE ENTRANCE.

UTILITY NOTES


1. ALL ELECTRICAL/CONDUIT RUNS ARE SCHEMATIC ONLY. CONDUIT SIZES AND ROUTING PROVIDED BY BAILIWICK.
2. IT SHALL BE THE SIGN INSTALLER'S RESPONSIBILITY TO ENSURE THE PROPOSED SIGN LOCATION DOES NOT INTERFERE WITH ANY UTILITIES AND COMPLIES WITH ALL APPLICABLE CITY CODES. SIGN INSTALLER SHALL ALSO OBTAIN APPROVAL FROM THE APPROPRIATE ENTITIES PRIOR TO INSTALLING THE SIGN OVER ANY EXISTING EASEMENTS.
3. REFER TO THE BUILDING ELECTRICAL DRAWINGS FOR UTILITY SERVICE ENTRANCE LOCATIONS, SIZES, AND CIRCUITING.

DEMOLITION NOTES

1. CONTRACTOR IS RESPONSIBLE FOR THE REPAIR OF ANY DAMAGE TO EXISTING IMPROVEMENTS DURING CONSTRUCTION, SUCH AS, BUT NOT LIMITED TO: DRAINAGE, UTILITIES, PAVEMENT, STRIPING, CURB, ETC. REPAIRS SHALL BE EQUAL TO OR BETTER THAN EXISTING CONDITIONS.
2. ALL WORK ON THIS PLAN SHALL BE DONE IN STRICT ACCORDANCE WITH SITE WORK SPECIFICATIONS.
3. CONTRACTOR SHALL COMPLY TO THE FULLEST EXTENT WITH THE LATEST STANDARDS OF OSHA DIRECTIVES OR ANY OTHER AGENCY HAVING JURISDICTION FOR EXCAVATION AND TRENCHING PROCEDURE. CONTRACTOR SHALL USE SUPPORT SYSTEMS, SLOPING, BENCHING, OR OTHER MEANS OF PROTECTION, INCLUDING BUT IS NOT LIMITED TO, ACCESS AND EGRESS FROM ALL EXCAVATION AND TRENCHING. CONTRACTOR IS RESPONSIBLE TO COMPLY WITH PERFORMANCE CRITERIA FOR OSHA.
4. CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING THE PUBLIC DURING CONSTRUCTION, INCLUDING BUT NOT LIMITED TO: CONSTRUCTION FENCING, BARRICADES, SIGNAGE, ETC.
5. CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL UTILITIES AND NOTIFYING THE APPROPRIATE UTILITY COMPANY PRIOR TO BEGINNING CONSTRUCTION.
6. CONTRACTOR SHALL VERIFY HORIZONTAL AND VERTICAL LOCATION OF ALL EXISTING UTILITIES PRIOR TO CONSTRUCTION.


SCOPE OF WORK

REMOVE EXISTING MENU BOARDS AND CAP CONDUIT PER SITE NOTES. INSTALL NEW MENU BOARDS AND ALL REQUIRED CONDUIT AND WIRING. REFER TO COATES MENU BOARD SHOP DRAWINGS FOR INSTALLATION INSTRUCTIONS.




EXISTING OVERALL SITE PLAN

SCALE: 1" = 20'-0"



ENLARGED SITE PLAN

SCALE: 1" = 10'-0"



ENLARGED CONDUIT PLAN



SCALE: 1" = 10'-0"



REV	DATE	BY	DESCRIPTION

RRMM
ARCHITECTS, PC

1317 Executive Blvd, Suite 200
Chesapeake, VA 23320
(757)622-2828 / fax (757)622-8863



© 2017 McDonald's USA, LLC
NSN 5807

McDonald's USA, LLC

SITE ADDRESS: 12730 HARBOR DR.
LAKE RIDGE, VA. 22192

DATE	03/14/2018
PROJECT	18570-14
DESIGNED	TBC
DRAWN	RAD
CHECKED	DAE

SITE AND UTILITY PLAN

C1.0

GENERAL NOTES

- CONSTRUCTION SHALL COMPLY WITH ALL APPLICABLE LOCAL, STATE, AND NATIONAL CODES AND REGULATIONS.
- CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AND EXISTING CONDITIONS PRIOR TO BID TO DETERMINE THE EXTENT OF WORK. THE CONTRACTOR SHALL NOTIFY THE ARCHITECT OF ANY DISCREPANCIES PRIOR TO BIDDING.
- ALL EXISTING MATERIALS TO REMAIN WHICH ARE DAMAGED OR OTHERWISE DISTURBED BY THE CONTRACTOR'S OPERATIONS SHALL BE PATCHED OR REPAIRED TO MATCH THE EXISTING ADJACENT MATERIALS, SO THAT THE REPAIR IS IMPERCEPTIBLE.
- DURING THE COURSE OF CONSTRUCTION, IF THE CONTRACTOR UNCOVERS ANY CODE VIOLATION KNOWN TO HIM OR ANY DISCREPANCY WITH THE DESIGN, CONTRACTOR SHALL NOTIFY THE ARCHITECT OF SUCH IMMEDIATELY.
- CONTRACTOR SHALL ASSEMBLE AND INSTALL MATERIALS/ PRODUCTS IN STRICT ACCORDANCE WITH THE MANUF'S RECOMMENDATIONS AND INDUSTRIAL/ASSOCIATION STANDARDS.
- CONTACT ARCHITECT AND COORDINATE WITH TENANT ANY ADDITIONAL SPECIFICATIONS NOT SPECIFIED HEREIN AND/OR CLARIFICATIONS REGARDING THE CONTRACT DOCUMENTS.
- NO CURRENT SURVEY WAS PERFORMED. THE CONTRACTOR SHALL NOTIFY THE ENGINEER IMMEDIATELY, IN WRITING, OF ANY DISCREPANCIES OR OMISSIONS TO THE TOPOGRAPHIC INFORMATION. THE CONTRACTOR(S) SHALL BE RESPONSIBLE FOR CONFIRMING THE LOCATION (HORIZONTAL/VERTICAL) OF ANY BURIED CABLES, CONDUITS, PIPES, AND STRUCTURES (STORM SEWER, SANITARY SEWER, WATER, GAS, TELEVISION, TELEPHONE, ETC.) WHICH IMPACT THE CONSTRUCTION SITE. THE CONTRACTOR(S) SHALL NOTIFY THE OWNER AND ENGINEER IN WRITING IF ANY DISCREPANCIES ARE FOUND BETWEEN THE ACTUAL CONDITIONS VERSUS THE DATA CONTAINED IN THE CONSTRUCTION PLANS. ANY COSTS INCURRED AS THE RESULT OF NOT CONFIRMING THE ACTUAL LOCATION (HORIZONTAL/VERTICAL) OF SAID CABLES, CONDUITS, PIPES, AND STRUCTURES SHALL BE BORNE BY THE CONTRACTOR. ADDITIONALLY, THE CONTRACTOR(S) SHALL NOTIFY THE OWNER AND ENGINEER IN WRITING IF ANY ERRORS OR DISCREPANCIES ARE FOUND ON THE CONSTRUCTION DOCUMENTS (PS&E), WHICH NEGATIVELY IMPACT THE PROJECT. THE ENGINEER AND OWNER SHALL BE INDEMNIFIED OF PROBLEMS AND/OR COST WHICH MAY RESULT FROM THE CONTRACTOR'S FAILURE TO NOTIFY THE ENGINEER AND OWNER.
- IT IS STRONGLY RECOMMENDED THAT NO CONTRACTUAL AGREEMENT OF ANY KIND BE SIGNED PRIOR TO RECEIVING AND THOROUGHLY REVIEWING ALL APPROVALS FROM ALL OF THE REGULATORY AUTHORITIES HAVING JURISDICTION OVER THIS PROJECT.

SITE NOTES

- ALL DIMENSIONS SHOWN ARE TO FACE OF CURB UNLESS NOTED OTHERWISE.
- BASES, ANCHOR BOLTS, CONDUIT, AND WIRING FOR ALL SIGNS ARE BY THE GENERAL CONTRACTOR.
- EXISTING MENU BOARDS AND PRE-SELL BOARD TO BE REMOVED FROM BASES AND PLACED IN TEMPORARY STORAGE. COORDINATE WITH OWNER/OPERATOR FOR TEMPORARY STORAGE LOCATION. EXISTING BASES FOR MENU BOARDS AND PRE-SELL BOARD TO BE PROTECTED FROM DAMAGE. CONDUITS TO BE CAPPED TO PREVENT MOISTURE ENTRANCE.

UTILITY NOTES

- ALL ELECTRICAL/CONDUIT RUNS ARE SCHEMATIC ONLY. CONDUIT SIZES AND ROUTING PROVIDED BY BAILIWICK.
- IT SHALL BE THE SIGN INSTALLER'S RESPONSIBILITY TO ENSURE THE PROPOSED SIGN LOCATION DOES NOT INTERFERE WITH ANY UTILITIES AND COMPLIES WITH ALL APPLICABLE CITY CODES. SIGN INSTALLER SHALL ALSO OBTAIN APPROVAL FROM THE APPROPRIATE ENTITIES PRIOR TO INSTALLING THE SIGN OVER ANY EXISTING EASEMENTS.
- REFER TO THE BUILDING ELECTRICAL DRAWINGS FOR UTILITY SERVICE ENTRANCE LOCATIONS, SIZES, AND CIRCUITING.

DEMOLITION NOTES

- CONTRACTOR IS RESPONSIBLE FOR THE REPAIR OF ANY DAMAGE TO EXISTING IMPROVEMENTS DURING CONSTRUCTION, SUCH AS, BUT NOT LIMITED TO: DRAINAGE, UTILITIES, PAVEMENT, STRIPING, CURB, ETC. REPAIRS SHALL BE EQUAL TO OR BETTER THAN EXISTING CONDITIONS.
- ALL WORK ON THIS PLAN SHALL BE DONE IN STRICT ACCORDANCE WITH SITE WORK SPECIFICATIONS.
- CONTRACTOR SHALL COMPLY TO THE FULLEST EXTENT WITH THE LATEST STANDARDS OF OSHA DIRECTIVES OR ANY OTHER AGENCY HAVING JURISDICTION FOR EXCAVATION AND TRENCHING PROCEDURE. CONTRACTOR SHALL USE SUPPORT SYSTEMS, SLOPING, BENCHING, OR OTHER MEANS OF PROTECTION, INCLUDING BUT IS NOT LIMITED TO, ACCESS AND EGRESS FROM ALL EXCAVATION AND TRENCHING. CONTRACTOR IS RESPONSIBLE TO COMPLY WITH PERFORMANCE CRITERIA FOR OSHA.
- CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING THE PUBLIC DURING CONSTRUCTION, INCLUDING BUT NOT LIMITED TO: CONSTRUCTION FENCING, BARRICADES, SIGNAGE, ETC.
- CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL UTILITIES AND NOTIFYING THE APPROPRIATE UTILITY COMPANY PRIOR TO BEGINNING CONSTRUCTION.
- CONTRACTOR SHALL VERIFY HORIZONTAL AND VERTICAL LOCATION OF ALL EXISTING UTILITIES PRIOR TO CONSTRUCTION.


SCOPE OF WORK

REMOVE EXISTING MENU BOARDS AND CAP CONDUIT PER SITE NOTES. INSTALL NEW MENU BOARDS AND ALL REQUIRED CONDUIT AND WIRING. REFER TO COATES MENU BOARD SHOP DRAWINGS FOR INSTALLATION INSTRUCTIONS.

BUILDING CODE SUMMARY

APPLICABLE BUILDING CODE: 2015 INTERNATIONAL BUILDING CODE
APPLICABLE ELECTRICAL CODE: 2017 NATIONAL ELECTRIC CODE
USE GROUP: M - MERCANTILE
BUILDING DEPARTMENT PHONE NO: 410-887-3900
EXISTING SIGNAGE AREA TO BE REMOVED: 84 SQ FT
NEW SIGNAGE AREA TO BE ADDED: 54.8 SQ FT
PROJECT ADDRESS: 7927 BELAIR RD
PARKVILLE, MD 21236

VICINITY MAP (NTS)



SITE PLAN LEGEND


- NEW DUAL PANEL OUTDOOR DIGITAL MENU BOARD
- EXISTING MENU BOARD TO BE REMOVED
- EXISTING CUSTOMER ORDER DISPLAY (ORDER POINT)

SITE PLAN KEY NOTES

- REMOVE EXISTING MENU BOARD. SEE SITE NOTE #3
- EXISTING COD/CANOPY AND DETECTOR LOOP TO REMAIN
- DUAL PANEL MENU BOARD. REFER TO MANUFACTURER'S SHEET FOR FOOTING INFORMATION.
- NO USED
- EXISTING SIGNAGE TO REMAIN


CONDUIT PLAN KEY NOTES

- ONE 3/4" PVC CONDUIT (4-#12, 1-#12 GRD, 1-#12 IG) FROM PANEL CP TO J-BOX
- NOT USED
- ONE 3/4" PVC CONDUIT (2-#12, 1-#12 GRD, 1-#12 IG) FROM J-BOX TO LANE 1 MENU BOARD
- ONE 3/4" PVC CONDUIT (2-#12, 1-#12 GRD, 1-#12 IG) FROM J-BOX TO LANE 2 MENU BOARD
- ONE 2" PVC CONDUIT (CAT6 DATA CABLES) FROM BUILDING TO LANE 1 MENU BOARD
- NOT USED
- ONE 1 1/4" PVC CONDUIT (CAT6 DATA CABLES) FROM LANE 1 MENU BOARD TO LANE 2 MENU BOARD
- NOT USED




EXISTING OVERALL SITE PLAN

SCALE: 1" = 20'-0"



ENLARGED SITE PLAN

SCALE: 1" = 10'-0"



ENLARGED CONDUIT PLAN

SCALE: 1" = 10'-0"



REV	DATE	BY	DESCRIPTION



I CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED ARCHITECT UNDER THE LAWS OF THE STATE OF MARYLAND. LICENSE NUMBER: 13523 EXPIRATION DATE: 06/03/2019

© 2017 McDonald's USA, LLC
McDonald's USA, LLC
NSN 20866
SITE ADDRESS: 7927 BELAIR RD
PARKVILLE, MD 21236

DATE	2/22/2018
PROJECT	18540-41
DESIGNED	TEH
DRAWN	TEH
CHECKED	DHH

SITE AND UTILITY PLAN

C1.0