

SIGN USE PERMIT

A 78/164	
The applicant is authorized	1
to affirm that there are no	
arreant reialations at this	

current violations at this site pursuant to Section 112.7 BCC

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland" Initials 4, 2,
PROPERTY ADDRESS 5301 Baltamore national Pike ZIP CODE 21029
BUSINESS NAME NTB ZONING BM
OWNER'S NAME MOSA'E Catomylle Cayner Phone NO. HISTORIC DISTRICT Yes No
MAILING ADDRESS 5401 Baltimore National Pike Catonsville MD. 21029
APPLICANT/OWNER'S AGENT Wayne Zinn PHONE NO. 410-789-1640
SIGN COMPANY NAME HEM Signs Inc. PHONE NO. 410-789-1640
TYPE OF SIGN: TAX ACCOUNT NO. 01 102 100 4360
☐ Temporary-Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☐ No
Permanent Changeable Copy Wall Face Change Only Non-Illuminated
Freestanding Pylon Monument Villuminated (separate electrical permit required)
Size: $\cancel{12.47}$ feet x $\cancel{4.03}$ feet = $\cancel{50.2}$ square feet Height: feet (freestanding signs)
Property Line/Street Right-of-Way Setbacks: front, sidesand, and rear
NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached; a site plan also
must be attached for freestanding signs.
Table of Sign Regulations: 450.4.Attachment 1, 1 An Electronic Changeable Copy Sign may only have a maximum Frequency of one instantaneous message change per 15 second cycle. 450.6.B.3 Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights. PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations): 1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR. 2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs. 3. Signs cannot be placed in or project into or above street right of way or governmental property. 4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe. 5. Vehicle cannot be parked for the purpose of displaying an attached sign. 6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited. 7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. – C.T. zones. 8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock. 9. No sign may emit sound
Work Description (including number of signs, special conditions, materials, locations and size):
2 12,47 x 4.03=50,2 Install(2)5/F illuminated signs.
Front of bldg. is 51' Side of bldg. is 156' OWNER/AGENT CERTIFICATION
I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.
Signature 8/16/2018 Wayne Zinn Print/Type Name Date 8/16/18
Require Planning Signature Date 8/16/18
Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records) REV 10/14 Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY) Initials Date



Permits, Approvals & Inspections

111W. Chesapeake Avenue Towson, MD 21204

Report Generated On: 8/16/2018

Permit Processing Commerical Permit & Development Report

Page 1 of 1

Property Information

Tax Account Number: 0102004360

Election District: 1

Owner Name(s): MOSAIC CATONSVILLE OWNER LLC

Premise Address: 5401 BALTO NATL PIKE

PDM #:

Address: STE 340 2800 QUARRY LAKE DR

Zoning District(s): BM CCC

BALTIMORE, MD 21209

Elevation Range: 460ft - 504ft

A22 1 10 1		1 100	8	6	1	1	1	1	7	1	_ m	1 7		
Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111	New Com Bldg	ţs.	Add / Ext. Alts.	sbı	M	Magali Imaga	Ret.Walls/Bulk		Occup.	Tower Antenna	operations of the state of the		Agency
	Potential Overlay Issues	Con	Interior Alts.	/ Ext	Piers/Pilings	ling/S	S	Nalls	D D	of O	er An	1 1	∞	Acknowledgment
Contact Agency	Growth Tier 1: Served by public sewer and inside URDL	New	Inter	Add	Piers	Grading/SW	Tanks	Ret.	Razing	Chg. of	Towe	Signs	Elect.	Initial & Date
Planning	Commercial Revitalization Districts - Baltimore National Pike	Х	Non-comp	Χ						-		X		Fmay
Jefferson Building Room 101										Control of the Contro				TAB
Phone: 410-887-3211				Market Springer				ALL PARTY OF THE P		manufactures				8/16/18
DEPS-Sed. Control	Note: All Razing Permits must be sent to Sediment Control for review.		-							Johnson				
Jefferson Building 4th Floor							Agranda							
Phone: 410-887-3226											-	4		
PAI-Public Services	Note: All permits for Grading, New Buildings & Building Additions must					The second second	The state of the s							
County Office Building Room 119	be sent to Public Services.			-	Jennyenwa	-	-	ļ	-	-		-		
Phone: 410-887-3751											and the same			
Zoning Review	Zoning Cases: 1965-0348-SPH; 1966-0240-A; 2013-0163-XA; 2013-0030-A; 1991-0231-SPH; 1989-0384-A; 1989-0385-A;	Х		Χ	Χ	Х	Х			Х	Х	Χ		
County Office Building Room 111	2007-0544-SPHA; R-1947-1078			O TANDESCO			T-T-STATE OF							
Phone: 410-887-3391													ĺ	
							and control of	100			The same of the sa			
														9
							Property Special							
											West of the second			
							P10-27-08-19-19-19-19-19-19-19-19-19-19-19-19-19-	Spires and a spires of the spi						
							100	Total Inc.						

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant.

Form171C

ELEVATION



SCOPE OF WORK:

Remove (1) set 2' "Merchants" with 1' 6" " Tire & Auto Center individually mounted channel letters.

Caulk Holes

Manufacture and install (1) set 2' 4-1/2" " NTB" raceway mounted channel letters with 1' 1-1/4" x 12' 1/4" illuminated module Raceway to be painted Sherwin Williams # 6106 " Kilim Beige"





#303
5301 BALTIMORE
NATIONAL PIKE
BALTIMORE
MD 21029

Account Representative:

Stacie Hicks

This design and engineering is submitted as our proposal, and the right to use or exhibit in any form, is not authorized without written permission by Vixxo.

Approvals Signature(s) / Initials Client Design Production Designer JS PC Design# Vx182317p R1 Original Date 07/02/18 Revision Date 8/13/18

All electrical scope to be completed in a U.L. approved method and shall meet current N.E.C. standards





- Sign shall be grounded per N.E.C. Article 250.
- * Insulated conductors as per N.E.C. Code 310.8, type to be used - metallic insulated sealtite. *Disconnect switch as per N.E.C. Code 600.6.



3:5

The purchaser agrees to hold the selfer harmless against any cause for action for damages which may occur as a result of drilling for beets and foundations, including but no limited to sever, gas lines or any underground obstacle which the purchaser or others may dearn valuable.

ELEVATION



SCOPE OF WORK:

Remove (1) set 2' "Merchants" individually mounted channel letters.

Caulk Holes

Manufacture and install (1) set 2' 4-1/2" " NTB" raceway mounted channel letters with 1' 1-1/4" x 12' 1/2 illuminated module Raceway to be painted Sherwin Williams # 6106 " Kilim Beige"





#303
5301 BALTIMORE
NATIONAL PIKE
BALTIMORE
MD 21029

Account Representative:

Stacie Hicks

This design and engineering is submitted as our proposal, and the right to use or exhibit in any form, is not authorized without written permission by Vixxo.

Approvals Signature(s) / Initials Client Design Production Designer JS PC Design # Vx182317p R1 Original Date 07/02/18 Revision Date 8/13/18

electrical scope to be completed in a U.L. approve thod and shall meet current N.E.C. standards





- * All electrical components shall be U.L. Listed.
 * Sign shall be grounded per N.E.C. Article 250.
- Insulated conductors as per N.E.C. Code 310.8. type to be used - metallic insulated sealtite. "Disconnect switch as per N.E.C. Code 600.6.



4:5

The purchaser agrees to hold the coller harmless against any chatte for action for damages which may occur as a result of uniling for users and foundations, including but no limited to sever, gas lines or any underground obstacle which the purchaser or others may deem valuables.



scale: 3/8"= 1'

s/f - 50

MOUNTING PAD

BLUE TRIM-CAP

ALL-THREAD



Address #303 5301 BALTIMORE NATIONAL PIKE BALTIMORE MD 21029 State

Account Representative:

Stacie Hicks

This design and engineering is submitted as our proposal, and the right to use or exhibit in any form, is not authorized without written permission by Vixxo.



All electrical scope to be completed in a U.L. approved




* All electrical components shall be U.L. Listed Sign shall be grounded per N.E.C. Article 250. * Insulated conductors as per N.E.C. Code 310.8. type to be used - metallic insulated sealtite *Disconnect switch as per N.E.C. Code 600.6.

(néc





The purchaser agrees to hold the seller harmless agains any cause for action for damages which may occur as result of drilling for piers and foundations, including but no limited to sewer, gas lines or any underground obstacle



REGISTRATION MARK TO BE 3" WHITE PLEX DISC

MOUNTED BY PAD & ALL-THREAD: SEE DETAIL

WITH BLUE TRIM-CAP & BLUE VINYL.