

\$50

BALTIMORE COUNTY

DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
111 WEST CHESAPEAKE AVENUE

TOWSON, MD 21204 410-887-3391

A		16	5	10	ر	
The	app	lican	ıt is	aut	hor	ized
	ffirn					

current violations at this site pursuant to Section

SIGN USE PERMIT

Permit Fees are Non-Refundable; Make Check Payable to	o "Baltimore County, Maryland" Initia	7 BCC			
PROPERTY ADDRESS 9832 Liberty Rd	ZIP CODE 21133				
BUSINESS NAME BGE	ZONING DR 3	ZONING DR 3			
OWNER'S NAME Jim Burkman	PHONE NO. <u>410-375-6806</u> HISTORIC DIST	RICT 🗌 Yes 🔀 No			
MAILING ADDRESS 1699 Leadenhall St. Baltin	nore, MD, 21230				
APPLICANT/OWNER'S AGENT Robert C. Shumak	cer, Jr., Esq. PHONE NO.410-3	75-5210			
SIGN COMPANY NAME Olympic Fence and G					
TYPE OF SIGN: Window Sign	TAX ACCOUNT NO. 02 102 1	000 854			
☐ Temporary- Including Real Estate/Construction/Event	Temporary Signs in the Last Year:	☐ Yes ☐ No			
Permanent Changeable Copy Wall	☐ Face Change Only ☐ Non-Illuminated				
	minated (separate electrical permit required)				
Size: 1 feet x 1.5 feet = 1.5 square feet	Height: 7.5 feet (freestanding	g signs)			
Property Line/Street Right-of-Way Setbacks: front,	, sides and, and rear				
NOTE: A construction plan, drawn to scale and clearly showing	ng that all requirements have been met, must be attache	d; a site plan also			
must be attached for freestanding signs.					
 Signs cannot imitate or resemble government signs, et al. Signs cannot be placed in or project into or above str. Sign or framework cannot obstruct window or opening the signs of displaying the street of the purpose of displaying the street of the purpose of displaying the street of the purpose of displaying the street of the signs are prohibited, the street of the signs are prohibited, except for A-frame and the street of the signs are prohibited, except for A-frame and the street of the signs are prohibited, except for A-frame and the signs are prohibited. 	or government signs. All signs are subject to Section 102 except for private traffic control and notice signs. The reet right of way or governmental property, and for light and air or access to building, fire hydrant, or any an attached sign. Streamers, tethered balloons, laser projections, and similarly distributed signs issued a use permit in B.M. – C. at sor message, except for an outdoor advertising sign with weather vane, barber pole, or clock. The at a constant intensity and not give the appearance ing, or alternating lights.	r stand pipe. lar objects are T. zones. ith tri-vision, a			
Work Description (including number of signs, special co					
One sign, black letters on high-intensity vin See attached site plan, and construction pl	lan.	ER LOT			
	GENT CERTIFICATION	wa twee and fouth			
I solemnly affirm under the penalties of perjury and upon agree to logate the proposed sign such that it will not violat	te Baltimore County laws and regulations.	re true and further			
Signature Date	Robert C. Shumaker, Jr., Esq. Print/Type Name				
Require Planning Signature	Date				
Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records) REV 03/12	Authority under Section 500.4, BCZR PAI Approval (SIGN ON 55 12 Initials Date	LY) 18			




ENGINEERING PRACTICE

SUBSTATION SIGN CODES AND REQUIREMENTS

Construction Plan

Figure F-2 Substation Street Number Sign



SUBSTATION ADDRESS SIGN

6.14 Sign Installation

For sign placement on Substation Gate and Fence refer to BGE SSPD Practice WPN-4010 Note 2, summary (2) and WPN 4014 for sign installation.

BGE

ENGINEERING PRACTICE

SUBSTATION SIGN CODES AND REQUIREMENTS

6.13.6 Substation Street Number Sign

This sign shall be installed at the entrance road of all secluded substations or substations located on transmission right of way, away from the main road.

<u>Note</u>: For security and integrity of the substation, BGE or Exelon name and/or company logo and road name shall be omitted. The sign shall only display the street number.

- 6.13.6.1 The sign shall be constructed of reflective materials, and finished, so as to make it aesthetically pleasing and visible in all weather conditions
- **6.13.6.2** It shall be readable from a minimum distance of 50 feet.
- **6.13.6.3** Sign dimensions and landscaping should be in harmony to make the whole installation an integrated part of the topography
- 6.13.6.4 The sign should be located near the entrance road of the substation and must adhere to all applicable zoning regulations.
- **6.13.6.5** Required setbacks will ensure unobstructed vision.
- 6.13.6.6 Sign shall be designed as not to advertise nor attract unwanted visitors. It should serve as a mean of identifying the substation location to BGE employee and emergency vehicles only.
- 6.13.6.7 Any contemplated design changes to this typical scheme for a given substation must be approved by the Transmission & Substation

Engineering Department, Substation Engineering and Design Standards and BGE Security before implementation.

