



BALTIMORE COUNTY
DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
111 WEST CHESAPEAKE AVENUE
TOWSON, MD 21204
410-887-3391

SIGN USE PERMIT

B _____
A 178992
The applicant is authorized to affirm that there are no current violations at this site pursuant to Section 112.7 BCC
Initials AP

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"

PROPERTY ADDRESS 11695-A Crossroads Cir ZIP CODE 21220
BUSINESS NAME Pooles Island Brewing Co ZONING MH IM M43
OWNER'S NAME BC Area 5 Lot 5B LLC PHONE NO. 410-733-0100 HISTORIC DISTRICT ☐ Yes ☒ No
MAILING ADDRESS 2560 Lord Baltimore Dr, Baltimore, MD 21244
APPLICANT/OWNER'S AGENT Ann Paulus PHONE NO. 410-733-7077
SIGN COMPANY NAME Sangan Enterprise, Inc PHONE NO. 301-931-1548
TYPE OF SIGN: ☐ Window Sign TAX ACCOUNT NO. 250/001/3143

☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☒ No

☒ Permanent ☐ Changeable Copy ☒ Wall ☐ Face Change Only ☐ Non-Illuminated

☐ Freestanding ☐ Pylon ☐ Monument ☒ Illuminated (separate electrical permit required)

Size: 24 feet x 1.2 feet = 29 square feet Height: _____ feet (freestanding signs)

Property Line/Street Right-of-Way Setbacks: front _____, sides _____ and _____, and rear _____.

NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached; a site plan also must be attached for freestanding signs.

Table of Sign Regulations: 450.4. Attachment 1, 1.- An Electronic Changeable Copy Sign may only have a maximum Frequency of one instantaneous message change per 15 second cycle.

450.6.B.3 Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.

PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):

1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.
2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.
3. Signs cannot be placed in or project into or above street right of way or governmental property.
4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.
5. Vehicle cannot be parked for the purpose of displaying an attached sign.
6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.
7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. - C.T. zones.
8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.
9. No sign may emit sound

Work Description (including number of signs, special conditions, materials, locations and size):

Install 24' x 1.2' (29 S/F) on 120' frontage to existing 120V/20amp circuit

Install 3' x 3' (9 S/F) on 75' frontage to existing 120V/20amp circuit CORNER LOT ☐

OWNER/AGENT CERTIFICATION

I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.

Anne Paulus
Signature

2/5/19
Date

Anne Paulus
Print/Type Name

☒ Require Planning Signature _____

_____ Date

Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)

REV 10/14

Authority under Section 500.4, BCZR **PAI Approval (SIGN ONLY)**
Dary H gt 2/5/19
Signature Initials Date



Permits, Approvals & Inspections

111W. Chesapeake Avenue
Towson, MD 21204

Report Generated On:
2/5/2019

Permit Processing Commerical Permit & Development Report

Page 1 of 1

Property Information

Tax Account Number: 2500013143

Plat Ref: 079:750

Election District: 15

Owner Name(s): BC AREA 5 LOT 5B LLC

PDM #: 15-0788

Address: 2560 LORD BALTIMORE DR
BALTIMORE,MD 21244

Zoning District(s): MH IM M43

Premise Address: 11695 CROSSROADS CIR

Elevation Range: 26ft - 68ft

Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111	New Com Bldg.	Interior Alts.	Add / Ext. Alts.	Piers/Pilings	Grading/SW	Tanks	Ret.Walls/Bulk	Razing	Chg. of Occup.	Tower Antenna	Signs	Elect. & Plumb	Agency Acknowledgment
Contact Agency	Potential Overlay Issues Growth Tier 1: Served by public sewer and inside URDL													Initial & Date
Planning Jefferson Building Room 101 Phone: 410-887-3211	Pattern Book / Architectural Review	X		X								X		
DEPS-Dev. Coord. Jefferson Building 4th Floor Phone: 410-887-3733	Possible Flood Hazard - Water Body Present	X		X		X	X	X			X			
DEPS-Sed. Control Jefferson Building 4th Floor Phone: 410-887-3226	Note: All Razing Permits must be sent to Sediment Control for review.													
	Possible Flood Hazard - Water Body Present	X		X		X		X						
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.													
	Possible Flood Hazard - Water Body Present	X	X	X		X	X	X		X	X		X	OK To File
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Martin State Aiport Zoning Area	X		X	X	X	X	X	X	X	X			
Building Plans Review County Office Building Room 120 Phone: 410-887-3987	Possible Flood Hazard - Water Body Present	X	X	X	X		X	X			X			



9 S/F

FRONTAGE = 75'




SIGN SPECIFICATIONS:

5" deep channel letter logo flush mounted to facade. Black returns and black trim only.

All building penetrations to be in masonry only.

NOTE: Sign must be controlled by a timer (installed by others).



IT IS THE CLIENT'S RESPONSIBILITY TO PROVIDE A TIMER (IF DESIRED) AND A PRIMARY DEDICATED 120V/20 AMP ELECTRICAL FEED (IF NEEDED) WITHIN 3 FEET OF SIGN LOCATION BY A LICENSED ELECTRICIAN.

R NEON SIGNS Awning and Design on Drive, Beltsville, MD 20705 1548 (O) 301-931-1549 (F)	CUSTOMER	DRAWINGS	NO.	DATE	NO.	DATE	ELECTRICAL NOTES	 ALL ELECTRICAL COMPONENTS TO BE UL APPROVED	DESIGN CRITERIA	DESIGNS AND SKETCHES ARE THE SOLE PROPERTY OF STAR NEON SIGNS AND MAY NOT BE SHARED, USED OR REPRODUCED WITHOUT PERMISSION	PERMIT	BALTIMORE COUNTY	N SKETCH COLOR REFLECT THE FINISH OF THE FINISH SIGNS SHOWN REFLECT ACT PROPORTION
	POOLES ISLAND BREWING CO. 11695-A CROSSROADS CIR WHITE MARSH, MD 21220		1	1/2/19	4	ALL ELECTRICAL COMPONENTS SHALL BE UL LISTED AND APPROVED AS PER 1999 NEC 600-4 & FBC 450-4 & DESIGNATED TO UL 48 PER F.S. 553-19. ALL SIGNS ARE TO BE GROUNDED AND BONDED PER NEC 600-7 & 250-95. ALL WIRING INSIDE LETTERS ARE TO BE #12 THIN HIGH TENSION GTO. ALL PRIMARY WIRING PROVIDED BY CUSTOMER IS TO BE #12 THIN HIGH TENSION AS PER NEC 600-21. THESE PLANS COMPLY WITH FBC 455-21. PRIMARY ELECTRIC SOURCE TO BE PROVIDED BY CUSTOMER TO WITHIN 2 FEET OF SIGN LOCATION	EXPOSURE "C" ASCE 7-98 2001FBC BUILT TO WITHSTAND 150 MPH						
			2	1/7/19	5								
			3	1/14/19	6								

POOLES ISLAND BREWING CO.

29 S/F

FRONTAGE = 120'




SIGN SPECIFICATIONS:

5" deep white channel letters raceway mounted to facade. Black returns and black trim on returns.

Raceway painted to match facade.

All building penetrations to be in mortar only.

NOTE: Sign must be controlled by a timer (installed by others).



Scale: 1"

THE CLIENT'S RESPONSIBILITY TO PROVIDE A TIMER (IF DESIRED) AND A PRIMARY DEDICATED 120V/20 AMP ELECTRICAL FEED (IF NEEDED) WITHIN 3 FEET OF SIGN LOCATION BY A LICENSED ELECTRICIAN.

R NEON SIGNS
Awning and Design
11695-A CROSSROADS CIR
WHITE MARSH, MD 21220
1-1548 (O) | 301-931-1549 (F)

CUSTOMER
POOLES ISLAND BREWING CO.
11695-A CROSSROADS CIR
WHITE MARSH, MD 21220

DRAWINGS	NO.	DATE	NO.	DATE
	1	1/2/19	4	
	2	1/7/19	5	
	3	1/14/19	6	

ELECTRICAL NOTES
ALL ELECTRICAL COMPONENTS SHALL BE UL LISTED AND APPROVED AS PER 1999 NEC 600-4 & FBC 4504-4 & DESIGNATED TO UL 48 PER F.S. 555-19. ALL SIGNS ARE TO BE GROUNDED AND BONDED PER NEC 600-7 & 250-95. ALL WIRING INSIDE LETTERS ARE TO BE #12 THIN HIGH TENSION GTO. ALL PRIMARY WIRING PROVIDED BY CUSTOMER IS TO BE #12 THIN HIGH TENSION AS PER NEC 600-21. THESE PLANS COMPLY WITH FBC 455-21. PRIMARY ELECTRIC SOURCE TO BE PROVIDED BY CUSTOMER TO WITHIN 2 FEET OF SIGN LOCATION.



DESIGN CRITERIA
EXPOSURE "C" ASCE 7-98
2001FBC BUILT TO
WITHSTAND 150 MPH

DESIGNS AND SKETCHES ARE THE SOLE PROPERTY OF STAR NEON SIGNS AND MAY NOT BE SHARED, USED OR REPRODUCED WITHOUT PERMISSION

PERMIT

BALTIMORE COUNTY

SKETCH COPY REFLECT THE FINISH OF THE FINISH
SIGNS SHOWN REFLECT APPROXIMATE PROPORTIONS