UP-9019-0083-SI

608 B

BALTIMORE COUNTY

DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS 111 WEST CHESAPEAKE AVENUE TOWSON, MD 21204

410-887-3391

SIGN USE PERMIT

USE	PERMIT RECEIPT
#	183867

The applicant must affirm by initials below that there are no current violations at this site, pursuant to Section 112.7, B.C.C. Initials:

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"
PROPERTY ADDRESS 7535 HOLOUNG AVE. ZIP CODE
BUSINESS NAME Walgreens ZONING PM-LT
OWNER'S NAME MP63 LLC PHONE NO. HISTORIC DISTRICT Yes MAN
MAILING ADDRESS 9475 DEER CO RD. STC. 200, TIMONIUM, MD
APPLICANT/OWNER'S AGENT SECONCINIE TUCCIO PHONE NO. 48453-36
SIGN COMPANY NAME WOUTHO SIGN (PHONE NO
TYPE OF SIGN: Window Sign TAX ACCOUNT NO. 121/302/4581
☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☐ No
Permanent Changeable Copy Wall Face Change Only Non-Illuminated
Freestanding Pylon Monument Illuminated (separate electrical permit required)
Size: feet x feet = square feet Height: feet (freestanding signs)
Property Line/Street Right-of-Way Setbacks: front, sidesand, and rear
NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached.
A site plan must also be attached for freestanding signs.
Table of Sign Regulations: 450.4.1 An Electronic Changeable Copy Sign may only have a maximum frequency of one instantaneous
message change per 15 second cycle. 450.6.B.3 - Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.
 PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations): Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs. Signs cannot be placed in or project into or above street right of way or governmental property. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe. Vehicle cannot be parked for the purpose of displaying an attached sign. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. – C.T. zones. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock. No sign may emit sound
Work Description (including number of signs, special conditions, materials, locations and size): AI+AZ: (2) Sch O+ Illum. Channel letters @ 199/4" x 25 11-11/2"= 149.8 JF D: (1) clearan a plague elice 75 F E: (1) Flat cut out letters @ 12" x 2'-113/4"= 2.98 SF E: (2) Flat cut out letters @ 12" x 2'-113/4"= 2.98 SF E: reface (4) tenant panels on 2 existing growns signs @ 12.7 SF CORNER LOT?
OWNER/AGENT CERTIFICATION I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and furth agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.
Signature Date Stephanic TUCCIO Print/Type Name
Require Planning Signature FINAL VAP
Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records) Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY) Signature Initials Date
REV 04/17/2019



Permits, Approvals & Inspections

111 W. Chesapeake Avenue Towson, MD 21204 Report Generated On: 6/24/2019

Permit Processing Commerical Permit & Development Report

Page 1 of 1

Property Information

Tax Account Number: 1213024581

81 Plat Ref: 026:094

Election District: 12

Owner Name(s): MP63 LLC

PDM #: 12-0157

Address: C/O OBRECT PROPERTIES 9475 DEERECO RD STE 200

Zoning District(s): BM CT

TIMONIUM,MD 21093

DR 10.5

Premise Address: HOLABIRD AVE

Elevation Range: 24ft - 44ft

Instructions: Begin review process with Zoning Review, Room 111.	Bldg.	s,	Alts.	gs	3		Bulk		conp.	enna	-	qun	Agency
Potential Overlay Issues Growth Tier 1: Served by public sewer and inside URDL	New Com	Interior Alt	Add / Ext.	Piers/Pilin	Grading/S	Tanks	Ret.Walls/	Razing	Chg. of Oc	Tower Ant	Signs	÷. &	Acknowledgment Initial & Date
Commercial Revitalization Districts - North Point	X	autopores	X	- Auditoria			5 0000000			- Contraction	_	200000	KP 6/34/P
Note: All Razing Permits must be sent to Sediment Control for review.	0.	- summe	300000										APPERENTE PER PER PER PER PER PER PER PER PER PE
Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.	2 2200000000		made: to		502000000	1552502		2000000	3500000	- wastres	es e	******	POR SOLATERS (NA PRESIDENCE TO THE TOTAL SECTION CENTERS A
Zoning Cases: 2015-0145-A; 1967-0258-X; 1959-4810-X; R-1950-1880; 1959-4706-A; 1959-4643-X; 1980-0074-A; 1959-4636-X; 1983-0046-X; 1986-0143-SPH; 1983-0260-SPH; 1984-0102-SPH; R-1953-2574; R-1954-2914; 1962-5473-X; 2016-0057-SPH	х		X	X	X	X			X	X	X	zace	Sof
	Potential Overlay Issues Growth Tier 1: Served by public sewer and inside URDL Commercial Revitalization Districts - North Point Note: All Razing Permits must be sent to Sediment Control for review. Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services. Zoning Cases: 2015-0145-A; 1967-0258-X; 1959-4810-X; R-1950-1880; 1959-4706-A; 1959-4643-X; 1980-0074-A; 1959-4636-X; 1983-0046-X; 1986-0143-SPH; 1983-0260-SPH; 1984-0102-SPH; R-1953-2574; R-1954-2914; 1962-5473-X;	Potential Overlay Issues Growth Tier 1: Served by public sewer and inside URDL Commercial Revitalization Districts - North Point X Note: All Razing Permits must be sent to Sediment Control for review. Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services. Zoning Cases: 2015-0145-A; 1967-0258-X; 1959-4810-X; R-1950-1880; 1959-4706-A; 1959-4643-X; 1980-0074-A; 1959-4636-X; 1983-0046-X; 1986-0143-SPH; 1983-0260-SPH; 1984-0102-SPH; R-1953-2574; R-1954-2914; 1962-5473-X;	Note: All Razing Permits must be sent to Sediment Control for review.	Note: All Razing Permits must be sent to Sediment Control for review. Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services. Zoning Cases: 2015-0145-A; 1967-0258-X; 1959-4810-X; R-1950-1880; 1959-4706-A; 1959-4643-X; 1980-0074-A; 1959-4636-X; 1983-0046-X; 1986-0143-SPH; 1983-0260-SPH; 1984-0102-SPH; R-1953-2574; R-1954-2914; 1962-5473-X; X X X X X X X X X	Note: All Razing Permits must be sent to Sediment Control for review. Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services. Zoning Cases: 2015-0145-A; 1967-0258-X; 1959-4810-X; R-1950-1880; 1959-4706-A; 1959-4634-X; 1980-0074-A; 1959-4636-X; 1983-0046-X; 1986-0143-SPH; 1983-0260-SPH; 1984-0102-SPH; R-1953-2574; R-1954-2914; 1962-5473-X; X X X X X X X X X X X X X X X X X X	Note: All Razing Permits must be sent to Sediment Control for review. Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services. Zoning Cases: 2015-0145-A; 1967-0258-X; 1959-4810-X; R-1950-1880; 1959-4706-A; 1959-4643-X; 1980-0074-A; 1959-4636-X; 1983-0046-X; 1986-0143-SPH; 1983-0260-SPH; 1984-0102-SPH; R-1953-2574; R-1954-2914; 1962-5473-X; X	Note: All Razing Permits must be sent to Sediment Control for review. Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services. Zoning Cases: 2015-0145-A; 1967-0258-X; 1959-4810-X; R-1950-1880; 1959-4706-A; 1959-4643-X; 1980-0074-A; 1959-4636-X; 1983-0046-X; 1986-0143-SPH; 1983-0260-SPH; 1984-0102-SPH; R-1953-2574; R-1954-2914; 1962-5473-X; X	Note: All Razing Permits must be sent to Sediment Control for review.	Note: All Razing Permits must be sent to Sediment Control for review.	Commercial Revitalization Districts - North Point X X Note: All Razing Permits must be sent to Sediment Control for review. Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services. Zoning Cases: 2015-0145-A; 1967-0258-X; 1959-4810-X;	Note: All Razing Permits must be sent to Sediment Control for review.	Note: All Razing Permits must be sent to Sediment Control for review. Note: All Permits for Grading, New Buildings & Building Additions must be sent to Public Services. Zoning Cases: 2015-0145-A; 1967-0258-X; 1959-4810-X; R-1950-1880; 1959-4706-A; 1959-4643-X; 1980-0074-A; 1959-4636-X; 1983-0046-X; 1986-0143-SPH; 1983-0260-SPH; 1984-0102-SPH; R-1953-2574; R-1954-2914; 1962-5473-X; X	Note: All Razing Permits must be sent to Sediment Control for review. Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant. Form171C

Site Identification

Store 19086 7535 Holabird Avenue Baltimore, MD

A-Tier

w

Aerial

DESIGN DATE: 05.31.19 PROJECT MANAGER: Pat Blazer DESIGNER: NKR JOB NUMBER #: 7034525 APPROVED BY:

A2 25'-11 1/2" Channel Letterset

5" x 4'-0" Clearance Plaque

12" Exit Flat Cut Out Letterset

6'-9 1/4"w x 1'-10 1/2"h Tenant Panels

Directionals



Paint Pick UP/Drop Off/ RX Pavement markings.

4	Δ	Description	SJV	6-4-19	A	
Ē	A				A	
	a(B	4			A	
200	40				All A	Sec.






PROJECT MANAGER:

JOB NUMBER #: 7034525 APPROVED BY:

DESIGN DATE: 05.31.19 Pat Blazer DESIGNER: NKR

Site Identification

Left Elevation




Removed Sign Sq.ft. - 110 Total New Sign Sq.ft. - 149.8 Code Allowed Sq.ft. - 190

TOTAL BUILDING SIGNAGE - 3 WALL SIGNS *2 MAX ON ONE ELEVATION



Power wash building face to remove efflorescence.







DESIGN DATE: 05.31.19 PROJECT MANAGER: Pat Blazer JOB NUMBER #: 7034525

APPROVED BY:

Site Identification

Front Elevation



Removed Sign Sq.ft. - 4 Total New Sign Sq.ft. - 16.6 Code Allowed Sq.ft. - 190

TOTAL BUILDING SIGNAGE - 3 WALL SIGNS *2 MAX ON ONE ELEVATION

Service letters.





Paint Existing Pharmacy faces & returns BM Neon Red

	Δ	Description	SJV	6-4-19	A	
	4				A	
3	A)A	***************************************			A	
 _	Alk				Aik	unc





PROJECT MANAGER: DESIGNER: NKR

Pat Blazer JOB NUMBER #: 7034525 APPROVED BY:

DESIGN DATE: 05.31.19

Site Identification

Right Elevation



Removed Sign Sq.ft. - 110 Total New Sign Sq.ft. - 149,8 Code Allowed Sq.ft. - 190

TOTAL BUILDING SIGNAGE - 3 WALL SIGNS *2 MAX ON ONE ELEVATION



<u></u>	Δ	Description	SJV	6-4-19	A	
REVISION	A				A	
ME	40				A	 5 6
A. S.	Alk				Alla.	





Channel Letters

DESIGN DATE: 05.31.19 PROJECT MANAGER: Pat Blazer JOB NUMBER #: 7034525

APPROVED BY:

25'-11 1/2" Channel Letterset



LETTER LAYOUT

Scale: 3/8" = 1'-0"

149.8 SF


All letters to have a minimum of 3 weep holes. One of the 3 holes to be as close as possible to the letters' back.











DESIGN DATE: 05.31.19
PROJECT MANAGER: Pat Blazer

DESIGNER: NKR
JOB NUMBER #: 7034525
APPROVED BY:

Site Identification

Drive Thru










"Drive Thru Pharmacy" Channel Letters to remain








DESIGN DATE: 05.31.19
PROJECT MANAGER: Pat Blazer
DESIGNER: NKR
JOB NUMBER #: 7034525
APPROVED BY:




5" x 4'-0" Clearance Plaque



Scale: 1 1/2" = 1'-0"

1.67 SF

.063" Thick Aluminum Panel with hemmed edges
Face to be yellow with 3" high black Helvetica Medium capital letter copy.
Background surface coating to be 3M Scotchlite reflective film, Yellow #580-71.
Flush Mounted to Fascia








FCO Letters

DESIGN DATE: 05.31.19 Pat Blazer PROJECT MANAGER: DESIGNER: NKR JOB NUMBER #: 7034525

APPROVED BY:



12" Exit Flat Cut Out Letterset



1/4" Thick #2039 Red Acrylic 3" Mounting Pin

Scale: 1 1/2" = 1' 2.98 SF

1/4" Thick Flat Cut Out #2039 Red Acrylic Pin Flush Mounted to Fascia







Site Identification

Pylon 01

DESIGN DATE: 05.31.19
PROJECT MANAGER: Pat Blazer
DESIGNER: NKR
JOB NUMBER#: 7034525
APPROVED BY:











Site Identification

Pylon 02


DESIGN DATE: 05.31.19
PROJECT MANAGER: Pat Blazer
DESIGNER: NKR
JOB NUMBER #: 7034525

APPROVED BY:













DESIGN DATE:


05.31.19 PROJECT MANAGER: Pat Blazer

JOB NUMBER #: 7034525 APPROVED BY:

6'-9 1/4"w x 1'-10 1/2"h Tenant Panels

Site Identification

Face Replacement



<u>Pylon Face Replacement</u> Qty:(4) Total


Scale: 1"=1'-0"

Remove existing faces and replace with new polycarb panels with first surface vinyl graphics applied.

Backer Type Upper portion: Translucent 3M #3630-53 "Cardinal Red" script Walgreens copy. Background to remain Opaque white.

Backer Type

Lower portion: White helvetica neue roman 55 copy. Background to be 3M #3630-8057 Walgreens "well blue" surface applied vinyl.







Directionals

DESIGN DATE: 05.31.19
PROJECT MANAGER: PAL Blazer
DESIGNER: NKR
JOB NUMBER #: 7034525
APPROVED BY:









SAME DIRECTIONAL

Remove "RITE AID" from backside of directional

NO CHANGE - LEAVE AS IS

