



\$300.00

WP-2019-016551

BALTIMORE COUNTY
DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
111 WEST CHESAPEAKE AVENUE
TOWSON, MD 21204
410-887-3391

USE PERMIT RECEIPT
192063

The applicant must affirm by initials below that there are no current violations at this site, pursuant to Section 112.7, B.C.C.
Initials: JPK

SIGN USE PERMIT

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"

PROPERTY ADDRESS 8800 HARFORD RD. PARKVILLE ZIP CODE 21234
BUSINESS NAME EVANS FUNERAL CHAPEL ZONING BL
OWNER'S NAME C.F. EVANS & SONS PHONE NO. 443-606-3984 HISTORIC DISTRICT ☐ Yes ☒ No
MAILING ADDRESS 2375 YORK RD. TIMONIUM, MD 21093
APPLICANT/OWNER'S AGENT HARRY CONNOLLY PHONE NO. 410-591-3955
SIGN COMPANY NAME POLLITT SIGNS PHONE NO. 410-939-4050
TYPE OF SIGN: ☐ Window Sign TAX ACCOUNT NO. 090 / 588 / 0281

☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☒ No
☒ Permanent ☐ Changeable Copy ☐ Wall ☐ Face Change Only ☒ Non-Illuminated
☒ Freestanding ☐ Pylon ☒ Monument ☐ Illuminated (separate electrical permit required)
Size: 5 feet x 6 feet = 30 square feet Height: 6.08 feet (freestanding signs)
Property Line/Street Right-of-Way Setbacks: front 20, sides and , and rear .

NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached.
A site plan must also be attached for freestanding signs.

Table of Sign Regulations: 450.4.1.- An Electronic Changeable Copy Sign may only have a maximum frequency of one instantaneous message change per 15 second cycle. 450.6.B.3 - Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.

PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):

1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.
2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.
3. Signs cannot be placed in or project into or above street right of way or governmental property.
4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.
5. Vehicle cannot be parked for the purpose of displaying an attached sign.
6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.
7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. - C.T. zones.
8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.
9. No sign may emit sound

Work Description (including number of signs, special conditions, materials, locations and size):

DOUBLE FACED SIGN C 5' BY 6' = 30 SQUARE FEET ON HARFORD RD. SIDE -
SINGLE FACED SIGN D 5' BY 6' = 30 SQUARE FEET ON PUDDY HILL
SIDE ENTRANCE CORNER LOT? ☒

OWNER/AGENT CERTIFICATION

I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.

Signature Harry Connolly Date Nov. 20 2019 Print/Type Name HARRY CONNOLLY

☐ Require Planning Signature Date

Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)

Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)
Signature gh Initials gh Date 11/20/19



BALTIMORE COUNTY
DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
111 WEST CHESAPEAKE AVENUE
TOWSON, MD 21204
410-887-3391
SIGN USE PERMIT

USE PERMIT RECEIPT
192063
The applicant must affirm by initials below that there are no current violations at this site, pursuant to Section 112.7, B.C.C.
Initials: gpc

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"

PROPERTY ADDRESS 8800 HARFORD RD. PARKVILLE ZIP CODE 21234
BUSINESS NAME LIFE CELEBRATIONS BY EVANS ZONING _____
OWNER'S NAME C.F. EVANS & SONS PHONE NO. 443-606-3984 HISTORIC DISTRICT ☐ Yes ☒ No
MAILING ADDRESS 2375 YORK RD. TIMONIUM, MD 21093
APPLICANT/OWNER'S AGENT HARRY CONNOLLY PHONE NO. 410-591-3955
SIGN COMPANY NAME POLLITT SIGNS PHONE NO. 410-939-4050
TYPE OF SIGN: ☐ Window Sign TAX ACCOUNT NO. 090 1588 0281

☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☒ No
☒ Permanent ☐ Changeable Copy ☒ Wall ☐ Face Change Only ☒ Non-Illuminated

☐ Freestanding ☐ Pylon ☐ Monument ☐ Illuminated (separate electrical permit required)

Size: 6 feet x 15.5 feet = 93 square feet Height: _____ feet (freestanding signs)

Property Line/Street Right-of-Way Setbacks: front _____, sides _____ and _____, and rear _____.

NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached.

A site plan must also be attached for freestanding signs.

Table of Sign Regulations: 450.4.1.- An Electronic Changeable Copy Sign may only have a maximum frequency of one instantaneous message change per 15 second cycle. 450.6.B.3 - Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.

PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):

1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.
2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.
3. Signs cannot be placed in or project into or above street right of way or governmental property.
4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.
5. Vehicle cannot be parked for the purpose of displaying an attached sign.
6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.
7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. - C.T. zones.
8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.
9. No sign may emit sound

Work Description (including number of signs, special conditions, materials, locations and size):

EAST WALL 62.9' INSTALL SIGN 5'13" BY 12' = 60 SQUARE FEET (SIGN 1A)
WEST WALL 59' INSTALL SIGN 6'13" BY 15.5' = 93 SQUARE FEET (SIGN 1B)

CORNER LOT? ☒

OWNER/AGENT CERTIFICATION

I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.

Signature Gary Connolly Date NOV. 20 2019 Print/Type Name HARRY CONNOLLY

☐ Require Planning Signature _____ Date _____

Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)

Authority under Section 500.4 BCZR PAI Approval (SIGN ONLY)
Signature Gary Connolly Initials gpc Date 11/20/19

**Permits, Approvals & Inspections**111 W. Chesapeake Avenue
Towson, MD 21204Report Generated On:
11/20/2019**Permit Processing Commercial Permit & Development Report**

Page 1 of 1

Property InformationTax Account Number: **0905880280**

Plat Ref: 008:055

Election District: **9**

Owner Name(s): C F EVANS & SONS INC

Address: 2325 YORK RD

TIMONIUM, MD 21093

Premise Address: 8802 HARFORD RD

PDM #:

Zoning District(s): BL

Elevation Range: 368ft - 378ft

Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111.	New Com Bldg.	Interior Alts.	Add / Ext. Alts.	Piers/Fillings	Grading/SW	Tanks	Ret. Walls/Bulk	Razing	Chg. of Occup.	Tower Antenna	Signs	Elect. & Plumb	Agency Acknowledgment
Contact Agency	Potential Overlay Issues													Initial & Date
	Growth Tier 1: Served by public sewer and inside URDL													
Planning Jefferson Building Room 101 Phone: 410-887-3211	Commercial Revitalization Districts - Parkville	X		X									X	
DEPS-Sed. Control	Note: All Razing Permits must be sent to Sediment Control for review.													
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.													
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: 1998-0410-X; 1990-0066-SPH; 1949-1523-X	X		X	X	X	X			X	X	X		

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant.
Form 171C

**Permits, Approvals & Inspections**111 W. Chesapeake Avenue
Towson, MD 21204Report Generated On:
11/20/2019**Permit Processing Commercial Permit & Development Report**

Page 1 of 1

Property InformationTax Account Number: **0905880280**

Plat Ref: 008:055

Election District: **9**

Owner Name(s): C F EVANS & SONS INC

PDM #:

Address: 2325 YORK RD

Zoning District(s): BL

TIMONIUM, MD 21093

Premise Address: 8802 HARFORD RD


Elevation Range: 368ft - 378ft

Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111.	New Com Bldg.	Interior Alts.	Add / Ex. Alts.	Piers/Pillings	Grading/SW	Tanks	Ret. Walls/Bulk	Razing	Chg. of Occup.	Tower Antenna	Signs	Elect. & Plumb	Agency Acknowledgment
Contact Agency	Potential Overlay Issues													Initial & Date
	Growth Tier 1: Served by public sewer and inside URDL													
Planning Jefferson Building Room 101 Phone: 410-887-3211	Commercial Revitalization Districts - Parkville	X	X									X		
DEPS-Sed. Control	Note: All Razing Permits must be sent to Sediment Control for review.													
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.													
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: 1998-0410-X; 1990-0066-SPH; 1949-1523-X	X	X	X	X	X				X	X	X		

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant.
Form171C

EAST WALL

a



GLAZE PANEL MATCH

THIS DRAWING IS SOLE PROPERTY OF POLLITT SIGNS, WITH EXCLUSIONS TO TRADEMARKED ART AND LOGOS PROVIDED BY CUSTOMER.
REPRODUCTION IS STRICTLY PROHIBITED, WITHOUT WRITTEN CONSENT.

Pollitt Signs
Havre de Grace, MD est. 1947

410-939-4050
POLLITTSIGNS.COM

ELECTRICAL NOTES

ALL ELECTRICAL COMPONENTS WILL BE UL LISTED AND APPROVED AS PER 2014 NEC 600-4 & FBC 4504-4 & DESIGNATED TO UL 48 PER F.S. 553-19.
ALL SIGNS ARE TO BE GROUNDED AND BONDED PER NEC 600-7 & 250-95.
ALL WIRING INSIDE LETTERS ARE TO BE #3730 HIGH TENSION GTO.
ALL PRIMARY WIRING PROVIDED BY CUSTOMER IS TO BE #12 THWN HIGH TENSION AS PER NEC 600-21. THESE PLANS COMPLY WITH FBC 455-21.
PRIMARY ELECTRIC SOURCE TO BE PROVIDED BY CUSTOMER TO WITHIN 6 FEET OF SIGN LOCATION



CUSTOMER

ALLOWABLE S.Q. FT.

CUSTOMER APPROVAL


PLEASE VERIFY COLORS, SPELLING AND LAYOUT PRIOR TO SIGNING.
ACTUAL SIZES AND COLORS OF FINISHED PRODUCT MAY VARY.

PROPOSED S.Q. FT.

Date: ____ / ____ / ____

WEST WALL

b



THIS DRAWING IS SOLE PROPERTY OF POLLITT SIGNS, WITH EXCLUSIONS TO TRADEMARKED ART AND LOGOS PROVIDED BY CUSTOMER.
REPRODUCTION IS STRICTLY PROHIBITED, WITHOUT WRITTEN CONSENT.

Pollitt Signs
Havre de Grace, MD est. 1947

410-939-4050

POLLITTSIGNS.COM

ELECTRICAL NOTES

ALL ELECTRICAL COMPONENTS WILL BE UL LISTED AND APPROVED AS PER 2014 NEC 600-4 & FBC 4504-4 & DESIGNATED TO UL 48 PER F.S. 553-19.
ALL SIGNS ARE TO BE GROUNDED AND BONDED PER NEC 600-7 & 250-95.
ALL WIRING INSIDE LETTERS ARE TO BE #3730 HIGH TENSION GTO.
ALL PRIMARY WIRING PROVIDED BY CUSTOMER IS TO BE #12 THWN HIGH TENSION AS PER NEC 600-21. THESE PLANS COMPLY WITH FBC 455-21.
PRIMARY ELECTRIC SOURCE TO BE PROVIDED BY CUSTOMER TO WITHIN 6 FEET OF SIGN LOCATION



CUSTOMER

ALLOWABLE S.Q. FT.

CUSTOMER APPROVAL


PLEASE VERIFY COLORS, SPELLING AND LAYOUT PRIOR TO SIGNING.
ACTUAL SIZES AND COLORS OF FINISHED PRODUCT MAY VARY.

PROPOSED S.Q. FT.

Date: ____ / ____ / ____



SINGLE FACED SIGN d



THIS DRAWING IS SOLE PROPERTY OF POLLITT SIGNS, WITH EXCLUSIONS TO TRADEMARKED ART AND LOGOS PROVIDED BY CUSTOMER.
REPRODUCTION IS STRICTLY PROHIBITED, WITHOUT WRITTEN CONSENT.

Pollitt Signs
Havre de Grace, MD est. 1947
410-939-4050
POLLITTSIGNS.COM

ELECTRICAL NOTES

ALL ELECTRICAL COMPONENTS WILL BE UL LISTED AND APPROVED AS PER 2014 NEC 600-4 & FBC 4504-4 & DESIGNATED TO UL 48 PER F.S. 553-19.
ALL SIGNS ARE TO BE GROUNDED AND BONDED PER NEC 600-7 & 250-95.
ALL WIRING INSIDE LETTERS ARE TO BE #3730 HIGH TENSION GTO.
ALL PRIMARY WIRING PROVIDED BY CUSTOMER IS TO BE #12 THWN HIGH TENSION AS PER NEC 600-21. THESE PLANS COMPLY WITH FBC 455-21.
PRIMARY ELECTRIC SOURCE TO BE PROVIDED BY CUSTOMER TO WITHIN 6 FEET OF SIGN LOCATION



CUSTOMER

ALLOWABLE S.Q. FT.


PROPOSED S.Q. FT.

CUSTOMER APPROVAL

PLEASE VERIFY COLORS, SPELLING AND LAYOUT PRIOR TO SIGNING.
ACTUAL SIZES AND COLORS OF FINISHED PRODUCT MAY VARY.

Date: ____ / ____ / ____

DOUBLE FACED SIGN C



THIS DRAWING IS SOLE PROPERTY OF POLLITT SIGNS, WITH EXCLUSIONS TO TRADEMARKED ART AND LOGOS PROVIDED BY CUSTOMER.
REPRODUCTION IS STRICTLY PROHIBITED, WITHOUT WRITTEN CONSENT.

Pollitt Signs
Havre de Grace, MD est. 1947
410-939-4050
POLLITTSIGNS.COM

ELECTRICAL NOTES

ALL ELECTRICAL COMPONENTS WILL BE UL LISTED AND APPROVED AS PER 2014 NEC 600-4 & FBC 4504-4 & DESIGNATED TO UL 48 PER F.S. 553-19. ALL SIGNS ARE TO BE GROUNDED AND BONDED PER NEC 600-7 & 250-95. ALL WIRING INSIDE LETTERS ARE TO BE #3730 HIGH TENSION GTO. ALL PRIMARY WIRING PROVIDED BY CUSTOMER IS TO BE #12 THWN HIGH TENSION AS PER NEC 600-21. THESE PLANS COMPLY WITH FBC 455-21. PRIMARY ELECTRIC SOURCE TO BE PROVIDED BY CUSTOMER TO WITHIN 6 FEET OF SIGN LOCATION



CUSTOMER

ALLOWABLE S.Q. FT.

CUSTOMER APPROVAL

PLEASE VERIFY COLORS, SPELLING AND LAYOUT PRIOR TO SIGNING.
ACTUAL SIZES AND COLORS OF FINISHED PRODUCT MAY VARY.

PROPOSED S.Q. FT.

Date: / /