



\$100

BALTIMORE COUNTY
DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
111 WEST CHESAPEAKE AVENUE
TOWSON, MD 21204
410-887-3391

SIGN USE PERMIT

USE PERMIT RECEIPT

187690

The applicant must affirm by initials below that there are no current violations at this site, pursuant to Section 112.7, B.C.C. Initials: GP

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"

PROPERTY ADDRESS 5201 A Campbell Blvd ZIP CODE 21236
BUSINESS NAME CAOA ZONING BMAS
OWNER'S NAME Frankel Nottingham PHONE NO. _____ HISTORIC DISTRICT ☐ Yes ☒ No
MAILING ADDRESS 10260 York Rd Cockeysville Md 21030
APPLICANT/OWNER'S AGENT Gary Brent PHONE NO. 410-507-0053
SIGN COMPANY NAME Jackson Signs PHONE NO. 301-322-3323
TYPE OF SIGN: ☐ Window Sign TAX ACCOUNT NO. 250,001, 2022

☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☒ No

☒ Permanent ☐ Changeable Copy ☒ Wall ☐ Face Change Only ☐ Non-Illuminated

☐ Freestanding ☐ Pylon ☐ Monument ☒ Illuminated (separate electrical permit required)

Size: 3' feet x 8.18' feet = 24.54 square feet Height: _____ feet (freestanding signs)

Property Line/Street Right-of-Way Setbacks: front _____, sides _____ and _____, and rear _____.

NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached.

A site plan must also be attached for freestanding signs.

Table of Sign Regulations: 450.4.1.- An Electronic Changeable Copy Sign may only have a maximum frequency of one instantaneous message change per 15 second cycle. 450.6.B.3 - Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.

PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):

1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.
2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.
3. Signs cannot be placed in or project into or above street right of way or governmental property.
4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.
5. Vehicle cannot be parked for the purpose of displaying an attached sign.
6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.
7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. - C.T. zones.
8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.
9. No sign may emit sound

Work Description (including number of signs, special conditions, materials, locations and size):

Install (2) illuminated wall signs - COOA

Sign front = 40' 3' x 8.18' = 24.54 sq ft

CORNER LOT? ☐

OWNER/AGENT CERTIFICATION

I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.

Signature

Date

Print/Type Name

☐ Require Planning Signature

Date

Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)

Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)


Signature [Signature] Initials GP Date 8/30/19

40'

ALIGN




PROPOSED APPROX. 3/16" = 1'



SCALE 1/4" = 1'-0"
QTY: (2) SETS 24.56 SQ. FT. EA

- A. .040 ALUM. RETURNS PTD. BLACK, CLEAR COATED
- B. 1/8" THK. WHITE ACRYLIC FACES
- (ADD PRINTED WHITE VINYL TO MATCH PMS 137 ON
- FIRST SURFACE FOR LETTER "V" ONLY)
- C. WHITE LEDs
- D. WEEP HOLES AS REQ'D
- E. BUILDING FACADE: STUCCO/CONCRETE FACADE
- F. ALUM. CHANNEL LTR. BACK
- G. WIRING IN LIQUITITE TO ELEC. CIRCUIT
- H. REMOTE POWER SOURCE IN METAL VAULT
- I. BLACK TRIMCAPS ON ALL LETTERS
- J. .080 FABBED ALUM. 2" DEEP B/G PAN OVER ANGLE FRAME
PTD. MATTE BLACK
- K. 1/4" BOLTS & DBL EXPANSION ANCHORS



SECTION VIEW NTS
* ALL ELECTRICAL COMPONENTS UL LISTED

This sign is intended to be installed in accordance with the requirements of Article 600 of the current National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of the sign.

SIGN IS WIRED FOR 120 VOLTS UNLESS OTHERWISE SPECIFIED