



2 Signs
1 Panel
\$400

BALTIMORE COUNTY
DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
111 WEST CHESAPEAKE AVENUE
TOWSON, MD 21204
410-887-3391

SIGN USE PERMIT

USE PERMIT RECEIPT
190647
The applicant must affirm by initials below that there are no current violations at this site, pursuant to Section 112.7 B.C.C.
Initials: *[Signature]*

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"

PROPERTY ADDRESS 7927 BELAIR RD, BALTIMORE MD ZIP CODE 21236
BUSINESS NAME PET SUPPLIES PLUS GROOMING DOG WASH ZONING B-1B2
OWNER'S NAME FP SUB LLC PHONE NO. _____ HISTORIC DISTRICT ☐ Yes ☒ No
MAILING ADDRESS 500 NORTH BROADWAY JERICHO NY 11753
APPLICANT/OWNER'S AGENT TRACIE CLAXTON PHONE NO. 202-215-8289
SIGN COMPANY NAME MEALY SIGNS PHONE NO. 202-882-7133
TYPE OF SIGN: ☐ Window Sign TAX ACCOUNT NO. 1900/001/407

☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☒ No

☒ Permanent ☐ Changeable Copy ☒ Wall ☐ Face Change Only ☐ Non-Illuminated

☐ Freestanding, ☐ Pylon ☐ Monument ☒ Illuminated (separate electrical permit required)

Size $3'6" \times 57'2\frac{5}{8}" = 200'$ square feet = _____ square feet Height: _____ feet (freestanding signs)

Property Line/Street Right-of-Way Setbacks: front _____, sides _____ and _____, and rear _____.

NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached.

A site plan must also be attached for freestanding signs.

Table of Sign Regulations: 450.4.1.- An Electronic Changeable Copy Sign may only have a maximum frequency of one instantaneous message change per 15 second cycle. 450.6.B.3 - Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.

PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):

- Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.
- Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.
- Signs cannot be placed in or project into or above street right of way or governmental property.
- Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.
- Vehicle cannot be parked for the purpose of displaying an attached sign.
- Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.
- Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. - C.T. zones.
- There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.
- No sign may emit sound

Work Description (including number of signs, special conditions, materials, locations and size):

Front Side
 $3'6" \times 57'2\frac{5}{8}" = 200'$ $3.5 \times 57.2188 = 200'$ $2'3" \times 25'8\frac{1}{4}" = 57'8"$ $2.25 \times 25.6895 = 57.8'$ $2'6" \times 6'8" = 17'7"$
Existing freestanding sign/new facing panel sign
CORNER LOT? ☐

OWNER/AGENT CERTIFICATION

I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.

Signature *[Signature]* Date _____ Print/Type Name TRACIE CLAXTON

☐ Require Planning Signature LM FINAL FOR REVIEW Date 10/9/19

Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)

Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)

Signature *[Signature]* Initials gh Date 10/9/19



Permits, Approvals & Inspections

111 W. Chesapeake Avenue
Towson, MD 21204

Report Generated On:
10/9/2019

Permit Processing Commerical Permit & Development Report

Page 1 of 1

Property Information

Tax Account Number: 1900001407

Plat Ref: 044:116

Election District: 14

Owner Name(s): FP SUB LLC

PDM #: 14-0134

Address: SUITE 100 3333 NEW HYDE PARK RD
NEW HYDE PARK,NY 11042

Zoning District(s): BL BR
DR 5.5

Premise Address: 7927 BELAIR RD

Elevation Range: 150ft - 192ft

Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111.	New Com Bldg.	Interior Alts.	Add / Ext. Alts.	Piers/Pilings	Grading/SW	Tanks	Ret.Walls/Bulk	Razing	Chg. of Occup.	Tower Antenna	Signs	Elect. & Plumb	Agency Acknowledgment
Contact Agency	Potential Overlay Issues													Initial & Date
	Growth Tier 1: Served by public sewer and inside URDL													
Planning Jefferson Building Room 101 Phone: 410-887-3211	Commercial Revitalization Districts - Overlea-Rossville <i>FINAL NO REQ FOR REVIEW</i> <i>10/9/19</i>	X		X								X		
EPS-Dev. Coord. County Office Building Room 319 Phone: 410-887-3733	Possible Flood Hazard - Water Body Present	X		X		X	X	X			X			
PAI-Sed. Control Insp. County Office Building Room G-21 Phone: 410-887-3226	Note: All Razing Permits must be sent to Sediment Control for review. Possible Flood Hazard - Water Body Present	X		X		X		X						
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services. Possible Flood Hazard - Water Body Present	X	X	X		X	X	X		X	X		X	OK To File
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: 1982-0089-A; R-1957-4177; 2017-0241-SPHA; 2017-0338-SPHA; 2019-0062-A; 1981-0130-A; 2012-0186-SPH; 2011-0343-A; 1982-0093-A; 1953-2807-X; 1953-2816-X; 2019-0201-A	X		X	X	X	X			X	X	X		
Building Plans Review County Office Building Room 120 Phone: 410-887-3987	Possible Flood Hazard - Water Body Present	X	X	X	X		X	X			X			

ILLUMATECH, INC.

3000 Main Street Baker, LA 70714


T: 770-928-3555 F: 678-868-2047

SIGNS & LIGHTING

Services



PARTIAL SOUTH ELEVATION



One (1) Set LED ILLUMINATED Channel Letters
Direct Mounted to Building Facade

MOUNTING OPTIONS - Letter Side Views

A	B	C	D	E	F	Boxed Sq. Footage
42"	17-1/2"	42"	57' 2-5/8"	40' 8-1/4"	11' 5-13/16"	200.27



COLOR OPTIONS:

LETTER FACES

3M 3630-156
Vivid Green VinylWhite
#2447 Pigmented Acrylic

RETURNS

Dark Bronze



Sign & Lighting Maintenance

LED Sign Lighting

Parking Lot Light Maintenance

Sign Maintenance and Conversion

Sign Construction & Engineering

Sign Replacement & Erection

Replacement Faces


This is an original drawing created by Illumatech, Inc. It is submitted for your personal use; however, it shall at ALL times remain the property of Illumatech, Inc. It may only be used in connection with the project being planned for you by Illumatech, Inc. You are NOT authorized to show these drawings to anyone outside of your organization, nor are they to be reproduced, used, copied or exhibited in any other fashion.

CLIENT	PSP
LOCATION	Nottingham, MD
PURPOSE	Conceptual - For Approval
SALES REP	Joe Mayeaux
FILENAME	PSP - Nottingham, MD - 12-17-2018 - conv
DESIGNER	Kyle Rhody
DATE	12-17-2018
APPROVAL	
SCALE	As Noted
PAGE #	1 of 7
NOTES	

Description: Front Elevation

Location: Nottingham, MD


Customer Approval: _____ Date: _____



NOTE: REMOTE MOUNTING FOR UP TO 15 FT. USE 18AWG. (MIN.)
 REMOTE MOUNTING FOR UP TO 24 FT. USE 16AWG.
 REMOTE MOUNTING FOR UP TO 38 FT. USE 14AWG.
 REMOTE MOUNTING FOR UP TO 59 FT. USE 12AWG.
 REMOTE MOUNTING FOR UP TO 100 FT. USE 10AWG.


DISTANCE VARIES
 (SITE SPECIFIC)

20 AMP TOGGLE SWITCH MOUNTED
 TO OUTSIDE OF EACH TRANSFORMER BOX
 UL ELECTRICAL DISCONNECT



POWER SUPPLIES MUST MAINTAIN A 1" SEPARATION END TO END, & 4" SEPARATION SIDE TO SIDE.

BASIC WIRING DETAIL



20 AMP SWITCH & NEGATIVE GROUND
 ATTACHED TO UL APPROVED TRANSFORMER BOX

Sign & Lighting Maintenance
 LED Sign Lighting
 Parking Lot Light Maintenance
 Sign Maintenance and Conversion
 Sign Construction & Engineering
 Sign Replacement & Erection
 Replacement Faces

This is an original drawing created by Illumatech, Inc. It is submitted for your personal use; however, it shall at ALL times remain the property of Illumatech, Inc. It may only be used in connection with the project being planned for you by Illumatech, Inc. You are NOT authorized to show these drawings to anyone outside of your organization, nor are they to be reproduced, used, copied or exhibited in any other fashion.

CLIENT	Pet Supplies Plus
LOCATION	Nottingham, MD
PURPOSE	Conceptual - For Approval
SALES REP	Joe Mayeaux
FILENAME	
DESIGNER	
DATE	12-07-2018
APPROVAL	
SCALE	As Noted
PAGE #	2 of 7
NOTES	

Description: Technical Detail


Location: Nottingham, MD

Customer Approval: _____ Date: _____

DOG WASH
GROOMING



2UJ9 2EIJ99U2 T99



ALL MOUNTING HARDWARE
TO BE NON-CORROSIVE*



Sign & Lighting Maintenance
LED Sign Lighting
Parking Lot Light Maintenance
Sign Maintenance and Conversion
Sign Construction & Engineering
Sign Replacement & Erection
Replacement Faces

This is an original drawing created by Illumatech, Inc. It is submitted for your personal use; however, it shall at ALL times remain the property of Illumatech, Inc. It may only be used in connection with the project being planned for you by Illumatech, Inc. You are NOT authorized to show these drawings to anyone outside of your organization, nor are they to be reproduced, used, copied or exhibited in any other fashion.

CLIENT	Pet Supplies Plus
LOCATION	Nottingham, MD
PURPOSE	Conceptual - For Approval
SALES REP	Joe Mayeaux
FILENAME	
DESIGNER	
DATE	12-07-2018
APPROVAL	
SCALE	As Noted
PAGE #	3 of 7
NOTES	

Description: Technical Detail


Location: Nottingham, MD

Customer Approval: _____ Date: _____

Existing



Proposed



One (1) Set LED ILLUMINATED Channel Letters
Direct Mounted to Building Facade

A	B	Boxed Square Ft.
27"	25' 8-1/4"	57.79



Sign & Lighting Maintenance
LED Sign Lighting
Parking Lot Light Maintenance
Sign Maintenance and Conversion
Sign Construction & Engineering
Sign Replacement & Erection
Replacement Faces


This is an original drawing created by Illumatech, Inc. It is submitted for your personal use; however, it shall at ALL times remain the property of Illumatech, Inc. It may only be used in connection with the project being planned for you by Illumatech, Inc. You are NOT authorized to show these drawings to anyone outside of your organization, nor are they to be reproduced, used, copied or exhibited in any other fashion.

CLIENT	PSP
LOCATION	Nottingham, MD
PURPOSE	Conceptual - For Approval
SALES REP	Joe Mayeaux
FILENAME	PSP - Nottingham, MD - 12-17-2018 - conv
DESIGNER	Kyle Rhody
DATE	12-17-2018
APPROVAL	
SCALE	As Noted
PAGE #	4 of 7
NOTES	

Description: Rear Elevation

Location: Nottingham, MD


Customer Approval: _____ Date: _____



NOTE: REMOTE MOUNTING FOR UP TO 15 FT. USE 18AWG. (MIN.)
 REMOTE MOUNTING FOR UP TO 24 FT. USE 16AWG.
 REMOTE MOUNTING FOR UP TO 38 FT. USE 14AWG.
 REMOTE MOUNTING FOR UP TO 59 FT. USE 12AWG.
 REMOTE MOUNTING FOR UP TO 100 FT. USE 10AWG.


DISTANCE VARIES
 (SITE SPECIFIC)

20 AMP TOGGLE SWITCH MOUNTED
 TO OUTSIDE OF EACH TRANSFORMER BOX
 UL ELECTRICAL DISCONNECT



POWER SUPPLIES MUST MAINTAIN A 1" SEPARATION END TO END, & 4" SEPARATION SIDE TO SIDE.

BASIC WIRING DETAIL



20 AMP SWITCH & NEGATIVE GROUND
 ATTACHED TO UL APPROVED TRANSFORMER BOX



Sign & Lighting Maintenance
 LED Sign Lighting
 Parking Lot Light Maintenance
 Sign Maintenance and Conversion
 Sign Construction & Engineering
 Sign Replacement & Erection
 Replacement Faces

This is an original drawing created by Illumatech, Inc. It is submitted for your personal use; however, it shall at ALL times remain the property of Illumatech, Inc. It may only be used in connection with the project being planned for you by Illumatech, Inc. You are NOT authorized to show these drawings to anyone outside of your organization, nor are they to be reproduced, used, copied or exhibited in any other fashion.


CLIENT	Pet Supplies Plus
LOCATION	Nottingham, MD
PURPOSE	Conceptual - For Approval
SALES REP	Joe Mayeaux
FILENAME	
DESIGNER	
DATE	12-07-2018
APPROVAL	
SCALE	As Noted
PAGE #	5 of 7
NOTES	

Description: Technical Detail

Location: Nottingham, MD

Customer Approval: _____ Date: _____

2UJ9 23IJ99U2 T39



ALL MOUNTING HARDWARE
TO BE NON-CORROSIVE*



Sign & Lighting Maintenance
LED Sign Lighting
Parking Lot Light Maintenance
Sign Maintenance and Conversion
Sign Construction & Engineering
Sign Replacement & Erection
Replacement Faces


This is an original drawing created by Illumatech, Inc. It is submitted for your personal use; however, it shall at ALL times remain the property of Illumatech, Inc. It may only be used in connection with the project being planned for you by Illumatech, Inc. You are NOT authorized to show these drawings to anyone outside of your organization, nor are they to be reproduced, used, copied or exhibited in any other fashion.

CLIENT	Pet Supplies Plus
LOCATION	Nottingham, MD
PURPOSE	Conceptual - For Approval
SALES REP	Joe Mayeaux
FILENAME	
DESIGNER	
DATE	12-07-2018
APPROVAL	
SCALE	As Noted
PAGE #	6 of 7
NOTES	

Description: Technical Detail

Location: Nottingham, MD

Customer Approval: _____ Date: _____



6.84'

2' 6"



Two (2) Replacement Faces for Existing Tenant Panel

Description: Pylon Sign

Location: Nottingham, MD

Customer Approval: _____ Date: _____

Sign & Lighting Maintenance

LED Sign Lighting

Parking Lot Light Maintenance

Sign Maintenance and Conversion

Sign Construction & Engineering

Sign Replacement & Erection

Replacement Faces

This is an original drawing created by Illumatech, Inc. It is submitted for your personal use; however, it shall at ALL times remain the property of Illumatech, Inc. It may only be used in connection with the project being planned for you by Illumatech, Inc. You are NOT authorized to show these drawings to anyone outside of your organization, nor are they to be reproduced, used, copied or exhibited in any other fashion.

CLIENT	PSP
LOCATION	Nottingham, MD
PURPOSE	Conceptual - For Approval
SALES REP	Joe Mayeaux
FILENAME	PSP - Nottingham, MD - 12-17-2018 - conv
DESIGNER	Kyle Rhody
DATE	12-17-2018
APPROVAL	
SCALE	As Noted
PAGE #	7 of 7
NOTES	