

ADDRESS CORRECTION



RE: Job #55956

BALTIMORE COUNTY
DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
111 WEST CHESAPEAKE AVENUE
TOWSON, MD 21204
410-887-3391

The Ave at White Marsh
Curious Oyster
Applic 2 of 2

\$900.00

WP-2019-0207-SI
SIGN USE PERMIT

B
A 187025
The applicant is authorized to affirm that there are no current violations at this site pursuant to Section 112.7 BCC
Initials

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"

PROPERTY ADDRESS 8161 Honeygo Blvd, Space 11, White Marsh, MD ZIP CODE 21236

BUSINESS NAME Wayward / Curious Oyster ZONING ML

OWNER'S NAME The Ave at White Marsh Bus Trust PHONE NO. 301-998-8225 HISTORIC DISTRICT ☐ Yes ☒ No

MAILING ADDRESS c/o Altus Group, PO Box 92129, Southlake, TX 76092

APPLICANT/OWNER'S AGENT Jeff Greenberg, Agent PHONE NO. 410-559-2500

SIGN COMPANY NAME Triangle Sign & Service, LLC PHONE NO. 410-247-5300

11-13 Azar Ct., P.O. Box 24186, Baltimore, MD 21227

TYPE OF SIGN: ☐ Window Sign TAX ACCOUNT NO. 22 / 000 / 28701

☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☒ No

☒ Permanent ☐ Changeable Copy ☒ Wall ☐ Face Change Only ☐ Non-Illuminated

☐ Freestanding ☐ Pylon ☐ Monument ☒ Illuminated (separate electrical permit required)

Size: _____ feet x _____ feet = _____ square feet each Height: _____ feet (freestanding signs)

Property Line/Street Right-of-Way Setbacks: front _____, sides _____ and _____, and rear _____.

NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached; a site plan also must be attached for freestanding signs.

Table of Sign Regulations: 450.4. Attachment 1, 1.- An Electronic Changeable Copy Sign may only have a maximum Frequency of one instantaneous message change per 15 second cycle.

PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):

1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.
2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.
3. Signs cannot be placed in or project into or above street right of way or governmental property.
4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.
5. Vehicle cannot be parked for the purpose of displaying an attached sign.
6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.
7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. - C.T. zones.
8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.
9. No sign may emit sound

450.6.B.3 Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.

Work Description (including number of signs, special conditions, materials, locations and size): Install 8 ID signs:
Sign C: illum. letters over entrance, reading: Curious Oyster, 3.27'H x 7.19'W = 23.5 sf
Sign D: D/F non-illum blade sign, reading: The Curious Oyster, 3.25'H x 1.9'W = 6.2 sf
Sign E: 2 sets of non-illum letters, North elev 0.46'H x 10.8'W = 5.1 sf | West elev 0.46'H x 9.6'W = 4.5 sf
Sign F: illum letters, rear elev, reading: Curious Oyster, 3.27'H x 7.19'W = 23.5 sf
Sign I: 3 painted murals on panels above windows, I-1 = 22.1 sf, I-2 = 22.2 sf and I-3 = 21.7 sf

I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.

Signature

Sept 23, 2019
Date

Jeff Greenberg c/o Triangle Sign & Service
Print/Type Name

☐ Require Planning Signature _____ Date _____

Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)


REV 03/12

Authority under Section 500.4, BCZR P.A. Approval (SIGN ONLY)

Signature

Initials

Date



RE: Job #55956

The Ave at White Marsh DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
Curious Oyster
Applic 2 of 2

BALTIMORE COUNTY
111 WEST CHESAPEAKE AVENUE
TOWSON, MD 21204
410-887-3391

B 187025

A
The applicant is authorized to affirm that there are no current violations at this site pursuant to Section 112.7 BCC Initials *JS*

SIGN USE PERMIT

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"

PROPERTY ADDRESS 8101 Honeygo Blvd, Space 11, White Marsh, MD ZIP CODE 21236

BUSINESS NAME Wayward / Curious Oyster ZONING ML

OWNER'S NAME The Ave at White Marsh Bus Trust PHONE NO. 301-998-8225 HISTORIC DISTRICT ☐ Yes ☒ No

MAILING ADDRESS c/o Altus Group, PO Box 92129, Southlake, TX 76092

APPLICANT/OWNER'S AGENT Jeff Greenberg, Agent PHONE NO. 410-559-2500

SIGN COMPANY NAME Triangle Sign & Service, LLC PHONE NO. 410-247-5300

TYPE OF SIGN: ☐ Window Sign 11-13 Azar Ct., P.O. Box 24186, Baltimore, MD 21227 TAX ACCOUNT NO. 22 / 000 / 28701

☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☒ No

☒ Permanent ☐ Changeable Copy ☒ Wall ☐ Face Change Only ☐ Non-Illuminated

☐ Freestanding ☐ Pylon ☐ Monument ☒ Illuminated (separate electrical permit required)

Size: _____ feet x _____ feet = _____ square feet each Height: _____ feet (freestanding signs)

Property Line/Street Right-of-Way Setbacks: front _____, sides _____ and _____, and rear _____.

NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached; a site plan also must be attached for freestanding signs.

Table of Sign Regulations: 450.4. Attachment 1, 1.- An Electronic Changeable Copy Sign may only have a maximum Frequency of one instantaneous message change per 15 second cycle.

PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):

1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.
2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.
3. Signs cannot be placed in or project into or above street right of way or governmental property.
4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.
5. Vehicle cannot be parked for the purpose of displaying an attached sign.
6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.
7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. - C.T. zones.
8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.
9. No sign may emit sound

450.6.B.3 Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.

Work Description (including number of signs, special conditions, materials, locations and size): Install 8 ID signs:

Sign C: illum. letters over entrance, reading: Curious Oyster, 3.27'H x 7.19'W = 23.5 sf

Sign D: D/F non-illum blade sign, reading: The Curious Oyster, 3.25'H x 1.9'W = 6.2 sf

Sign E: 2 sets of non-illum letters, North elev 0.46'H x 10.8'W = 5.1 sf | West elev 0.46'H x 9.6'W = 4.5 sf

Sign F: illum letters, rear elev, reading: Curious Oyster, 3.27'H x 7.19'W = 23.5 sf

Sign I: 3 painted murals on panels above windows, I-1 = 22.1 sf, I-2 = 22.2 sf and I-3 = 21.7 sf

I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.

Signature *Jeff Greenberg*

July 1, 2019
Date

Jeff Greenberg c/o Triangle Sign & Service
Print/Type Name

☐ Require Planning Signature *Final VP*

Date 7/1/19

Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)

REV 03/12

Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)

Signature *Ch...*

Initials *CT*

Date *7/1/19*

ADDRESS CORRECTION



RE: Job #55956

The Ave at White Marsh
Wayward Smokehouse
Applic 1 of 2

BALTIMORE COUNTY

DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS

111 WEST CHESAPEAKE AVENUE

TOWSON, MD 21204

410-887-3391

B

A 187026

The applicant is authorized
to affirm that there are no
current violations at this
site pursuant to Section
112.7 BCC
Initials _____

\$700.00

SIGN USE PERMIT

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"

PROPERTY ADDRESS 8161 Honeygo Blvd, Space 11, White Marsh, MD ZIP CODE 21236

BUSINESS NAME Wayward / Curious Oyster ZONING ML

OWNER'S NAME The Ave at White Marsh Bus Trust PHONE NO. 301-998-8225 HISTORIC DISTRICT ☐ Yes ☒ No

MAILING ADDRESS c/o Altus Group, PO Box 92129, Southlake, TX 76092

APPLICANT/OWNER'S AGENT Jeff Greenberg, Agent PHONE NO. 410-559-2500

SIGN COMPANY NAME Triangle Sign & Service, LLC PHONE NO. 410-247-5300

11-13 Azar Ct., P.O. Box 24186, Baltimore, MD 21227

TYPE OF SIGN: ☐ Window Sign TAX ACCOUNT NO. 22 / 000 / 28701☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☒ No☒ Permanent ☐ Changeable Copy ☒ Wall ☐ Face Change Only ☐ Non-Illuminated☐ Freestanding ☐ Pylon ☐ Monument ☒ Illuminated (separate electrical permit required)

Size: _____ feet x _____ feet = _____ square feet each Height: _____ feet (freestanding signs)

Property Line/Street Right-of-Way Setbacks: front _____, sides _____ and _____, and rear _____.

NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached; a site plan also
must be attached for freestanding signs.

Table of Sign Regulations: 450.4. Attachment 1, 1.- An Electronic Changeable Copy Sign may only have a maximum Frequency of one
instantaneous message change per 15 second cycle.

PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):

1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.
2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.
3. Signs cannot be placed in or project into or above street right of way or governmental property.
4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.
5. Vehicle cannot be parked for the purpose of displaying an attached sign.
6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.
7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. - C.T. zones.
8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.
9. No sign may emit sound

450.6.B.3 Changeable copy signs must operate at a constant intensity and not give the appearance of movement by
flashing, blinking, strobing, scrolling, oscillating, or alternating lights.

Work Description (including number of signs, special conditions, materials, locations and size): Install 4 ID signs:

Sign A: corner mounted, vertical D/F illuminated blade sign, 9.83'H x 2.9'W = 28.5 sf

Sign B: D/F non-illum blade sign, reading: Wayward Smokehouse, 2.04'H x 3.08'W = 6.3 sf

Sign G: Painted wall graphics, reading: Wayward, 2.58'H x 64.58'W = 166.6 sf

Sign H: Painted wall graphics, reading: Wayward Smokehouse, 6.66'H x 10.83'W = 72.1 sf

OWNER/AGENT CERTIFICATION

I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further
agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.

Jeff Greenberg
Signature

Sept 23, 2019
Date

Jeff Greenberg c/o Triangle Sign & Service
Print/Type Name

☐ Require Planning Signature

Date

ADDRESS change

Copies: White-Office; Yellow- Applicant (keep
this Copy for your permanent records)

REV 03/12

Authority under Section 509.4, BCZR PAI Approval (SIGN ONLY)

Signature

Initials

Date

gh

9/24/19



RE: Job #55956

The Ave at White Marsh
Wayward Smokehouse
Applic 1 of 2

BALTIMORE COUNTY
DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
111 WEST CHESAPEAKE AVENUE
TOWSON, MD 21204
410-887-3391

B 187026
A _____
The applicant is authorized
to affirm that there are no
current violations at this
site pursuant to Section
112.7 BCC
Initials JD

\$700.00

SIGN USE PERMIT

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"

PROPERTY ADDRESS 8101 Honeygo Blvd, Space 11, White Marsh, MD ZIP CODE 21236

BUSINESS NAME Wayward / Curious Oyster ZONING ML

OWNER'S NAME The Ave at White Marsh Bus Trust PHONE NO. 301-998-8225 HISTORIC DISTRICT ☐ Yes ☒ No

MAILING ADDRESS c/o Altus Group, PO Box 92129, Southlake, TX 76092

APPLICANT/OWNER'S AGENT Jeff Greenberg, Agent PHONE NO. 410-559-2500

SIGN COMPANY NAME Triangle Sign & Service, LLC PHONE NO. 410-247-5300

TYPE OF SIGN: ☐ Window Sign 11-13 Azar Ct., P.O. Box 24186, Baltimore, MD 21227 TAX ACCOUNT NO. 22 / 000 / 28701

☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☒ No

☒ Permanent ☐ Changeable Copy ☒ Wall ☐ Face Change Only ☐ Non-Illuminated

☐ Freestanding ☐ Pylon ☐ Monument ☒ Illuminated (separate electrical permit required)

Size: _____ feet x _____ feet = _____ square feet each Height: _____ feet (freestanding signs)

Property Line/Street Right-of-Way Setbacks: front _____, sides _____ and _____, and rear _____.

NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached; a site plan also must be attached for freestanding signs.

Table of Sign Regulations: 450.4. Attachment 1, 1.- An Electronic Changeable Copy Sign may only have a maximum Frequency of one instantaneous message change per 15 second cycle.

PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):

1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.
2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.
3. Signs cannot be placed in or project into or above street right of way or governmental property.
4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.
5. Vehicle cannot be parked for the purpose of displaying an attached sign.
6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.
7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. - C.T. zones.
8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.
9. No sign may emit sound

450.6.B.3 Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.

Work Description (including number of signs, special conditions, materials, locations and size): **Install 4 ID signs:**

Sign A: corner mounted, vertical D/F illuminated blade sign, 9.83'H x 2.9'W = **28.5 sf**

Sign B: D/F non-illum blade sign, reading: Wayward Smokehouse, 2.04'H x 3.08'W = **6.3 sf**

Sign G: Painted wall graphics, reading: Wayward, 2.58'H x 64.58'W = **166.6 sf**

Sign H: Painted wall graphics, reading: Wayward Smokehouse, 6.66'H x 10.83'W = **72.1 sf**

OWNER/AGENT CERTIFICATION

I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.

Jeff Greenberg
Signature

July 1, 2019
Date

Jeff Greenberg c/o Triangle Sign & Service
Print/Type Name

☐ Require Planning Signature FINAL VP

Date 7/1/19

Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)

REV 03/12

Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)
chh VP 7-1-19
Signature Initials Date



Permits, Approvals & Inspections

111W. Chesapeake Avenue
Towson, MD 21204

Report Generated On:
7/8/2019

Permit Processing Commerical Permit & Development Report

Page 1 of 1

Property Information

Tax Account Number: **2200028701**

Plat Ref: 069:029

Election District: **14**

Owner Name(s): THE AVENUE AT WHITE MARSH and BUSINESS TRUST

PDM #: 14-0110

Address: % ALTUS GROUP P O BOX 92129
SOUTHLAKE, TX 76092

Zoning District(s): ML

Premise Address: 8101 HONEYGO BLVD

Elevation Range: 84ft - 100ft

Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111	New Com Bldg	Agency Acknowledgment
Contact Agency	Potential Overlay Issues Growth Tier 1: Served by public sewer and inside URDL	Interior Alts. Add / Ext. Alts. Piers/Pilings Grading/SW Tanks Ret.Walls/Bulk Razing Chg. of Occup. Tower Antenna Signs Elect. & Plumb	Initial & Date
Planning Jefferson Building Room 101 Phone: 410-887-3211	Pattern Book / Architectural Review	X X	X
DEPS-Sed. Control Jefferson Building 4th Floor Phone: 410-887-3226	Note: All Razing Permits must be sent to Sediment Control for review.		
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.		
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: R-1983-0060; R-1971-0174-X; R-1971-0175; R-1972-0050	X X X X X X X X X	

From: Jenifer G. Nugent <jnugent@baltimorecountymd.gov>
Sent: Tuesday, June 25, 2019 10:43 AM
To: Richard Cataffa
Cc: Laurie Hay; Krystle Patchak
Subject: RE: The Ave: Don Pablo's Converting to 2 New Tenants

I think they look great!

And fall within the spirit and intent of the comprehensive sign package we reviewed

Jenifer German Nugent

Division Chief, Development Review Division
Baltimore County Department of Planning
105 West Chesapeake Avenue, Suite 101
Towson, MD 21204
(410) 887-3480
(410) 887-7499 direct

From: Richard Cataffa [<mailto:RCataffa@federalrealty.com>]
Sent: Monday, June 24, 2019 3:57 PM
To: Jenifer G. Nugent <jnugent@baltimorecountymd.gov>
Cc: Richard Cataffa <RCataffa@federalrealty.com>
Subject: The Ave: Don Pablo's Converting to 2 New Tenants

CAUTION: This message from RCataffa@federalrealty.com originated from a non Baltimore County Government or non BCPL email system. Hover over any links before clicking and use caution opening attachments.

Good afternoon, Jen. I'm following up on my call with you last week re: our conversion of the Don Pablo's restaurant into a 2-tenant building, thus altering the existing Sign Plan for that particular building within the broader property. As you will see, the proposed is quite handsome and will continue to offer the area a quality, dynamic public experience and be another improvement to the property we have been busy investing so much effort and capital into.

I wanted to share with you (attached exhibit) the proposed signage/wall graphics for your review before we proceed.

Please let me know if this is acceptable. Feel free to contact me if any questions.

Thanks,
Rick



Richard Cataffa

Director, Design

Federal Realty Investment Trust

W: (301) 998-8225 | C: (410) 340-1840


1626 E Jefferson Street

Rockville MD 20852

rcataffa@federalrealty.com


Unless expressly stated otherwise, this message is confidential and may be privileged. It is intended for the addressee(s) only. Access to this email by anyone else is unauthorized. If you are not an addressee, any disclosure or copying of the contents of this email or any action taken (or not taken) in reliance on it is unauthorized and may be unlawful. If you are not an addressee, please inform the sender immediately. No discussion, offer or agreement regarding any potential lease or other contract is binding on Federal Realty Investment Trust, nor should it be relied on by any third party, unless it is documented in a final lease or other written (not electronic) agreement signed by our authorized representative.

CONNECT WITH BALTIMORE COUNTY



--	--	--	--	--	--

www.baltimorecountymd.gov



PROJECT:
WAYWARD SMOKEHOUSE AND
CURIOUS OYSTER
AVE AT WHITE MARSH
8161 HONEYGO BLVD
BALTIMORE, MD 21236


REVISION HISTORY

R#	DATE	DB	NOTES
R1	5/15/2019	JWW	SIGN A CHANGE LOCATION AND LIGHT TEMP. OF LEDS, SIGN G CHANGE OUTLINE COLOR TO GRAY


SCHEDULE

SIGN A	10.01	QTY. REQ'D: ONE (1)
SIGN B	10.02	QTY. REQ'D: ONE (1)
SIGN C	20.01	QTY. REQ'D: ONE (1)
SIGN D	20.02	QTY. REQ'D: ONE (1)
SIGN E	20.03	QTY. REQ'D: ONE (1)
SIGN F	20.05	QTY. REQ'D: ONE (1)
SIGN G	10.03	QTY. REQ'D: ONE (1)
SIGN H	10.04	QTY. REQ'D: ONE (1)
SIGN I	20.04	QTY. REQ'D: THREE (3)

AREA MAP



EARTH VIEW



TRIANGLE
SIGN SERVICES

CLIENT & LOCATION



WAYWARD SMOKEHOUSE AND
CURIOUS OYSTER
AVE AT WHITE MARSH
8161 HONEYGO BLVD
BALTIMORE, MD 21236

LEAD NO.
180782T

SALESMAN
ZF

DATE
4.22.2019

DRAWN BY
JWW

REVIEWED BY

SEG. NO.


REVISION

SHEET NO.

1 of 18



C-1
Sherwin Williams
SW 6992 - Inkwell




C-2
Sherwin Williams
SW 7005 - Snow White



C-3
Chemetal 615 - Cement
or similar finish



C-4
Chemetal 600 - Weathered Aluminum
or similar finish



C-5
Sherwin Williams
SW 6890 - Osage Orange



C-6
Sherwin Williams
SW 7068 - Grizzle Gray




C-7
Sherwin Williams
SW 6671 - Curry




C-8
Sherwin Williams
SW 6502 - Loch Blue



C-9
Sherwin Williams
SW 0064 - Blue Peacock



TRIANGLE SIGN SERVICES	CLIENT & LOCATION  	WAYWARD SMOKEHOUSE AND CURIOUS OYSTER AVE AT WHITE MARSH 8161 HONEYGO BLVD BALTIMORE, MD 21236	LEAD NO.	DATE	REVIEWED BY	REVISION	SHEET NO.
			180782T	4.22.2019			
			SALESMAN	DRAWN BY	SEG. NO.		
			ZF	JWW			



FIREMAN'S SWITCH, MOUNTED TO WALL
& LOCATED BETWEEN FEED
& SIGN, EXACT PLACEMENT T.B.D.

TBD based on survey and center requirements



PINNED-OFF ALUMINUM LETTERS
FINISH TO LOOK LIKE GALVANIZED

ILLUM. CORNER GRAND BLADE SIGN-RENDERING

SCALE: NTS

A


METAL SIGN CABINET WITH
TYPE ROUTED FROM FACE

PINNED-OFF ALUMINUM
LETTERS (FINISH TO LOOK
LIKE GALVANIZED) FROM
BACK OF SIGN CABINET

GENERAL NOTES:

SIGN CABINET TO BE PINNED
OFF FROM EXTERIOR WALL
SURFACE

SIGN TO HAVE INTERNAL
ILLUMINATION (UP LIGHTING
EFFECT)



TRIANGLE
SIGN SERVICES

CLIENT & LOCATION

Wayward *CURIOUS OYSTER*

WAYWARD SMOKEHOUSE AND
CURIOUS OYSTER
AVE AT WHITE MARSH
8161 HONEYGO BLVD
BALTIMORE, MD 21236

LEAD NO.
180782T

DATE
4.22.2019

REVIEWED BY

REVISION


SALESMAN
ZF

DRAWN BY
JWW

SEG. NO.

SHEET NO.


4 of 18



Plan View


Scale: 1"=1'-0"

FIREMAN'S SWITCH, MOUNTED TO WALL & LOCATED BETWEEN FEED & SIGN, EXACT PLACEMENT T.B.D.



Context Elevation

Scale: 3/32"=1'-0"



SIGNAGE COLORS

- C-1** Sherwin Williams SW 6992 - Inkwell
- C-3** Chemetal 615 - Cement or similar finish
- C-4** Chemetal 600 - Weathered Aluminum or similar finish

SCALE: AS SHOWN
QTY.: ONE (1)

A

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION



WAYWARD SMOKEHOUSE AND
CURIOUS OYSTER
AVE AT WHITE MARSH
8161 HONEYGO BLVD
BALTIMORE, MD 21236

LEAD NO.
180782T

SALESMAN
ZF

DATE
4.22.2019

DRAWN BY
JWW


REVIEWED BY

SEG. NO.


REVISION

SHEET NO.

5 of 18




CORNER GRAND BLADE SIGN / LED ILLUM. / EXTERIOR INSTALL / PIN MOUNTED				SCALE: N.T.S.
A FACE (ALSO BACKGROUND FOR "WAYWARD")		I WIRING		
MATERIAL:	1/8" ALUM.	I-C	7/8" DIA. HOLE @ LEXAN W/ PAIGE WALL BUSTER	
COLOR/FINISH:	PAINTED SW 6992 - INKWELL		CONNECTOR & CONDUIT.	
A-1	1/8" ALUM.	I-B	WEATHERPROOF BELL BOX	
A-1 COLOR	PAINTED TO MATCH GALVANIZED STEEL (FAUX PAINT)	I-D	DISCONNECT SWITCH	
B BACK PANEL .080 ALUM.		I-F	TO ELECTRICAL FEED	
COLOR / FINISH	TO MATCH CHEMETAL 600 (FAUX PAINTING)	I-S	U.L. APPROVED LOW VOLTAGE CLASS II WIRING	
C RETURNS			ALL CONNECTIONS TO BE IN WATERPROOF BOXES	
DEPTH:	2"	I-R	RED DOT WET LOCATION COVER	
MATERIAL:	1/8" ALUM.			
COLOR/FINISH	PAINTED TO MATCH SW 6992 - INKWELL			
D FRAME		J POWER SUPPLY		
MATERIAL:	1 1/2"x 1 1/2"x 1/8" ALUM. ANGLE	TYPE:	REMOTE LED POWER SUPPLY HOUSE IN FRONT	
E PIN OFF LETTERS 1/8" ALUM.			ACCESS WEATHER-PROOF LED POWER SUPPLY BOX.	
COLOR:	PAINTED TO MATCH GALVANIZED STEEL (FAUX PAINT)	VOLTAGE;	120V	
F ILLUMINATION: LIGHTING CONCEALED ON EDGES		M MOUNTING SEE MOUNTING NOTE.		
TYPE:	STANDARD 3000K WHITE LEDS	M-1	3/8" ALL THREAD, WASHERS, AND NUTS	
F-1	ALL WIRES TO BE TERMINATED W/ A MECHANICAL UL LISTED FASTENER	M-2	1" AND 2" SPACERS DETERMINE BY BUILDING FASCIA	
F-2	CLEAR LEXAN BREAK FORMED WITH DIFFUSER	M-3	BOX MUST BE ATTACHED TO WALL	
		M-4	FLAT HEAD SCREWS	



MOUNTING NOTE: INSTALLER IS REQUIRED TO VERIFY ACTUAL FIELD CONDITIONS & PROVIDE NECESSARY MOUNTING HARDWARE & METHOD OF ATTACHMENT TO ENSURE SAFE INSTALLATION. INSTALLATION TO MEET N.E.C., UL & LOCAL CODES

NOTE: MANUFACTURER & UL LABELS APPLIED & VISIBLE FROM GROUND, LOCATED ON LAST LETTER (AT A MINIMUM) OR END OF BOX SIGN OR END OF FREESTANDING SIGN.

120V	INSTALLATION NOTES: 1. CUSTOMER G.C. TO PROVIDE ADEQUATE WOOD OR MTL. BLOCKING IN CORRELATION W/ FACADE FRAMING AS REQUIRED. 2. INSTALLER IS TO V.I.F. & PROVIDE THE PROPER NON-CORROSIVE MOUNTING HARDWARE TO ENSURE SAFE INSTALLATION. 3. ALL EXTERIOR FACADE PENETRATIONS TO BE WATERTIGHT. 4. INSTALLATION TO MEET CURRENT N.E.C., U.L. & LOCAL CODES.	ELECTRICAL NOTES: 1. ALL ELEC. COMPONENTS TO BE U.L. APPROVED. 2. CUSTOMER IS RESPONSIBLE FOR ONE (1) 120v/ 20a DEDICATED CIRCUIT w/ GROUND PER SIGN TO WITHIN 6' OF SIGN. 3. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDING WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING & BONDING OF THE SIGN.	FABRICATOR NOTES: 1. PLACEMENT OF LIGHTING ELEMENTS FOR OPTIMUM ILLUMINATION OF SIGN TO BE DETERMINED IN PRODUCTION. 2. MANUFACTURER & U.L. LABELS TO BE APPLIED & VISIBLE FROM THE GROUND, LOCATED ON THE LAST CHANNEL LETTER OR END OF THE SIGN BOX/FREESTANDING SIGN	ALL ELECTRICAL COMPONENTS ARE TO BE UL APPROVED



Context Rendering

NTS

1/4"x 3 1/4" ALUMINUM BAR
STOCK PAINTED C-1

RENDERING

NTS

NON-ILLUM.D/F BLADE SIGN-RENDERING

B

SCALE: NTS

QTY.: ONE (1)

SIGNAGE COLORS

- C-1 Sherwin Williams SW 6992 - Inkwell
- C-3 Chemetal 615 - Cement or similar finish
- C-4 Chemetal 600 - Weathered Aluminum or similar finish

1" ALUMINUM TUBING
PAINTED C-1

BURNT WOOD PANEL LOOK
(SHOU SUGI BAN) FINISH
CUT FROM HDU FOAM BOARD

WEATHER STEEL LOOK CUT
FROM HDU FOAM BOARD C-4

GALVANIZED METAL LOOK C-3
CUT FROM HDU FOAM BOARD

1/4" DEPTH LETTERS CUT FROM HDU FOAM BOARD
W/ C-3 FINISH

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION



WAYWARD SMOKEHOUSE AND
CURIOUS OYSTER
AVE AT WHITE MARSH
8161 HONEYGO BLVD
BALTIMORE, MD 21236

LEAD NO.
180782T

DATE
4.22.2019

REVIEWED BY

REVISION


SHEET NO.

7 of 18

SALESMAN
ZF

DRAWN BY
JWW

SEG. NO.



SIGNAGE COLORS

- C-1

Sherwin Williams
SW 6992 - Inkwell
- C-3

Chemetal 615 - Cement
or similar finish
- C-4

Chemetal 600 - Weathered Aluminum
or similar finish

Context Elevation
Scale: 1/8"=1'-0"

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION
Wayward *THE CURIOUS OYSTER*

WAYWARD SMOKEHOUSE AND
CURIOUS OYSTER
AVE AT WHITE MARSH
8161 HONEYGO BLVD
BALTIMORE, MD 21236

LEAD NO.
180782T
SALESMAN
ZF

DATE
4.22.2019
DRAWN BY
JWW


REVIEWED BY
SEG. NO.

REVISION

SHEET NO.
8 of 18



Context Rendering
NTS



Context Rendering (Night)
NTS

FIREMAN'S SWITCH, MOUNTED TO WALL
& LOCATED BETWEEN FEED
& SIGN, EXACT PLACEMENT T.B.D.

TBD based on survey and
center requirements


LED ILLUM. FACELIT/HALOLIT CHANNEL LETTERS OVER ENTRANCE -RENDERING

SCALE: NTS
QTY.: ONE (1)

C



FRONT ENTRANCE ELEVATION
Scale: 1/8" = 1'-0"



Front View
Scale: 1"=1'-0"

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION



WAYWARD SMOKEHOUSE AND
CURIOUS OYSTER
AVE AT WHITE MARSH
8161 HONEYGO BLVD
BALTIMORE, MD 21236

LEAD NO.
180782T

DATE
4.22.2019

REVIEWED BY

REVISION



SALESMAN
ZF

DRAWN BY
JWW

SEG. NO.

SHEET NO.

9 of 18



LED ILLUM. FACELIT/HALOLIT CHANNEL LETTERS OVER ENTRANCE -RENDERING

SCALE: NTS

C.1

TRIMLESS/SHOULDER/ FACE LIT / HALO-LIT CHANNEL LETTER / LED ILLUM. / EXTERIOR INSTALL / PIN MOUNTED

SCALE: N.T.S.

A FACE

MATERIAL:	3/4" THK. 2447 WHITE ACRYLIC, W/ KERF FOR RETURN
COLOR INFO.:	WHITE
A-1 MATERIAL/FIN	1" ACRYLIC PTD C-3 FINISH GALVANIZED METAL LOOK
A-2 MATERIAL/FIN	1/8" ALUM. PAINTED C-8 Sw6502 LOCH BLUE

C RETURNS

DEPTH:	3"
MATERIAL:	.04 ALUM
COLOR/FINISH:	PAINTED C-3 FINISH GALVANIZED METAL LOOK
C-1 COLOR/FINISH	PAINTED C-1 PAINTED SW 6992 INKWELL

D BACKS:

MATERIAL:	3/16" LEXAN
COLOR/FINISH:	CLEAR

E INSIDE OF CAN

COLOR:	WHITE
--------	-------

F ILLUMINATION:

TYPE:	STANDARD 6500K WHITE LEDS
F-1	ALL WIRES TO BE TERMINATED W/ A MECHANICAL UL LISTED FASTENER

I WIRING

I-C	1/2" O.D. TRUE KONEK PVC TUBE
I-D	W.P. BOX DISCONNECT SWITCH (FIREMAN SWITCH)
I-F	TO ELECTRICAL FEED
I-S	U.L. APPROVED LOW VOLTAGE CLASS II WIRING

J POWER SUPPLY

TYPE:	REMOTE LED POWER SUPPLY HOUSE IN FRONT
	ACCESS WEATHER-PROOF LED POWER SUPPLY BOX.
VOLTAGE:	120V

M MOUNTING

SEE MOUNTING NOTE.

M-1	10-24 ALL-THREAD, NUT & WASHER INTO BLOCKING.
M-2	FLUSH FITTING COUNTER-SUNK SCREW @ TOP.
M-3	1" ALUM. SPACER TUBE PAINTED Sw6502
M-4	1" ALUM. SPACER TUBE PAINTED MATCH FASCIA V.I.F. COLOR

W WEEP HOLES:

1/4" DIA. WITH COVER

120V
INSTALL

1. CUSTOMER G.C. TO PROVIDE ADEQUATE WOOD OR MTL. BLOCKING IN CORRELATION W/ FACADE FRAMING AS REQUIRED.
2. INSTALLER IS TO V.I.F. & PROVIDE THE PROPER NON-CORROSIVE MOUNTING HARDWARE TO ENSURE SAFE INSTALLATION.
3. ALL EXTERIOR FACADE PENETRATIONS TO BE WATERTIGHT.
4. INSTALLATION TO MEET CURRENT N.E.C., U.L. & LOCAL CODES. LOCATION OF THE DISCONNECT SWITCH AFTER INSTALLATION SHALL COMPLY WITH ARTICLE 600.8(A) (1) OF THE NATIONAL ELECTRICAL CODE



ELECTRICAL

1. ALL ELECTRICAL COMPONENTS TO BE U.L. APPROVED.
2. CUSTOMER IS RESPONSIBLE FOR ONE (1) 120V 20A DEDICATED CIRCUIT W/ GROUND PER SIGN TO WITHIN 5' OF SIGN.
3. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDING W/ THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING & BONDING OF THE SIGN.

FABRICATOR

1. PLACEMENT OF LIGHTING ELEMENTS FOR OPTIMUM ILLUMINATION OF SIGN TO BE DETERMINED IN PRODUCTION.
2. MANUFACTURER & U.L. LABELS TO BE APPLIED & VISIBLE FROM THE GROUND, LOCATED ON THE LAST CHANNEL LETTER OR END OF THE SIGN BOX/FREESTANDING SIGN

UL
ALL ELECTRICAL COMPONENTS ARE TO BE UL APPROVED



SIGNAGE COLORS

C-1	Sherwin Williams SW 6992 - Inkwell
C-3	Chemetal 615 - Cement or similar finish
C-8	Sherwin Williams SW 6502 - Loch Blue

C.2 "I" Detail
Scale: 3" = 1'-0"

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION



WAYWARD SMOKEHOUSE AND
CURIOUS OYSTER
AVE AT WHITE MARSH
8161 HONEYGO BLVD
BALTIMORE, MD 21236

LEAD NO.
180782T
SALESMAN
ZF

DATE
4.22.2019
DRAWN BY
JWW

REVIEWED BY
SEG. NO.

REVISION

SHEET NO.

10 of 18



Context Rendering
NTS



Context Elevation
Scale: 1/8" = 1'-0"

NON-ILLUM.D/F BLADE SIGN WITH DIMENSIONAL COPY-RENDERING

D

SCALE: NTS

QTY.: ONE (1)

METAL BRACKET WITH
CAST LAYING MERMAID
(ORDER FROM STOCK)

C-1

1/4" ALUMINUM METAL
FRAME

C-1

3/4" ROUTED FROM HDU
FOAM BOARD

C-7

RECLAIMED WOOD LOOK CUT
OUT HDU FOAM BOARD

APPLIED DIGITAL PRINT GRAPHIC
WITH UV PROTECTION FILM FINISH

C-9

C-8

ROUTED 1/4" DROP
SHADOW CUT OUT HDU
FOAM BOARD

C-2

1/4" DEPTH LETTERS
AND BARS CUT OUT HDU
FOAM BOARD

C-7

Rendering
NTS

1/2" DEPTH LETTERS CUT OUT
HDU FOAM BOARD

C-1

Sherwin Williams
SW 6992 - Inkwell

C-2

Sherwin Williams
SW 7005 - Snow White

C-7

Sherwin Williams
SW 6671 - Curry

C-8

Sherwin Williams
SW 6502 - Loch Blue

C-9

Sherwin Williams
SW 0064 - Blue Peacock

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION

Wayward
SMOKEHOUSE
CURIOUS OYSTER

WAYWARD SMOKEHOUSE AND
CURIOUS OYSTER
AVE AT WHITE MARSH
8161 HONEYGO BLVD
BALTIMORE, MD 21236

LEAD NO.
180782T

DATE
4.22.2019

REVIEWED BY

REVISION


SALESMAN
ZF

DRAWN BY
JWW

SEG. NO.

SHEET NO.

11 of 18



METAL BRACKET WITH
 CAST LAYING MERMAID
 (ORDER FROM STOCK)


Cast Mermaid Information

Moby Dick Cast Iron
 Laying Mermaid Figure Nautical
 Garden - Decor
 Size: 5-1/2"H x 17-1/2"L
 Available from TGL Direct and
 Amazon.com

NON-ILLUM.D/F BLADE SIGN WITH DIMENSIONAL COPY-DETAILS

SCALE: AS SHOWN

D.1



RED AREA IS
 THE VISIBLE AREA

TOP LAYER
 1'-0 3/4"

ALL LAYERS
 SAME SIZE

MIDDLE LAYER

LAYERED 1/4"

Scale: 1 1/2"=1'-0"

BOTTOM LAYER

TRIANGLE
 SIGN SERVICES

CLIENT & LOCATION



WAYWARD SMOKEHOUSE AND
 CURIOUS OYSTER
 AVE AT WHITE MARSH
 8161 HONEYGO BLVD
 BALTIMORE, MD 21236

LEAD NO.
 180782T

DATE
 4.22.2019

REVIEWED BY

REVISION

SALESMAN
 ZF

DRAWN BY
 JWW

SEG. NO.

SHEET NO.


12 of 18



North Elevation

Context Elevation

Scale: 1/8" = 1'-0"



Side View

Scale: 3" = 1'-0"




West Elevation

NON-ILLUM.PIN MOUNTED LETTERS-RENDERING

SCALE: AS SHOWN

E

C-1
Sherwin Williams
SW 6992 - Inkwell




North Sign Detail

Scale: 1" = 1'-0"

C-1

DRAWN IN WHITE FOR CLARITY



West Sign Detail

Scale: 1" = 1'-0"

C-1

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION



WAYWARD SMOKEHOUSE AND
CURIOUS OYSTER
AVE AT WHITE MARSH
8161 HONEYGO BLVD
BALTIMORE, MD 21236

LEAD NO.
180782T

DATE
4.22.2019

REVIEWED BY

REVISION

SALESMAN
ZF

DRAWN BY
JWW

SEG. NO.


SHEET NO.

13 of 18



Context Rendering

NTS



Context Rendering (Night)

NTS

LED ILLUM. FACELIT/HALOLIT CHANNEL LETTERS AT REAR OF BUILDING -RENDERING

F

SCALE: NTS
QTY.: ONE (1)



FIREMAN'S SWITCH, MOUNTED TO WALL
& LOCATED BETWEEN FEED
& SIGN, EXACT PLACEMENT T.B.D.

TBD based on survey and center requirements

VERIFY IN FIELD SIGN WILL
FIT IN THE DESIGNATED LOCATION
PRIOR TO FABRICATION

Context Elevation

Scale: 1/8" = 1'-0"



Front View

Scale: 1"=1'-0"

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION



WAYWARD SMOKEHOUSE AND
CURIOUS OYSTER
AVE AT WHITE MARSH
8161 HONEYGO BLVD
BALTIMORE, MD 21236

LEAD NO.
180782T

DATE
4.22.2019

REVIEWED BY

REVISION




SALESMAN
ZF

DRAWN BY
JWW

SEG. NO.

SHEET NO.

14 of 18



F.2 "I" Detail
Scale: 3" = 1'-0"

LED ILLUM. FACELIT/HALOLIT CHANNEL LETTERS AT REAR OF BUILDING -DETAILS

F.1

SCALE: NTS

TRIMLESS/SHOULDER MOUNT FACE LIT/HALO-LIT CHANNEL LETTER / LED ILLUM. / EXTERIOR INSTALL / PIN MOUNTED

SCALE: N.T.S.

A FACE

MATERIAL:	3/4" THK. 2447 WHITE ACRYLIC, W/ KERF FOR RETURN
COLOR INFO.:	WHITE
A-1 MATERIAL/FIN	1" ACRYLIC PAINTED C-9 SW 0064 BLUE PEACOCK
A-2 MATERIAL/FIN	1/8" ALUM. PAINTED C-7 SW 6671 CURRY

C RETURNS

DEPTH:	3"
MATERIAL:	.04 ALUM
COLOR/FINISH:	PAINTED C-8 SW 6502 LOCH BLUE
C-1 COLOR/FINISH	PAINTED C-9 SW 0064 BLUE PEACOCK

D BACKS:

MATERIAL:	3/16" LEXAN
COLOR/FINISH:	CLEAR

E INSIDE OF CAN

COLOR:	WHITE
--------	-------

F ILLUMINATION:

TYPE:	STANDARD 6500K WHITE LEDS
F-1	ALL WIRES TO BE TERMINATED W/ A MECHANICAL UL LISTED FASTENER

I WIRING

I-C	1/2" O.D. TRUE KONEK PVC TUBE
I-D	W.P. BOX DISCONNECT SWITCH (FIREMAN SWITCH)
I-F	TO ELECTRICAL FEED
I-S	U.L. APPROVED LOW VOLTAGE CLASS II WIRING

J POWER SUPPLY

TYPE:	REMOTE LED POWER SUPPLY HOUSE IN FRONT ACCESS WEATHER-PROOF LED POWER SUPPLY BOX.
VOLTAGE:	120V

M MOUNTING

SEE MOUNTING NOTE.

M-1	10-24 ALL-THREAD, NUT & WASHER INTO BLOCKING.
M-2	FLUSH FITTING COUNTER-SUNK SCREW @ TOP.
M-3	1" ALUM. SPACER TUBE PAINTED SW6671
M-4	1" ALUM. SPACER TUBE PAINTED MATCH FASCIA V.I.F. COLOR

W WEEP HOLES: 1/4" DIA. WITH COVER

120V
INSTALL

1. CUSTOMER G.C. TO PROVIDE ADEQUATE WOOD OR MTL. BLOCKING IN CORRELATION W/ FACADE FRAMING AS REQUIRED.
2. INSTALLER IS TO V.I.F. & PROVIDE THE PROPER NON-CORROSIVE MOUNTING HARDWARE TO ENSURE SAFE INSTALLATION.
3. ALL EXTERIOR FACADE PENETRATIONS TO BE WATERTIGHT.
4. INSTALLATION TO MEET CURRENT N.E.C., U.L. & LOCAL CODES. LOCATION OF THE DISCONNECT SWITCH AFTER INSTALLATION SHALL COMPLY WITH ARTICLE 600.80(A) (1) OF THE NATIONAL ELECTRICAL CODE

ELECTRICAL



1. ALL ELECTRICAL COMPONENTS TO BE U.L. APPROVED.
2. CUSTOMER IS RESPONSIBLE FOR ONE (1) 120V 20a DEDICATED CIRCUIT W/ GROUND PER SIGN TO WITHIN 5' OF SIGN.
3. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDING W/ THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING & BONDING OF THE SIGN.

FABRICATOR

1. PLACEMENT OF LIGHTING ELEMENTS FOR OPTIMUM ILLUMINATION OF SIGN TO BE DETERMINED IN PRODUCTION.
2. MANUFACTURER & U.L. LABELS TO BE APPLIED & VISIBLE FROM THE GROUND, LOCATED ON THE LAST CHANNEL LETTER OR END OF THE SIGN BOX/FREESTANDING SIGN

UL

ALL ELECTRICAL COMPONENTS ARE TO BE UL APPROVED



SIGNAGE COLORS

C-1	Sherwin Williams SW 6992 - Inkwell
C-7	Sherwin Williams SW 6671 - Curry
C-8	Sherwin Williams SW 6502 - Loch Blue
C-9	Sherwin Williams SW 0064 - Blue Peacock

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION



WAYWARD SMOKEHOUSE AND
CURIOUS OYSTER
AVE AT WHITE MARSH
8161 HONEYGO BLVD
BALTIMORE, MD 21236

LEAD NO.
180782T

DATE
4.22.2019

REVIEWED BY

REVISION

SHEET NO.

15 of 18

SALESMAN
ZF

DRAWN BY
JWW


SEG. NO.




Context Elevation
Scale: 1/8"=1'-0"

PAINTED WALL GRAPHIC "WAYWARD" SIGN

SCALE: AS SHOWN
QTY.: ONE (1)



Typical Letter Position
Scale: 1"=1'-0"




Letter Dimensions
Scale: 1/2"=1'-0"

WALL SURFACE TO BE
PRIME PRIOR TO
PAINTING



Sherwin Williams
SW 7068 - Grizzle Gray



Sherwin Williams
SW 7005 - Snow White

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION



WAYWARD SMOKEHOUSE AND
CURIOUS OYSTER
AVE AT WHITE MARSH
8161 HONEYGO BLVD
BALTIMORE, MD 21236

LEAD NO.
180782T

DATE
4.22.2019

REVIEWED BY

REVISION

SHEET NO.

16 of 18

SALESMAN
ZF

DRAWN BY
JWW

SEG. NO.




Context Elevation

Scale: $1/8'' = 1'-0''$



Context Rendering

NTS



Front View

Scale: $3/4" = 1'-0"$

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION

Wayward
SMOKESHOUSE

THE
CURIOUS
OYSTER

WAYWARD SMOKEHOUSE AND
CURIOUS OYSTER
AVE AT WHITE MARSH
8161 HONEYGO BLVD
BALTIMORE, MD 21236

LEAD NO.
180782T

SALESMAN
ZF

DATE	4.22.2019
------	-----------

	DRAWN BY JWW
--	-----------------

REVIEWED BY

SEG. NO.	
----------	--

REVISION

SHEET NO.

18 of 18