

REV 04/17/2019

## UP-2019-0250-SI

BALTIMORE COUNTY DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS

111 WEST CHESAPEAKE AVENUE TOWSON, MD 21204

410-887-3391

#### SIGN USE PERMIT

Barrer	Leon
USE PERMIT REC	EIPT
# 18018	
70//0	

The applicant must affirm by initials below that there are no current violations at this site, pursuant to Section 112.7, B.C.C. Initials:

Permit Fees are Non-Refundable; Make Check Payable to	The second secon
PROPERTY ADDRESS 10240 Mill Run Ci	r, Ste 102 ZIP CODE 21117
BUSINESS NAME AC MOORE	ZONING
OWNER'S NAME OWINGS Mills Mall LC. P.	HONE NO HISTORIC DISTRICT $\square$ Yes $\square$ No
	2rk, Ny 11042
APPLICANT/OWNER'S AGENT Christina D	240-441-4121
SIGN COMPANY NAME EMpire Grap	MICS PHONE NO. 301-893-270
TYPE OF SIGN: Window Sign	TAX ACCOUNT NO. <u>250 /00//56/</u> 1
☐ Temporary- Including Real Estate/Construction/Event	Temporary Signs in the Last Year:   Yes   No
Permanent Changeable Copy Wall	☐ Face Change Only ☐ Non-Illuminated
	ninated (separate electrical permit required)
Size: $3$ feet $x$ $6$ feet $x$	Height: feet (freestanding signs)
Property Line/Street Right-of-Way Setbacks: front, s	sides and, and rear
NOTE: A construction plan, drawn to scale and clearly sho	wing that all requirements have been met, must be attached.
A site plan must also be attached for freestanding s	signs.
Table of Sign Regulations: 450.4.1 An Electronic Changeab	le Copy Sign may only have a maximum frequency of one instantaneous
appearance of movement by flashing, blinking, strobing, scroll	copy signs must operate at a constant intensity and not give the ing, oscillating, or alternating lights.
<ol> <li>Signs cannot imitate or resemble government signs, et</li> <li>Signs cannot be placed in or project into or above stre</li> <li>Sign or framework cannot obstruct window or opening</li> <li>Vehicle cannot be parked for the purpose of displayin</li> <li>Except for flags exempted, flags, pennants, ribbons, st prohibited.</li> <li>Portable signs are prohibited, except for A-frame and</li> <li>There can be no display or simulation of moving parts changeable copy sign, or a thermometer, barometer, w</li> <li>No sign may emit sound</li> </ol>	government signs. All signs are subject to Section 102.5, BCZR. Except for private traffic control and notice signs. Let right of way or governmental property. It is governmental property. I
Grand Opening - 3' x8'-	ditions, materials, locations and size): J Banners Start 9/7/19 7 11/2/19 Start 9/20/19 7 11/20/19 CORNER LOT?
OWNER/AG	ENT CERTIFICATION Dersonal knowledge that the contents of the above are true and further
agree to locate the proposed sign such that it will not violate	e Baltimore County laws and regulations.
Mittina Llay 9/10/19 Signature Date	Christinal Day Print/Type Name
Require Planning Signature	Date
Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)	Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)
	Signature Initials Date /

Initials

Date



#### Permits, Approvals & Inspections

111 W. Chesapeake Avenue Towson, MD 21204 Report Generated On: 9/6/2019

### Permit Processing Commerical Permit & Development Report

Page 1 of 1

Property Information	Tax Account Number: 2500015611		Pla	t Re	f:: Election District:				strict:					
Owner Name(s): Address:			-			Zon	ing l	_		#: 04 <b>s):</b> Bl				
Premise Address:						Ele	evati	on R	Rang	e: 47	78ft -	- 512	2ft	
Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111.	Bldg.		Alts.	s	>	ALL THE PERSONS AND ADDRESS AN	sulk		Occup.	nna		Plumb	Agency
Contact Agency	Potential Overlay Issues  Growth Tier 1: Served by public sewer and inside URDL	New Com E	Interior Alts.	Add / Ext. Alts.	Piers/Pilings	Grading/SW	Tanks	Ret.Walls/Bulk	Razing	Chg. of Oco	Tower Antenna	Signs	∞ర	Acknowledgment Initial & Date
DEPS-Sed. Control	Note: All Razing Permits must be sent to Sediment Control for review.			4	ш.	0		ш_	<u> </u>	O		0,		CONTRACTOR
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.													
Zoning Review County Office Building Room 111	Zoning Cases: 1997-0516-A; 1984-0307-SPH; 1986-0374-A; 1999-0027-A; R-1963-5919; R-1963-0036; R-1970-0014; 2018-0214-A	X		X	Х	Х	X			Х	X	X		
Phone: 410-887-3391						NAMES SAMON CONTROL CO								

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant. Form171C

NOTE: Banner to be hung below A.C. Moore storefront sign once installed.



# Exterior D/F Banner Layout Detail 24 Sq Ft Scale: 1/2" = 1'-0"

White D/F Banner Material w/ applied graphic. Grommets in (4) corners and @ 24" O.C. all around perimeter. hemmed edges.

#### Color Specifications:

PMS #186 Red, #3730-33L Red vinyl or digitally printed to match Note: Side A to be shown during construction and Side B once store is opened




This credit ring is the property of Southwest Signs, by a find the reconstruction of Southwest Signs, the and the party for which is was intended, the reconstruct if it is in identificated original drawing both the distribution, hyposociaco or critificate will can the including source of Southwest Signs, the Please contact your Acquired Manager for quiet florial registring the intermed. A.C. Moore Mill Station 10240 Mill Run Cir Ste 102 Owings Mills, MD 21117 Project ID#: 120808
Project Mgr: Meghan Lowry
Designer: Mike DeMarco
Created on: 07/18/2019

# AC.MOORE ARTS & CRAFTS

# Mill Station 10240 Mill Run Circle Suite 102 Owings Mills, MD 21117

2.2	
SIGN A	42" AC Moore
Type:	Individual Front-Lit channel ltrs/ Remote
Illumination:	Internally Illuminated LED
Square Footage:	89.69
SIGN B	42" AC Moore
Туре:	Channel Letters on a Raceway
Illumination:	Internally Illuminated LED
Square Footage:	89.69
SIGN C	AC Moore - Replacement Panel
Туре:	3/16" White Polycarbonate Panel w/ first surface applied Vinyl Graphics
Actual Size:	25" x 119 1/2"
Viewable Size:	24" x 115 1/2"
Square Footage:	20.66
SIGN D	AC Moore - Replacement Panel
Туре:	3/16" White Polycarbonate Panel w/ first surface applied Vinyl Graphics
Actual Size:	25 3/4" x 59 3/4"
Viewable Size:	TBD
Square Footage:	10.70
SIGN E	AC Moore - Replacement Panel
Туре:	3/16" White Polycarbonate Panel with first surface applied Vinyl Graphics
Actual Size:	25" x 119 1/2"
Viewable Size:	24" x 115 1/2"
Square Footage:	20,66
SIGN F	AC Moore - Vinyl
Туре:	New RTA vinyl for monument
Actual Size:	20" x 5'-5"
Viewable Size:	N/A





has, it is for the assignment use to Southwest Signs, bit, and the party for which is used intended, the requestion this are unpublished original drawing rout to be distributed, recordated or exhibited without the register account Southwest Signs, the Preside contact your Account Manager for A.C. Moore Mill Station 10240 Mill Run Cir Ste 102 Owings Mills, MD 21117 Project ID#: 120808
Project Mgr: Meghan Lowry
Designer: Mike DeMarco
Created on: 07/18/2019



this Copy for your permanent records)

REV 04/17/2019

#### BALTIMORE COUNTY DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS 111 WEST CHESAPEAKE AVENUE

TOWSON, MD 21204 410-887-3391

#### SIGN USE PERMIT

Buyer	a i
USE PERMIT RE	CEIPŢ
# 10-96:	51
10/02	7
The englished	4 - Cd

The applicant must affirm by initials below that there are no current violations at this site, pursuant to Section 112.7 B.C.C.

Initials:
Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"
PROPERTY ADDRESS 10240 MILL Run Cir, Ste 102 ZIP CODE 21117
BUSINESS NAME AC MOORE ZONING
OWNER'S NAME WING WILL PHONE NO. HISTORIC DISTRICT Yes No
MAILING ADDRESS Stello, New Hyde Park NY 11042
APPLICANT/OWNER'S AGENT (Mristing Day PHONE NO. 240-441-412
SIGN COMPANY NAME & WOUTE Graphics PHONE NO.301-893-270
TYPE OF SIGN: Window Sign TAX ACCOUNT NO. 250 60 / 560 11
☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☐ No
Permanent Changeable Copy Wall Face Change Only Non-Illuminated
Freestanding Pylon Monument Illuminated (separate electrical permit required)
Size: 51 feet x 3 6 feet = 89,6 quare feet Height: feet (freestanding signs)
Property Line/Street Right-of-Way Setbacks: front, sidesand, and rear
NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached.
A site plan must also be attached for freestanding signs.
Table of Sign Regulations: 450.4.1 An Electronic Changeable Copy Sign may only have a maximum frequency of one instantaneous message change per 15 second cycle. 450.6.B.3 - Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.
PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):  1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.  2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.  3. Signs cannot be placed in or project into or above street right of way or governmental property.  4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.  5. Vehicle cannot be parked for the purpose of displaying an attached sign.  6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.  7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. – C.T. zones.  8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.  9. No sign may emit sound
Work Description (including number of signs, special conditions, materials, locations and size):  Would Mounted Chappel letters on Raceway $25'7'/2'' \times 3'6'' = 89.69$ CORNER LOT?
OWNER/AGENT CERTIFICATION  I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.    Output   Print/Type Name   Print/Type
Require Planning Signature Date
Copies: White-Office; Yellow- Applicant (keep  Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)

Signature

Initials

SIGN A	42" AC Moore
Type:	Individual Front-Lit channel ltrs/ Remote
Illumination:	Internally Illuminated LED
Square Footage:	89.69



### Front Elevation (North-East)

Scale: 1/16" = 1'-0"

NOTE: DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. EXACT DIMENSIONS (FIELD SURVEY) REQUIRED PRIOR TO FABRICATION

Allowable Square Footage this Elevation:	101.50
Formula: 50'-9" x 2 = 101.5	
Actual Square Foolage this Elevation:	89.69



The resulting is the property of Southwest Signation. It is to the existence on of Southwest Signations Signation to the party for which is one intended, the securities to an unpublished regional or established various to the intended section of established sections of established sections of the exploit consent of Southwest Signation of the section of the section

A.C. Moore Mill Station 10240 Mill Run Cir Ste 102 Owings Mills, MD 21117 Project ID#: 120808
Project Mgr: Meghan Lowry
Designer: Mike DeMarco
Created on: 07/18/2019

SIGN A	42" AC Moore
Туре:	Individual Front-Lit channel ltrs/ Remote
Illumination:	Internally Illuminated LED
Square Footage:	89.69



Scale: 1/4" = 1'-0"

#### Color Specifications:

PMS #186 Red, #2793 Red Acrylic

#### **Electrical Detail:**

Red LEDs
(X) 60w Power Supplies
Total Amps: X.XX
(1) 20 amp 120V Circuit Req.




#### General Notes:

This sign is to be installed in accordance with the requirements of Article 600 of the National Electrical Code.

- Grounded and bonded per NEC 600.7/NEC 250
- Existing branch circuit in compliance with NEC 600.5, not to exceed 20 amps
- Sign is to be UL listed per NEC 600.3
- UL disconnect switch per NEC 600.6- required per sign component before leaving manufacturer. For multiple signs, a disconnect is permitted but not required for each section
- The location of the disconnect switch after installation shall comply with article 600.6 (A) (1) per NEC

#### Specifications: Channel Letters

- 1. Existing Facade: To be determined
- 2. 0.040" Aluminum letter returns pre-finished "Hunter Red"
- 3. 1"Jewelite trimcap (Red) bonded to face, #8 pan head screws to returns. Note: 2" trimcaps for letters 54" and larger
- .125" ACM backs (pre-finished white) fastened to returns. Seal w/ VOC compliant 360 white latex caulk to prevent moisture penetration.
- 5. Red LEDs
- 6. 3/16" #2793 Red Acrylic faces
- 7. Disconnect switch UL Outdoor rated toggle type w/ neoprene boot per NEC 600-6
- 8. Primary electrical feed in UL conduit / customer supplied UL junction box
- 9. Power Supplies within UL enclosure (removable lid), 1/4" x 1" min screws
- 10. Mounting Hardware to suit



Section @ LED Channel Letter



The motioning althologopity of Southwest Signa, to be the exclusive sea of Southwest Signa, his, and the party Southfall is was intensible, the recommendation in an uncolabilitied original drawing will be be distributed improvided or earlieted attract the exploit couled by Southwest Signa, to, Phase control your Account National or provided in the country of country

A.C. Moore Mill Station 10240 Mill Run Cir Ste 102 Owings Mills, MD 21117 Project ID#: 120808
Project Mgr: Meghan Lowry
Designer: Mike DeMarco
Created on: 07/18/2019



REV 04/17/2019



# BALTIMORE COUNTY DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS 111 WEST CHESAPEAKE AVENUE TOWSON, MD 21204

410-887-3391

#### SIGN USE PERMIT

	USE	PERMI	T RECE	IPT
	#	10	01.	21
S		11	102	74

The applicant must affirm by initials below that there are no current violations at this site, pursuant to Section 112.7, B.C.C. Initials:

Permit Fees are Non-Refundable; Make Check Payable to	"Baltimore County, Maryland"
PROPERTY ADDRESS 10240 Mill Run Cir	Ste 102 ZIP CODE 21117
BUSINESS NAME AC MOORE	ZONING
OWNER'S NAME GOLLAS MUIS MAU LCC P	HONE NO HISTORIC DISTRICT Yes No
MAILING ADDRESS Ste 100, New Hyde Da	NK, NY 11042
APPLICANT/OWNER'S AGENT UNISTING	Day PHONE NO. 240-441-4121
SIGN COMPANY NAME EMPIRE GVAD	Mics PHONE NO. 301-893-270
TYPE OF SIGN: Window Sign	TAX ACCOUNT NO. 250 /00/ 5011
☐ Temporary- Including Real Estate/Construction/Event	Temporary Signs in the Last Year:  Yes No
Permanent Changeable Copy Wall	☐ Face Change Only ☐ Non-Illuminated
Freestanding Pylon Monument Illum	ninated (separate electrical permit required)
Size: $25'7/2'$ feet x $3'6''$ feet = $9.69$ square feet	Height: feet (freestanding signs)
Property Line/Street Right-of-Way Setbacks: front,	sidesand, and rear
	owing that all requirements have been met, must be attached.
A site plan must also be attached for freestanding	
Table of Sign Regulations: 450.4.1 An Electronic Changeat	ole Copy Sign may only have a maximum frequency of one instantaneous copy signs must operate at a constant intensity and not give the
appearance of movement by flashing, blinking, strobing, scroll	ing, oscillating, or alternating lights.
<ol> <li>Signs cannot imitate or resemble government signs, e</li> <li>Signs cannot be placed in or project into or above stre</li> <li>Sign or framework cannot obstruct window or openin</li> <li>Vehicle cannot be parked for the purpose of displayin</li> <li>Except for flags exempted, flags, pennants, ribbons, s prohibited.</li> <li>Portable signs are prohibited, except for A-frame and</li> </ol>	government signs. All signs are subject to Section 102.5, BCZR. xcept for private traffic control and notice signs. set right of way or governmental property. g for light and air or access to building, fire hydrant, or stand pipe. g an attached sign. treamers, tethered balloons, laser projections, and similar objects are sandwich board signs issued a use permit in B.M. – C.T. zones. s or message, except for an outdoor advertising sign with tri-vision, a
Work Description (including number of signs, special con	aditions, materials, locations and size):
Wall mounted Chan	nel letters on Racoway
25' 7/2" x 3'6" = 89.69	CORNER LOT?
	ENT CERTIFICATION personal knowledge that the contents of the above are true and further
agree to locate the proposed sign such that it will not violate	personal knowledge that the contents of the above are true and further a Baltimore County laws and regulations.
Signature 9-lo-16	9 Print/Type Name
Require Planning Signature	Date
Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)	Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)

SIGN B	42" AC Moore	
Type:	Channel Letters on a Raceway	
Illumination:	Internally Illuminated LED	
Square Footage:	89.69	



#### Rear Elevation (South-West)

Scale: 1/16" = 1'-0"

NOTE: DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. EXACT DIMENSIONS (FIELD SURVEY) REQUIRED PRIOR TO FABRICATION Allowable Square Footage this Elevation: 112.00

Formula: 56' x 2 = 112

Actual Square Footage this Elevation: 89.69



This involving a the organization desirable signs, this this first we evidence use of benchmed signs, this one the party for which in we intended, the responses it is an unsubstanced output desirable responses to the distribution of produces or adviction, and the distribution of produces or adviction to expend accessed of Substances Signs, the Private consist your Account Manager for asserting months after seatment.

A.C. Moore Mill Station 10240 Mill Run Cir Ste 102 Owings Mills, MD 21117 Project ID#: 120808
Project Mgr: Meghan Lowry
Designer: Mike DeMarco
Created on: 07/18/2019

SIGN B	42" AC Moore
Type:	Channel Letters on a Raceway
Illumination:	Internally Illuminated LED
Square Footage:	89.69



Sign Layout Detail
Scale: 1/4" = 1'-0"

#### Color Specifications:

PMS #186 Red, #2793 Red Acrylic

#### **Electrical Detail:**

Red LEDs
(X) 60w Power Supplies
Total Amps: X.XX
(1) 20 amp 120V Circuit Req.




#### General Notes:

This sign is to be installed in accordance with the requirements of Article 600 of the National Electrical Code.

- Grounded and bonded per NEC 600.7/NEC 250
- Existing branch circuit in compliance with NEC 600.5, not to exceed 20 amps
- Sign is to be UL listed per NEC 600.3
- UL disconnect switch per NEC 600.6- required per sign component before leaving manufacturer. For multiple signs, a disconnect is permitted but not required for each section
- The location of the disconnect switch after installation shall comply with article 600.6 (A) (1) per NEC

#### Specifications: Channel Letters

- 1. Existing Facade: To be determined
- 2. 0.040" Aluminum letter returns pre-finished "Hunter Red"
- 1"Jewelite trimcap (Red) bonded to face and #8 pan head screws to returns Note: 2" trimcaps for letters 54" and larger
- .125" ACM backs (pre-finished white) fastened to returns. Seal w/ VOC compliant 360 white latex caulk to prevent moisture penetration.
- 5. Red LED's
- 6. 3/16" #2793 Red Acrylic faces
- 7. Disconnect switch UL Outdoor rated toggle type w/ neoprene boot per NEC 600-6
- 8. Primary electrical feed in UL conduit / customer supplied UL junction box
- 9. Power Supplies
- Low profile extruded aluminum raceway (7" x 4 1/2") w/ watertight cover. All painted color spec SW 6064 Reticence
- 11. 2" Aluminum mounting clips, Maximum 6" from each end and every 48" o.c. (TYP)
- 12. Rivets, 3/16" aluminum #66 (letter to raceway fastening) Thru bolt attachment for large letters.
- 13. Mounting hardware to suit



# Section @ LED Channel Letter Raceway Scale: N.T.S.



This medicing a life property of Schillerich Gurs. It is for the enclusive use of Sculment Signs. Inc. and the purp for which is use elabolise. In execution it is no unsubstitute original between rol. Is be distributed, representation or administ whiteval the explicit accessed of Suphimid Signs, the Please contect your Aucust Albraque for questions requiring materials.

A.C. Moore Mill Station 10240 Mill Run Cir Ste 102 Owings Mills, MD 21117 Project ID#: 120808
Project Mgr: Meghan Lowry
Designer: Mike DeMarco
Created on: 07/18/2019