UP-2019-0255-5I



Copies: White-Office; Yellow- Applicant (keep

this Copy for your permanent records)

REV 10/14

BALTIMORE COUNTY DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS 111 WEST CHESAPEAKE AVENUE

TOWSON, MD 21204 410-887-3391

SIGN USE PERMIT

B	
A	184720

The applicant is authorized to affirm that there are no current violations at this site pursuant to Section 112.7 BCC

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Mar	yland" Initials
PROPERTY ADDRESS 10270 Mill Run Circle	ZIP CODE 21117
BUSINESS NAME Marshalls	zoning <u>commercial</u>
OWNER'S NAME ONINGS MILLS MAN UCPHONE NO.	HISTORIC DISTRICT 🗌 Yes 🗌 No
MAILING ADDRESS 3333 New Hyde Park Rd Ste 160	New Hude Park, NY 1104
APPLICANT/OWNER'S AGENT Magen Jackson	PHONE NO. (843) 574-320
SIGN COMPANY NAME Anchor Sign Inc.	PHONE NO. (743) 576- 3205
	TNO. <u>24 /000/ 118</u> 01
Temporary- Including Real Estate/Construction/Event Temporary	rary Signs in the Last Year: Yes No
Permanent Changeable Copy Wall Face Change Only	☐ Non-Illuminated
☐Freestanding ☐Pylon ☐ Monument ☐Illuminated (separate electrical	permit required)
	:: feet (freestanding signs)
Property Line/Street Right-of-Way Setbacks: front, sidesand	, and rear
NOTE: A construction plan, drawn to scale and clearly showing that all requirements have	ve been met, must be attached; a site plan also
must be attached for freestanding signs.	
Table of Sign Regulations: 450.4. Attachment 1, 1 An Electronic Changeable Copy Sinstantaneous message change per 15 second cycle. 450.6.B.3 Changeable copy signs must operate at a constant intensity an flashing, blinking, strobing, scrolling, oscillating, or alternating lights. PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore Company in the signs cannot impair motorist's clear view of traffic or government signs. All signs cannot imitate or resemble government signs, except for private traffic company in the signs cannot be placed in or project into or above street right of way or government. Signs or framework cannot obstruct window or opening for light and air or access. Vehicle cannot be parked for the purpose of displaying an attached sign. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons prohibited. Portable signs are prohibited, except for A-frame and sandwich board signs issuent the signs are prohibited, except for A-frame and sandwich board signs issuent the signs are prohibited, except for A-frame and sandwich board signs issuent the signs are prohibited, except for A-frame and sandwich board signs issuent the signs are prohibited, except for A-frame and sandwich board signs issuent the signs are prohibited, except for A-frame and sandwich board signs issuent the signs are prohibited, except for A-frame and sandwich board signs issuent the signs are prohibited, except for A-frame and sandwich board signs issuent the signs are prohibited, except for A-frame and sandwich board signs issuent the signs are prohibited, except for A-frame and sandwich board signs issuent the signs are prohibited. No sign may emit sound	County Zoning Regulations): Inside are subject to Section 102.5, BCZR. Introl and notice signs. Inental property. Inside to building, fire hydrant, or stand pipe. Inside a use permit in B.M. – C.T. zones. In outdoor advertising sign with tri-vision, a por clock.
Work Description (including number of signs, special conditions, materials, locati	ons and size):
install (1) set of 72" internally-illuminated 1	harshalls individual
channel letters to the Front NE elevation	1. to CORNER LOT
be connected to existing electrical, SEE.	20 NING CASE # 2018-0214-A
OWNER/AGENT CERTIFICATION	
I solemnly affirm under the penalties of perjury and upon personal knowledge that agree to locate the proposed sign such that it will not violate Baltimore County laws	the contents of the above are true and further and regulations.
Modern John 5/2/19 Mes	an Jackson
Signature Date Print/Type N	ame
Require Planning SignatureD	Pate

Signature

Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)

Initials

Date



Permits, Approvals & Inspections

111W. Chesapeake Avenue Towson, MD 21204 Report Generated On: 6/4/2019

Permit Processing Commerical Permit & Development Report

Page 1 of 1

Property Information

Tax Account Number: 2400011801

Plat Ref: 079:281

Election District: 4

Owner Name(s): OWINGS MILLS MALL LLC

PDM #: 04-0240

Address: STE 100 3333 NEW HYDE PARK RD

Zoning District(s): BM CT

NEW HYDE PARK,NY 11042

Elevation Range: 508ft - 520ft


Premise Address: 10270 MILL RUN CIR

Affected Overlays Contact Agency	Instructions: Begin review process with Zoning Review, Room 111 Potential Overlay Issues Growth Tier 1: Served by public sewer and inside URDL	New Com Bldg.	Interior Alts.	Add / Ext. Alts.	Piers/Pilings	Grading/SW	Tanks	Ret.Walls/Bulk	Razing	Chg. of Occup.	Tower Antenna	Signs	t. & Pli	Agency Acknowledgment Initial & Date
DEPS-Sed. Control Jefferson Building 4th Floor Phone: 410-887-3226	Note: All Razing Permits must be sent to Sediment Control for review.												,,,,,,,,,,,	
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.													
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: R-1970-0014; R-1963-5919; R-1963-0036; 2018-0214-A; 1997-0516-A; 1984-0307-SPH; 1986-0374-A; 1999-0027-A; 1999-0044-SPHA	X		X	X	X	X			X	X	X		JNP FINA 6/4/2019
				ann na kendendende marpen ente inn syn de Appele Misse oppstade op de Appele									is a	
				your book the second of the se				drops with your district Aniestes are						

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant. Form171C

A	72" Marshalls sign
Sign Type:	Individual Front Lit Channel Letters w/ remote transformers
umination:	Internally Illuminated LED
e Footage:	185.75
To Grade:	Top of sign to grade = 30'-1 3/4" Bottom of sign to grade = 24'-1 3/4"

: sign to be centered horizontally and vertically



Front Elevation (North East)

Scale: 3/32" = 1'-0"

Allowable Square Footage this Elevation 2 Square Feet Per 1 Linear Foot of Frontage Actual Square Footage this Elevation:



Client:	Marshalls	03/13/2019	Original Rendering	DP	Thi
Site #:	MD 5	5 03/21/2019	Added Column Signs and Removed UC Sign		Sig
Site #.	C-7IVI	03/26/2019	Updated M/T Signs		An
Address:	10270 Mill Run Circle	04/23/2019	Updated Signs D, E, and F.	DP	unp
	Owing Mills MD 21117	04/24/2019	Removed PAB Sign	KB	dis witi
-	Owing Mills MD 21117	04/30/2019	Updated Sign D Placement	DP	Ple
	Mill Station	05/01/2019	Updated Sign G to Quantity (1)	DP	wit

This rendering is the property of Anchor Sign. Inc. It is for the exclusive use of Anchor Sign, Inc. and the party which requested the rendering. It is an unpublished original drawing not to be distributed, reproduced or exhibited without the consent of Anchor Sign, Inc. Please contact your account manager with questions regarding this statement.



A 72" Marshalls sign

Sign Type: Individual Front Lit Channel
Letters w/ remote transformers

umination: Internally Illuminated LED

re Footage: 185.75

To Grade: Top of sign to grade = 30'-1 3/4"

Bottom of sign to grade = 24'-1 3/4"

: Sign must be centered horizontally and vertically on the facade.

30'-11 1/2" [371 1/2"] Also and a second se

Sign Layout Detail

Scale: 3/16" = 1'-0"

rical Detail:

e LEDs (SLOAN VL Plus 2 White Long 69-6WLA2-MB)

Ow Transformer (PL-PS-60-12) otal Amps: 4.4

0 amp 120V Circuit Reg.




eral Notes:

sign is to be installed in accordance with equirements of Article 600 of the National rical Code.

rounded and bonded per NEC 600.7/NEC 250 cisting branch circuit in compliance with EC 600.5, not to exceed 20 amps gn is to be UL listed per NEC 600.3. disconnect switch per NEC 600.6- required per procomponent before leaving manufacturer by multiple signs, a disconnect is permitted but trequired for each section

Specifications: Channel Letters

- 1. Facade Materials: Fiber Cement / Plywood / Metal
- 0.040" Aluminum letter returns (Maxx Brite White) stapled to backs with caulked seams (inside of letters are painted gloss white)
- 3. 0.125" x 1" Jewel Lite trim cap (Wagner White)
- 4. 0.080" aluminum backs
- (interior of sign can painted white for maximum illumination)
- 5. White LEDs
- 3/16" RH #7328 White Acrylic faces w/ applied vinyl: Oracal #8500-006 Intensive Blue vinyl
- 7. Waterproof disconnect switch per NEC 600-6
- 8. Primary electrical feed
- 9. Transformers
- 10. 2" x 2" x 3/16 galvanized angle mounting clips w/ hardware: 3/8" Thru Bolts w/ 1 5/8" x 1 5/8" 12 gauge Uni-Strut backer



Section @ LED Channel Letter Front-lit (Remote) Scale: N.T.S.

Marshalls

Client:		03/13/2019	Original Rendering	DP	1
Site #:	MR-5	03/21/2019	Added Column Signs and Removed UC Sign	DP	5
-	7	03/26/2019	Updated M/T Signs	KB	1
Address:	10270 Milli Mari Oli Olo	04/23/2019	Updated Signs D, E, and F.	DP	u
	Owing Mills MD 21117	04/24/2019	Removed PAB Sign	KB	d
-		04/30/2019	Updated Sign D Placement	DP	F
	Mill Station	05/01/2019	Updated Sign G to Quantity (1)	DP	v

This rendering is the property of Anchor Sign, Inc. It is for the exclusive use of Anchor Sign, Inc. and the party which requested the rendering. It is an unpublished original drawing not to be distributed, reproduced or exhibited without the consent of Anchor Sign, Inc. Please contact your account manager with questions regarding this statement.



Marshalls

Mill Stat

4	72" Marshalls sign
ign Type:	Individual Front Lit Channel Letters w/ remote transformers
mination:	Internally Illuminated LED
Footage:	185.75
To Grade:	Top of sign to grade = 30'-1 3/4" Bottom of sign to grade = 24'-1 3/4"



1	a	rs	ha		S
---	---	----	----	--	---

Client:	Marshalls	03/13/2019	Original Rendering	DP	Th
Site #:	MD 5	5 03/21/2019	Added Column Signs and Removed UC Sign	DP	Sig
Site #.	C-7IVI	03/26/2019	Updated M/T Signs	KB	An
Address:	10270 Mill Run Circle	04/23/2019	Updated Signs D, E, and F.	DP	un
-	Owing Mills MD 21117	04/24/2019	Removed PAB Sign	KB	dis
-	Owing Willis WiD 21117	04/30/2019	Updated Sign D Placement	DP	wit Ple
	Mill Station	05/01/2019	Updated Sign G to Quantity (1)	DP	wi
	IVIIII Station	05/01/2019	Updated Sign G to Quantity (1)	DP	L

This rendering is the property of Anchor Sign, Inc. It is for the exclusive use of Anchor Sign, Inc. and the party which requested the rendering. It is an unpublished original drawing not to be distributed, reproduced or exhibited without the consent of Anchor Sign, Inc. Please contact your account manager with questions regarding this statement.







Copies: White-Office; Yellow- Applicant (keep

this Copy for your permanent records)

REV 10/14

BALTIMORE COUNTY

W-2019-0255-5I

Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)

Initials

Date

DEPARTMENT OF PERMITS, APPROVALS & INSPECTION 111 WEST CHESAPEAKE AVENUE

TOWSON, MD 21204 410-887-3391

SIGN USE PERMIT

	2 -0 - 1 - 0
A	126727
A	18 7 100


The applicant is authorized to affirm that there are no current violations at this site pursuant to Section

Permit Fees are Non-Refundable; Make Check Payable to "Balti	more County, Maryland" 112.7 BCC Initials
PROPERTY ADDRESS 1020 MILL RUY CIVCL	ZIP CODE 31117
BUSINESS NAME Marchalls	zoning commercial BM-C
OWNER'S NAME OWINGS MILLS Mall LC PHONE	E NO. HISTORIC DISTRICT \(\subseteq \text{Yes} \(\subseteq \subseteq \text{No} \)
MAILING ADDRESS 3333 NEW HUDLE Park &	2d Ste. 100 New Hude Park My 1104
APPLICANT/OWNER'S AGENT MIGGIN JACKSON	PHONE NO. (843) 574-3209
SIGN COMPANY NAME Anchor Sign Inc.	PHONE NO. (743) 574-3209
TYPE OF SIGN: Window Sign	TAX ACCOUNT NO. $24 / 900 170 $
☐ Temporary- Including Real Estate/Construction/Event	Temporary Signs in the Last Year: ☐ Yes ☐ No
Mall Changeable Copy Wall Fa	ice Change Only Non-Illuminated
☐Freestanding ☐Pylon ☐ Monument ☐ Illuminated	d (separate electrical permit required)
Size: 5 feet x 25.83 feet = 129.14 square feet	Height: feet (freestanding signs)
Property Line/Street Right-of-Way Setbacks: front, sides _	and, and rear
NOTE: A construction plan, drawn to scale and clearly showing that	all requirements have been met, must be attached; a site plan also
must be attached for freestanding signs.	
instantaneous message change per 15 second cycle. 450.6.B.3 Changeable copy signs must operate at a c flashing, blinking, strobing, scrolling, oscillating, or PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 45 1. Signs cannot impair motorist's clear view of traffic or gover 2. Signs cannot imitate or resemble government signs, except to	50.6.A, <u>Baltimore County Zoning Regulations</u>): rmment signs. All signs are subject to Section 102.5, BCZR. for private traffic control and notice signs.
Vehicle cannot be parked for the purpose of displaying an aExcept for flags exempted, flags, pennants, ribbons, streams prohibited.	ight and air or access to building, fire hydrant, or stand pipe. ttached sign. ers, tethered balloons, laser projections, and similar objects are
 7. Portable signs are prohibited, except for A-frame and sandw 8. There can be no display or simulation of moving parts or me changeable copy sign, or a thermometer, barometer, weather 9. No sign may emit sound 	essage, except for an outdoor advertising sign with tri-vision, a
Work Description (including number of signs, special condition	is, materials, locations and size):
install (1) set of UD" internally- individual channel letters to the	
elevation, to be connected to exist	ing electrical, SEE ZONING CASE #
OWNER/AGENT I solemnly affirm under the penalties of perjury and upon person agree to locate the proposed sign such that it will not violate Balt	nal knowledge that the contents of the above are true and further
Signature Date	Migan Jackson Print/Type Name
☐ Require Planning Signature	Date

Signature

В	60" Marshalls sign
Sign Type:	Individual Front Lit Channel Letters w/ remote transformers
umination:	Internally Illuminated LED
e Footage:	129.16
To Grade:	Top of sign to grade = 24'-5 1/4" Bottom of sign to grade = 19'-5 1/4"

: sign to be centered horizontally and vertically



Rear Elevation (South West) Scale: 3/32" = 1'-0"

Allowable Square Footage this Elevation 2 Square Feet Per 1 Linear Foot of Frontage Actual Square Footage this Elevation:



Client:	Marshalls	03/13/2019	Original Rendering	DP	Th
Site #:	MD 5	5 03/21/2019	Added Column Signs and Removed UC Sign	DP	Sig
Site #.	C-AIVI	3/26/2019	Updated M/T Signs	KB	An re
Address:	10270 Mill Run Circle	04/23/2019	Updated Signs D, E, and F.	DP	un
	Owing Mills MD 21117	04/24/2019	Removed PAB Sign	KB	dis wit
	Owing Willis WiD 21117	04/30/2019	Updated Sign D Placement	DP	Ple
	Mill Station	05/01/2019	Updated Sign G to Quantity (1)	DP	wit

This rendering is the property of Anchor Sign. Inc. It is for the exclusive use of Anchor Sign, Inc. and the party which requested the rendering. It is an unpublished original drawing not to be distributed, reproduced or exhibited without the consent of Anchor Sign, Inc. Please contact your account manager with questions regarding this statement.



IGN B
60" Marshalls sign
Individual Front Lit Channel
Letters w/ remote transformers
Illumination: Internally Illuminated LED
quare Footage: 129.16
To Grade: Top of sign to grade = 24'-5 1/4"
Bottom of sign to grade = 19'-5 1/4"

OTE: Sign must be centered horizontally and vertically on the facade.



Sign Layout Detail

Scale: 3/16" = 1'-0"

lectrical Detail:

Vhite LEDs (SLOAN VL Plus 2 White Long 01269-6WLA2-MB)

- 3) 60w Transformer (PL-PS-60-12) Total Amps: 3.3
- 1) 20 amp 120V Circuit Reg.




eneral Notes:

his sign is to be installed in accordance with ne requirements of Article 600 of the National lectrical Code.

-) Grounded and bonded per NEC 600.7/NEC 250
- Existing branch circuit in compliance with NEC 600.5, not to exceed 20 amps
-) Sign is to be UL listed per NEC 600.3
-) UL disconnect switch per NEC 600.6- required per sign component before leaving manufacturer* *For multiple signs, a disconnect is permitted but not required for each section

Specifications: Channel Letters

- 1. Facade Materials: CMU
- 0.040" Aluminum letter returns (Maxx Brite White) stapled to backs with caulked seams (inside of letters are painted gloss white)
- 3. 0.125" x 1" Jewel Lite trim cap (Wagner White)
- 0.080" aluminum backs (interior of sign can painted white for maximum illumination)
- 5. White LEDs
- 3/16" RH #7328 White Acrylic faces w/ applied vinyl: Oracal #8500-006 Intensive Blue vinyl
- 7. Waterproof disconnect switch per NEC 600-6
- 8. Primary electrical feed
- 9. Transformers
- 2" x 2" x 3/16 galvanized angle mounting clips w/ hardware: Large Diameter Tapcons



Section @ LED Channel Letter Front-lit (Remote) Scale: N.T.S.

This rendering is the property of Anchor Sign, Inc. It is for the exclusive use of Anchor Sign, Inc. and the party which requested the rendering. It is an

unpublished original drawing not to be distributed, reproduced or exhibited without the consent of Anchor Sign, Inc.

Please contact your account manager with questions regarding this statement.

Marshalls

Marshalls	03/13/2019	Original Rendering	DP	7
MD 6	<u>5</u> 03/21/2019	Added Column Signs and Removed UC Sign	DP	8
	3/26/2019	Updated M/T Signs	KB	F.
10270 Mill Run Circle	04/23/2019	Updated Signs D, E, and F.	DP	u
Owing Millo MD 21117	04/24/2019	Removed PAB Sign	KB	d
Owing Willis WiD 21117	04/30/2019	Updated Sign D Placement	DP	F
Mill Station	05/01/2019	Updated Sign G to Quantity (1)	DP	v
	MR-5 10270 Mill Run Circle Owing Mills MD 21117	MR-5 2 03/21/2019 10270 Mill Run Circle 0 04/23/2019 Owing Mills MD 21117 2 04/30/2019	MR-5 MR-5 10270 Mill Run Circle Owing Mills MD 21117 MR-5 03/21/2019 Added Column Signs and Removed UC Sign 03/26/2019 Updated M/T Signs Updated M/T Signs 04/23/2019 Updated Signs D, E, and F. 04/24/2019 Removed PAB Sign 04/30/2019 Updated Sign D Placement	MR-5 ■ 03/21/2019 Added Column Signs and Removed UC Sign DP 10270 Mill Run Circle 0 04/23/2019 Updated M/T Signs KB Owing Mills MD 21117 0 04/24/2019 Removed PAB Sign KB Owing Mills MD 21117 0 04/30/2019 Updated Sign D Placement DP



Marshalls

Mill Stat

В	60" Marshalls sign
Sign Type:	Individual Front Lit Channel Letters w/ remote transformers
umination:	Internally Illuminated LED
e Footage:	129.16
To Grade:	Top of sign to grade = 24'-5 1/4" Bottom of sign to grade = 19'-5 1/4"





Client	Marshalls	03/13/2019	Original Rendering	DP	Th
Ollerit.	Marshalls	5 03/21/2019	Added Column Signs and Removed UC Sign	DP	Si
Site #:	MR-5	03/26/2019	Updated M/T Signs	KB	re
Address:	10270 Mill Run Circle	6 04/23/2019	Updated Signs D, E, and F.	DP	ur
-		04/24/2019	Removed PAB Sign	KB	di
_	Owing Mills MD 21117	04/30/2019	Updated Sign D Placement	DP	PI
	Mill Station	05/01/2019	Updated Sign G to Quantity (1)	DP	wi

This rendering is the property of Anchor Sign, Inc. It is for the exclusive use of Anchor Sign, Inc. and the party which requested the rendering. It is an unpublished original drawing not to be distributed, reproduced or exhibited without the consent of Anchor Sign, Inc. Please contact your account manager with questions regarding this statement.

