

UP-2019-0290-SI

RE: Job #56391, Charm City Smiles



Padonia Village Shopping Cntr

BALTIMORE COUNTY
DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
111 WEST CHESAPEAKE AVENUE
TOWSON, MD 21204
410-887-3391

SIGN USE PERMIT

B _____
A 189619
The applicant is authorized to affirm that there are no current violations at this site pursuant to Section 112.7 BCC
Initials J.T.

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"

PROPERTY ADDRESS 61 East Padonia Rd, Space 21, Timonium, MD ZIP CODE 21093
BUSINESS NAME Charm City Smiles ZONING BL CCC
OWNER'S NAME Padonia Village Shopping Center LLC PHONE NO. 443-921-4335 HISTORIC DISTRICT ☐ Yes ☒ No
c/o Continental Realty Corp
MAILING ADDRESS 1427 Clarkview Road, Suite 500, Baltimore, MD 21209

APPLICANT/OWNER'S AGENT Joe Trabert, Agent PHONE NO. 443-297-5025
SIGN COMPANY NAME Triangle Sign & Service, LLC PHONE NO. 410-247-5300
11-13 Azar Ct., P.O. Box 24186, Baltimore, MD 21227
TYPE OF SIGN: ☐ Window Sign TAX ACCOUNT NO. 25 / 000 / 00012

☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☒ No

☒ Permanent ☐ Changeable Copy ☒ Wall ☐ Face Change Only ☐ Non-Illuminated

☐ Freestanding ☐ Pylon ☐ Monument ☒ Illuminated (separate electrical permit required)

Size: 1.39' H feet x 10.83' W feet = 15.1 square feet Height: _____ feet (freestanding signs)

Property Line/Street Right-of-Way Setbacks: front _____, sides _____ and _____, and rear _____.

NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached; a site plan also must be attached for freestanding signs.

Table of Sign Regulations: 450.4. Attachment 1, 1.- An Electronic Changeable Copy Sign may only have a maximum Frequency of one instantaneous message change per 15 second cycle.

PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):

1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.
2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.
3. Signs cannot be placed in or project into or above street right of way or governmental property.
4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.
5. Vehicle cannot be parked for the purpose of displaying an attached sign.
6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.
7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. - C.T. zones.
8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.
9. No sign may emit sound

450.6.B.3 Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.

Work Description (including number of signs, special conditions, materials, locations and size):

Install face-lit channel letter sign to storefront facade, reading: Charm City Smiles
Sign area: 1.39'H x 10.83'W = 15.1 sf
Linear Bldg Dimension: 30'- 3"

CORNER LOT ☒

OWNER/AGENT CERTIFICATION

I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.

Signature Joe Trabert Date Sept 4, 2019


Joe Trabert c/o Triangle Sign & Service
Print/Type Name

☐ Require Planning Signature N/A Date _____

Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)
REV 03/12

Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)

Signature [Signature] Initials RT Date 9/5/19




ILLUM FACE-LIT CH. LETTERS/ LOGO ON RACEWAY SIGN ELEVATION

SCALE: 1" = 1'-0"

QTY: ONE (1)

AREA SQ. FT.: 16.75' x 130" = 15.12



A.1 FRONT VIEW
SIGN Scale: 1" = 1'-0"

A.2 SIDE VIEW
SIGN Scale: 1" = 1'-0"

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION



21 EAST PADONIA ROAD
LUTHERVILLE-TIMONIUM, MD 21093

LEAD NO.
180641 T1

DATE
8/19/2019

REVIEWED BY

REVISION


SALESMAN
T. WEIGARD

DRAWN BY
BZ

SEG. NO.

SHEET NO.

30



TRIMCAP FACE LIT CHANNEL LETTER / LED ILLUM. / EXTERIOR INSTALL / 4 1/2" RACEWAY MOUNTED

SCALE: N.T.S.

(A) FACE		(J) POWER SUPPLY	
MATERIAL:	3/16" WHITE ACRYLIC	TYPE:	LED POWER SUPPLY HOUSE IN RACEWAY
A-1 SYMBOL:	1ST SURFACE APPLIED OUTLINE VINYL	VOLTAGE:	120V
VINYL:	LIGHT BLUE VINYL TO MATCH CUSTOMER COLORS	(R) RACEWAY	
(B) TRIMCAPS:		MATERIAL:	4 1/2" X 4 1/2" ALUM. EXTRUSION, TOP ACCESS
SIZE / FINISH	1" / MATCH RETURNS	FINISH:	MATCH FASCIA V.I.F. COLOR
(C) RETURNS		(M) MOUNTING SEE MOUNTING NOTE.	
DEPTH:	5"	M-1:	MOUNTING BARS 2"W. x 1/4" THK. ALUM. WITH 3/4" DIA. MOUNTING HOLES.
MATERIAL:	ALUM. .040	M-2:	SELF TAPPING SCREWS.
COLOR:	WHITE	M-3:	MIN. 3/8" MOUNTING FASTENERS (VERIFY FIELD CONDITION AND MOUNTING REQUIREMENT)
FINISH:	SATIN	M-4:	BOX MUST BE ATTACHED TO WALL,
(D) BACKS:		M-5:	EXISTING STOREFRONT SIGN BAND.
MATERIAL:	3MM ACM	(W) WEEP HOLES:	
COLOR/FINISH:	WHITE SATIN	TYPE:	1/4" DIA. WITH COVER
(E) INSIDE OF CAN			
COLOR:	PRE-COAT WHITE		
(F) ILLUMINATION:			
TYPE:	6500K WHITE LEDS		
(I) WIRING			
I-C	BUSHING		
I-D	DISCONNECT SWITCH		
I-F	TO ELECTRICAL FEED		
I-J	STANDARD JUNCTION BOX. (WATERPROOF)		
I-P	LIQUID TIGHT CONNECTOR		
I-S	U.L. APPROVED LOW VOLTAGE CLASS II WIRING		
	ALL CONNECTIONS TO BE IN WATERPROOF BOXES		
I-K	RED DOT WET LOCATION COVER.		
I-T	1/2" LIQUID-TITE & 1/2" CONNECTOR.from		
I-B	BELL BOX. (WATERPROOF)		

120V INSTALL

1. CUSTOMER G.C. TO PROVIDE ADEQUATE WOOD OR MTL. BLOCKING IN CORRELATION W/ FACADE FRAMING AS REQUIRED.
2. INSTALLER IS TO V.I.F. & PROVIDE THE PROPER NON-CORROSIVE MOUNTING HARDWARE TO ENSURE SAFE INSTALLATION.
3. ALL EXTERIOR FACADE PENETRATIONS TO BE WATERTIGHT.
4. INSTALLATION TO MEET CURRENT N.E.C., U.L. & LOCAL CODES. LOCATION OF THE DISCONNECT SWITCH AFTER INSTALLATION SHALL COMPLY WITH ARTICLE 600.6(A) (1) OF THE NATIONAL ELECTRICAL CODE

ELECTRICAL

1. ALL ELECTRICAL COMPONENTS TO BE U.L. APPROVED.
2. CUSTOMER IS RESPONSIBLE FOR ONE (1) 120v/ 20a DEDICATED CIRCUIT w/ GROUND PER SIGN TO WITHIN 6' OF SIGN.
3. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDING W/ THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING & BONDING OF THE SIGN.

FABRICATOR

1. PLACEMENT OF LIGHTING ELEMENTS FOR OPTIMUM ILLUMINATION OF SIGN TO BE DETERMINED IN PRODUCTION.
2. MANUFACTURER & U.L. LABELS TO BE APPLIED & VISIBLE FROM THE GROUND. LOCATED ON THE LAST CHANNEL LETTER OR END OF THE SIGN BOX/FREESTANDING SIGN



TRIANGLE
SIGN SERVICES

CLIENT & LOCATION



21 EAST PADONIA ROAD
LUTHERVILLE-TIMONIUM, MD 21093

LEAD NO.
180641 T1

DATE
8/19/2019

REVIEWED BY

REVISION

SHEET NO.

SALESMAN
T. WEIGARD

DRAWN BY
BZ

SEG. NO.

4 of