

REV 04/17/2019

BALTIMORE COUNTY

W-2019-0309-SI

DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS 111 WEST CHESAPEAKE AVENUE TOWSON, MD 21204

410-887-3391

SIGN USE PERMIT

USE	PERMIT RECEIPT
#	189622

The applicant must affirm by initials below that there are no current violations at this site, pursuant to Section 112.7, B.C.C. Initials:

Permit Fees are Non-Refundable; Make Check Payable to	"Baltimore County, Maryland"
PROPERTY ADDRESS 8656 Pulaski Hi	ghuced zipcode 21237
BUSINESS NAME VCCZOV	ZONING 3 m
OWNER'S NAME 8656 Pulaski Huyll	HONE NO. (410)292-141 HISTORIC DISTRICT Yes No
MAILING ADDRESS 988 Memoral Dr. Pu	laski, VA 24301
APPLICANT/OWNER'S AGENT Wendy Flic	nnan PHONE NO. (717) 327-6304
SIGN COMPANY NAME Michael Sign Co	mpany PHONE NO. (717) 327-16304
TYPE OF SIGN: Window Sign	TAX ACCOUNT NO. 152 / 350/ 5640
Temporary- Including Real Estate/Construction/Event	Temporary Signs in the Last Year: Yes No
Permanent Changeable Copy Wall	☑ Face Change Only ☐ Non-Illuminated
	ninated (separate electrical permit required)
Size: feet x feet = square feet	Height: feet (freestanding signs)
Property Line/Street Right-of-Way Setbacks: front,	
NOTE: A construction plan, drawn to scale and clearly sho	wing that all requirements have been met, must be attached.
A site plan must also be attached for freestanding	
Table of Sign Regulations: 450.4.1 An Electronic Changeab	le Copy Sign may only have a maximum frequency of one instantaneous copy signs must operate at a constant intensity and not give the
appearance of movement by flashing, blinking, strobing, scroll	ing, oscillating, or alternating lights.
 Signs cannot imitate or resemble government signs, e. Signs cannot be placed in or project into or above stre Sign or framework cannot obstruct window or opening Vehicle cannot be parked for the purpose of displayin Except for flags exempted, flags, pennants, ribbons, st prohibited. Portable signs are prohibited, except for A-frame and 	government signs. All signs are subject to Section 102.5, BCZR. Except for private traffic control and notice signs. The right of way or governmental property. It is governmental property. I
Remove existing signage from South	11 79St + Frist Flouritime
Install a) interpolation 10/4/2" wx 18"	lluminated channel letter sets (23.9 sq.ft. ea.) elevation, (1) on East elevation corner LOT?
Change (2) existing pulph faces- Tel	place when ones 5'334"x 8'314" (ea. face) 42-83
OWNER/AG	ENT CERTIFICATION > 11/14 Oct)
agree to locate the proposed sign such that it will not violate	personal knowledge that the contents of the above are true and further
11 Jand 71 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Summore County laws and regulations.
Signature Date	Print/Type Name
Require Planning Signature	Date
Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)	Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)
DEV 04/17/2010	Signature Initials Date

Date



Permits, Approvals & Inspections

111 W. Chesapeake Avenue Towson, MD 21204

Report Generated On: 9/5/2019

Permit Processing Commerical Permit & Development Report

Page 1 of 2

Property Information

Tax Account Number:

1523505640

Election District: 15

Owner Name(s): 8656 PULASKI LIMITED PARTNERSHIP

Address: C/O JILL SILBERT 2800 STONE CLIFF DR UNIT 201

BALTIMORE,MD 21209

Premise Address: 8656 PULASKI HWY

PDM #:

Zoning District(s): BM

Elevation Range: 34ft - 52ft

		_												
Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111.	3ldg.		Alts.	S	>		aulk		cup.	nna	-		Agency
	Potential Overlay Issues	Com Bldg.	Interior Alts.	Add / Ext. Alts.	Pilling	ng/S\		Ret.Walls/Bulk	6	of Occup.	Tower Antenna		ంర	Acknowledgment
Contact Agency	Growth Tier 1: Served by public sewer and inside URDL	New	Interio	Add /	Piers/Pilings	Grading/SW	Tanks	Ret.V	Razing	Chg.	Towel	Signs	Elect.	Initial & Date
Dev. Management County Office Building Room 123 Phone: 410-887-3321	Microwave Tower Path Protection Buffer Area - Applies to any proposed buildings and/or structures in the Microwave Path Protection Buffer Area that exceed 60 feet in height as defined in the C.M.D.P.	Х		X		L nyear	X				X	55050	~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Planning Jefferson Building Room 101 Phone: 410-887-3211	Microwave Tower Path Protection Buffer Area - Applies to any proposed buildings and/or structures in the Microwave Path Protection Buffer Area that exceed 60 feet in height as defined in the C.M.D.P.	X		Х	-		X				X			30000000000000000000000000000000000000
DEPS-Sed. Control	Note: All Razing Permits must be sent to Sediment Control for review.					-	* ******							
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.	0000000												
OIT Balto. Co. Electronic Services 11112 Gilroy Rd, STE 101 Hunt Valley, MD 21031 Phone: 410-887-1878	Microwave Tower Path Protection Buffer Area - Applies to any proposed buildings and/or structures in the Microwave Path Protection Buffer Area that exceed 60 feet in height as defined in the C.M.D.P.	X		X			X	-			X	agree.	1	
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: 1972-0160-A; AA-1971-0008GF; 1975-0178-X; 1993-0077-A; 1996-0494-X; 2002-0447-A; 1989-0381-A; R-1959-4693; R-1965-0054; R-1951-2074	X		X	X	X	X			X	X	X		F. n. C.



Permits, Approvals & Inspections

111 W. Chesapeake Avenue Towson, MD 21204

Report Generated On: 9/5/2019

Permit Processing Commerical Permit & Development Report

Page 2 of 2

Property Information

Tax Account Number:

1523505640

Election District: 15

Owner Name(s): 8656 PULASKI LIMITED PARTNERSHIP

Address: C/O JILL SILBERT 2800 STONE CLIFF DR UNIT 201

PDM #:

Zoning District(s): BM

BALTIMORE,MD 21209 8656 PULASKI HWY Premise Address:

Elevation Range: 34ft - 52ft

		_				_				_		_	_	
Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111.	3ldg.		Alts.	s	>	and designations	aulk	-	cnb.	ntenna			Agency
I was	Potential Overlay Issues	Com	ior Alts	/ Ext. /	/Piling	ing/S\	s	//alls/E	ē	of Oc	er Ante	ø	8	Acknowledgment
Contact Agency	Growth Tier 1: Served by public sewer and inside URDL	New	Interi	Add	Piers	Grad	Tank	Ret.\	Razi	Chg.	Towe	Sign	Elect	Initial & Date
Building Plans Review County Office Building Room 120 Phone: 410-887-3987	Microwave Tower Path Protection Buffer Area - Applies to any proposed buildings and/or structures in the Microwave Path Protection Buffer Area that exceed 60 feet in height as defined in the C.M.D.P.	Х		X			X			n scatoca	X	otore:	etario.	

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant. Form171C

SUBMITTA	AL RECORD
DATE	REMARKS
2019-05-22	INITIAL REQUEST

Updated 2019-06-18




INDIRECT STORE

117514 CELLULAR SALES 8656 PULASKI HWY. ROSEDALE, MD 21237

EXTERIOR SIGNAGE SUBMITTAL

VW OP015041_Rosedale, MD 2019-08-28

DESIGN APPROVAL:



LEGE	ND	QTY
1	SOUTH ELEVATION WALL SIGN	1
2	WEST ELEVATION WALL SIGN	1
3	EAST ELEVATION WALL SIGN	1
4	PYLON SIGN	2 PANELS
5	DOOR VINYL	1 SET

KEY

SIGN LOCATION ---

BUILDING OUTLINE -----



SIGN LOCATION PLAN

2019-08-28 ct

CELLULAR SALES

ALLEN INDUSTRIES



EXISTING SIGNAGE: EXISTING VERIZON SIGNAGE HEIGHT - 16" V EXISTING ADJACENT TENANT SIGNAGE HEIGHT - N/A

EXISTING CONDITION



NOTE: ALL EXISTING, NON-STANDARD, WINDOW GRAPHICS AND SIGNAGE TO BE REMOVED AND REPLACED WITH NEW STANDARD GRAPHICS.

REVISED CONDITION

EXISTING BLACK SIGN BAND, CORNICE AND LOWER RED ACCENT TO BE PAINTED TO MATCH PMS COOL GRAY 10. LOWER PART OF BUILDING (BEIGE AND TAUPE AREAS) TO BE PAINTED TO MATCH PMS COOL GRAY 4.


Cool Gray 10


Pantone Cool Gray 4



PREPARED BY

2019-08-28 ct





91 ea. SloanLED Prism #701269-6WSJ1-MB 14 ea. Principal PL-FS3-RD1-P 1 ea. Sloan 120D1 + 1 ea. Sloan 60C1 Power Supply Total Electrical Amp Load = 2.4 Amps One (1) 120 Volt - 20 Amp Circuit Breaker Required for Sign

TARGET "V" HEIGHT: 33" ACTUAL "V" HEIGHT: 18" 23.9 SF



OUTLET ID OR D#

PREPARED BY

KEY NOTES

COLORS

SIGNS

1/4" ZINC PLATED STEEL THREADED ROD THRU WALL 3/8" LAGS WITH SHIELDS 3/8" LAG BOLTS

3/8" TOGGLE BOLTS **LETTERSETS**

1/4" x 2 1/4" TAPCONS

FLATHEAD STAINLESS SCREWS

LISTED

2" DEEP, FACE-LIT, FABRICATED ALUMINUM CHANNEL LETTERS FLUSH

MP #6425 SP SATIN HI HIDE WHITE TRIM & RETURNS

C MET US ELECTRIC

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND DONDING OF THE SIGN UNDER THE SIGN OF THE

SIGN

llen Industries

#7328 WHITE ACRYLIC WITH APPLIED TRANSLUCENT VINYL 3M 3630-143 POPPY RED

MP #643 SATIN PMS 485 TRIM & RETURNS

MOUNTING HARDWARE CHART

MOUNTED TO WALL.

3/16" P95 ACRYLIC

SHEET NUMBER

117514

8656 PULASKI HWY.

SIGN 1 - SOUTH ELEVATION - FABRICATION DETAIL

CELLULAR SALES

ALLEN INDUSTRIES

FILE NUMBER: E212503



EXISTING SIGNAGE: EXISTING VERIZON SIGNAGE HEIGHT - 16" V EXISTING ADJACENT TENANT SIGNAGE HEIGHT - N/A

EXISTING CONDITION



NOTE: ALL EXISTING, NON-STANDARD, WINDOW GRAPHICS AND SIGNAGE TO BE REMOVED AND REPLACED WITH NEW STANDARD GRAPHICS.

REVISED CONDITION

EXISTING BLACK SIGN BAND, CORNICE AND LOWER RED ACCENT TO BE PAINTED TO MATCH PMS COOL GRAY 10. LOWER PART OF BUILDING (BEIGE AND TAUPE AREAS) TO BE PAINTED TO MATCH PMS COOL GRAY 4.





OUTLET ID OR D#

2019-08-28 ct

AGENT NAME

PREPARED BY





91 ea. SloanLED Prism #701269-6WSJ1-MB 14 ea. Principal PL-FS3-RD1-P 1 ea. Sloan 120D1 + 1 ea. Sloan 60C1 Power Supply Total Electrical Amp Load = 2.4 Amps One (1) 120 Volt - 20 Amp Circuit Breaker Required for Sign

TARGET "V" HEIGHT: 7.5" ACTUAL "V" HEIGHT: 18"



23.9 SF

OUTLET ID OR D#

2019-08-28 ct

KEY NOTES

COLORS

SIGNS

1/4" ZINC PLATED STEEL

3/8" LAG BOLTS

3/8" TOGGLE BOLTS **LETTERSETS** 1/4" x 2 1/4" TAPCONS

THREADED ROD THRU WALL 3/8" LAGS WITH SHIELDS

FLATHEAD STAINLESS SCREWS

LISTED

2" DEEP, FACE-LIT, FABRICATED ALUMINUM CHANNEL LETTERS FLUSH

MP #6425 SP SATIN HI HIDE WHITE TRIM & RETURNS

#7328 WHITE ACRYLIC WITH APPLIED TRANSLUCENT VINYL 3M 3630-143 POPPY RED

MP #643 SATIN PMS 485 TRIM & RETURNS

MOUNTING HARDWARE CHART

C MET US ELECTRIC

SIGN

llen Industries

MET FILE NUMBER: E212503

0 0

MOUNTED TO WALL.

3/16" P95 ACRYLIC

SIGN 2 - WEST ELEVATION - FABRICATION DETAILS

CELLULAR SALES

ALLEN INDUSTRIES





Pantone Cool Gray 10


Pantone Cool Gray 4


COOL GRAY 10 AND COOL GRAY 4 HAS BEEN CONFIRMED.



OUTLET ID OR D#

2019-08-28 ct





91 ea. SloanLED Prism #701269-6WSJ1-MB 14 ea. Principal PL-FS3-RD1-P 1 ea. Sloan 120D1 + 1 ea. Sloan 60C1 Power Supply Total Electrical Amp Load = 2.4 Amps One (1) 120 Volt - 20 Amp

Circuit Breaker Required for Sign

TARGET "V" HEIGHT: 19" ACTUAL "V" HEIGHT: 18" 23.9 SF



2019-08-28 ct

KEY NOTES

COLORS

SIGNS

1/4" ZINC PLATED STEEL THREADED ROD THRU WALL

3/8" LAGS WITH SHIELDS

3/8" LAG BOLTS

3/8" TOGGLE BOLTS **LETTERSETS**

1/4" x 2 1/4" TAPCONS

FLATHEAD STAINLESS SCREWS

2" DEEP, FACE-LIT, FABRICATED ALUMINUM CHANNEL LETTERS FLUSH

MP #6425 SP SATIN HI HIDE WHITE TRIM & RETURNS

#7328 WHITE ACRYLIC WITH APPLIED TRANSLUCENT VINYL 3M 3630-143 POPPY RED

MP #643 SATIN PMS 485 TRIM & RETURNS

MOUNTING HARDWARE CHART

CMET US ELECTRIC SIGN

llen Industries

MET FILE NUMBER: E212503

MOUNTED TO WALL.

3/16" P95 ACRYLIC

CELLULAR SALES

ALLEN INDUSTRIES





EXISTING CONDITION



EXISTING CABINET AND RETAINER TO BE PAINTED TO MATCH PMS COOL GRAY 10, SATIN FINISH.


2019-08-28 ct

REVISED CONDITION



OUTLET ID OR D#

8656 PULASKI HWY. ROSEDALE, MD 21237



KEY NOTES



TWO (2) 2" DEEP, PAN-FORMED POLYCARBONATE REPLACEMENT FACES FOR EXISTING ILLUMINATED SIGN CABINET. GRAPHICS TO BE PAINTED ON SECOND SURFACE.

COLORS




WHITE



TRANSLUCENT TO MATCH POPPY RED 3M 3630-143



OPAQUE TO MATCH PMS COOL GRAY 10





OUTLET ID OR D#


SIGN 4 - MULTI-TENANT SIGN - FABRICATION DETAIL

AGENT NAME

PREPARED BY

SHEET NUMBER







REVISED CONDITION



OUTLET ID OR D#

SHEET TITLE