

WP-2019-0350-SI BALTIMORE COUNTY

DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS 111 WEST CHESAPEAKE AVENUE TOWSON, MD 21204

410-887-3391

SIGN USE PERMIT

USE	PERMIT RECEI	PT
#	92097	

The applicant must affirm
by initials below that there
are no current violations at
this site, pursuant to
Section 112,7, B.C.C.
Initials: 65

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"
PROPERTY ADDRESS 31/ BCISTOSTOS CODE 2/17
BUSINESS NAME LEO Stoler Lexus ZONING BR
OWNER'S NAME COLONIAL STOLETUC PHONE NO. HISTORIC DISTRICT Yes No
MAILING ADDRESS 1/275 Reistation Rd Owings Mills Md 2/117
APPLICANT/OWNER'S AGENT GOTYBOOT PHONE NO. 410 SO7-0053
SIGN COMPANY NAME DUS SIGN CONDECTION PHONE NO. 301-831-7530
TYPE OF SIGN: \square Window Sign TAX ACCOUNT NO. $210/001/2552$
Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: Yes No
Permanent Changeable Copy Wall Face Change Only Non-Illuminated
Freestanding Sylon Monument Milluminated (separate electrical permit required)
Size: Size feet x below feet = square feet Height: feet (freestanding signs)
Property Line/Street Right-of-Way Setbacks: front, sidesand, and rear
NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached.
A site plan must also be attached for freestanding signs.
Table of Sign Regulations: 450.4.1 An Electronic Changeable Copy Sign may only have a maximum frequency of one instantaneous message change per 15 second cycle. 450.6.B.3 - Changeable copy signs must operate at a constant intensity and not give the
appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.
PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations): 1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR. 2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs. 3. Signs cannot be placed in or project into or above street right of way or governmental property. 4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe. 5. Vehicle cannot be parked for the purpose of displaying an attached sign. 6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited. 7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. – C.T. zones. 8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock. 9. No sign may emit sound
Work Description (including number of signs, special conditions, materials, locations and size): Install(1) illuminated walls in "fre-owned" 1,5 x 11,95 = 17,935 At 3'x 16.95'= 50.85 Install(1) illuminated walls in "fre-owned" 1,5 x 23,62'=35,4 corner Lot? Install(1) illuminated walls in "fre-owned" 1,5 x 23,62'=35,4 corner Lot? Owner/AGENT CERTIFICATION
I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.
11/12/19 600 1200+
Signature Date Print/Type Name
Require Planning Signature Date
Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records) Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY) Signature Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY) Date
REV 04/17/2019



Permits, Approvals & Inspections

111 W. Chesapeake Avenue Towson, MD 21204

Report Generated On: 11/6/2019

Permit Processing Commerical Permit & Development Report

Page 1 of 1

Property Information

Tax Account Number:

2100012552

Election District: 4

Owner Name(s): COLONIAL STOLER LLC

Address: 11275 REISTERSTOWN RD

Zoning District(s): DR 16

BR

OWINGS MILLS,MD 21117 Premise Address:

11311 REISTERSTOWN RD

Elevation Range: 608ft - 642ft


DR 3.5

PDM #:

Affected Overlays Contact Agency DEPS-Sed, Control	Instructions: Begin review process with Zoning Review, Room 111. Potential Overlay Issues Growth Tier 1: Served by public sewer and inside URDL Note: All Razing Permits must be sent to Sediment Control for review.	New Com Bldg.	Interior Alts.	Add / Ext. Alts.	Piers/Pilings	Grading/SW	Tanks	Ret.Walls/Bulk	Razing	Chg. of Occup.	Tower Antenna	Signs	Elect. & Plumb	Agency Acknowledgmen Initial & Date
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.			WELL TOOL STATE	Supracing the su	- MICHAEL 1942	THE PROPERTY OF THE PROPERTY O		Salesti Artifessor	Total Mestica		a Mariana	Name Called	
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: 1974-0136-A; R-1946-0533; 1951-2085-X; R-1968-0263; R-1964-0086; R-1970-0117; 1984-0109-X; 1990-0160-A; 1993-0403-A; 2017-0023-SPHA; 2018-0150-A	х		X	X	X	X			X	X	X		

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant. Form171C

Lexus Exterior Pre-Owned Building Signage





23'-7 1/2" 35.4375 SQ.FT.







PO-18 (Pre-Owned)


HBS-36 (Horizontal Brand Signature)

Illuminated Lexus Logo & Letters Signage Specifications:

- Aluminum cabinets & F-Trim black
- #2447 white acrylic faces with a #2074 gray acrylic overlay
- Illuminated white LED
- Electrical hook-up supplied by others

Illuminated Pre-Owned Letters Signage Specifications:

- Aluminum cabinets & F-Trim black
- #2447 white acrylic faces with a #2074 gray acrylic overlay
- Illuminated white LED
- Electrical hook-up supplied by others



WEST (FRONT) BUILDING ELEVATION





National Electrical Code and/or other applicable local codes.



Fluorescent, Neon and HID lamps contain Mercury (HG). oose of the lamps according to Local, Provincial, State or Federal Laws.

Project ID

AD1-29385

08-09-2019 Date: Scale: 1/4"=1'-0"

Sales: A. DiMarco Designer: R. Ferrara

Rev. #:

Date: 08-15-2019

Revision Note:

Conceptual

Information Required:

Master

Customer Approva

Signature

MM/DD/YYYY


It is the Customer's responsibility to ensure that the structure of the building is designed and constructed to accept the installation of the signs being ordered. Please ask PSG to provide further details if required.

All rights reserved. The artwork depicted herein are copyright and are the exclusive property of Pattison Sign Group and as such cannot be reproduced in whole or in part without written permission by Pattison Sign Group.



SG1

Lexus CPO Pylon Sign - 6'x17'












Fluorescent, Neon and HID lamps contain Mercury (HG). Dispose of the lamps according to Local, Provincial, State or Federal Laws.



Signature


MM/DD/YYYY

It is the Customer's responsibility to ensure that the structure of the building is designed and constructed to accept the installation of the signs being ordered. Please ask PSG to provide further details if required.

All rights reserved. The artwork depicted herein are copyright and are the exclusive property of Pattison Sign Group and as such cannot be reproduced in whole or in part without written permission by Pattison Sign Group.



SG2









This sign to be installed in accordance with the requirements of Article 600 of the National Electrical Code and/or other applicable local codes.



Fluorescent, Neon and HID lamps contain Mercury (HG). Dispose of the lamps according to Local, Provincial, State or Federal Laws. Project ID

AD1-29385

08-09-2019 Date: Scale: N.T.S.

A. DiMarco Sales: Designer: R. Ferrara

Rev. #:

Date: 08-15-2019

Revision Note:

Conceptual

Information Required:

Master

Electrical

120V 347V

Other

Customer Approva

Signature

MM/DD/YYYY

It is the Customer's responsibility to ensure that the structure of the building is designed and constructed to accept the installation of the signs being ordered. Please ask PSG to provide further details if required.


All rights reserved. The artwork depicted herein are copyright and are the exclusive property of Pattison Sign Group and as such cannot be reproduced in whole or in part without written permission by Pattison Sign Group.



Sign Item

Site Plan


LEXUS LOGO & LETTERS HBS-36



SEE LED LAYOUT FOR FINAL LED STRING DISTRIBUTION, POWER SUPPLY SPECIFICATION AND ELECTRICAL LOAD

POWER SUPPLY INSTALLED REMOTELY - ACCESS FOR SERVICING REQUIRED

SIGN INSTALLED @ 347V. NON-STANDARD P.S. REQUIRED



PERMIT DRAWING

ATTACHMENT DETAIL

VOLTS 347 AMPS TBC CIRC.: TBC **DESIGN LOADS** Designed for pressure equivalent to 115 MPH winds Sr = -- kPa g = 1/50 = -- kPa

	ITEMS TO BE SHIPPED (Hardw	are)
	DESCRIPTION	TOT
-		_

TAL QTY: 3/8" dia. x 5" LG (TBC) lag screws 24 1/2" I.D. pipe spacer (to be cut to fit on site) 9 ft

REVISIONS		
DESCRIPTION	DATE	APPR.
	.—	

NOTES

See Art for placement, graphic details and colour specs.

WALL CONSTRUCTION DEPICTED IS AS REPORTED BY CLIENT. SHOULD FIELD CONDITIONS VARY FROM WHAT IS SHOWN, INSTALLER SHALL CONTACT PATTISON SIGN GROUP FOR DIRECTION.


Wall Sign Attachments

Sign attachment design is normally calculated based on detailed wall section drawings. Failure to provide accurate wall section and other building design details may cause additional installation cost. Pattison Sign Group will not take any responsibility for inaccurate information provided.

CUSTOMER:	LEN STOLER LEXUS						
SITE:	11311 Reisterstown Rd.						
SIIE:	Owings Mills - MD						
DRAWN BY:	J. Restrepo	DATE:					
CHECK BY:		Oct 01/19					
PAGE: 1/1	SCALE:	N.T.S.					
REFERENCE: SO#338865 - AD2-29385 - SG1							








TYPICAL SECTION DETAIL

SCALE: N.T.S.



SEE LED LAYOUT FOR FINAL LED STRING DISTRIBUTION, POWER SUPPLY SPECIFICATION AND ELECTRICAL LOAD

POWER SUPPLY INSTALLED REMOTELY -ACCESS FOR SERVICING REQUIRED

SIGN INSTALLED @ 347V. NON-STANDARD P.S. REQUIRED

PERMIT DRAWING

MOA - ATTACHMENT DETAIL

VOLTS 347 AMPS 1.0 max CIRC.: TBC **DESIGN LOADS**

Designed for pressure equivalent to 115 MPH winds

Ss = -- kPaSr = -- kPaq 1/50 = -- kPa

ITEMS TO BE SHIPPED (Hardware) DESCRIPTION TOTAL QTY: 3/8" dia. x 5" LG (TBC) lag screws

REVISIONS DESCRIPTION DATE APPR.

9.5 ft

NOTES

See Art for placement, graphic details and colour specs.

WALL CONSTRUCTION DEPICTED IS AS REPORTED BY CLIENT, SHOULD FIELD CONDITIONS VARY FROM WHAT IS SHOWN, INSTALLER SHALL CONTACT PATTISON SIGN GROUP FOR DIRECTION.

Wall Sign Attachments

Sign attachment design is normally calculated based on detailed wall section drawings. Failure to provide accurate wall section and other building design details may cause additional installation cost. Pattison Sign Group will not take any responsibility for inaccurate information provided.

CUSTOMER: LEN STOLER LEXUS 11311 Reisterstown Rd. SITE: Owings Mills - MD DRAWN BY: J. Restrepo DATE: **CHECK BY:** Oct 01/19 PAGE: 1/1 SCALE: N.T.S. REFERENCE: SO#338866 - AD2-29385 - SG1





© 2018 ENSEIGNES PATTISON SIGN GROUP. ALL RIGHTS RESERVED, NO PART OF THIS DRAWING MAY B DEPONDICED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM ENSEIGNES PATTISON SIGN GROUP

