


REV 04/17/2019



UP-2019-0358-SI

BALTIMORE COUNTY

DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS 111 WEST CHESAPEAKE AVENUE

TOWSON, MD 21204

410-887-3391

SIGN USE PERMIT

USE	PERMIT RECEIPT
#	187536

The applicant must affirm by initials below that there are no current violations at this site, pursuant to Section 112.7, B.C.C. Initials:

Permit Fees are Non-Refundable; Make Check Payable to	"Baltimore County, Maryland"
PROPERTY ADDRESS 1917 Reisterstou	<u>zip code 21/36</u>
BUSINESS NAME Walgreens	zoning BM-CCC
	HONE NO HISTORIC DISTRICT \(\sum \) Yes \(\sum \) No
MAILING ADDRESS 160910 Red 200000	Run Blvd. Owings Mills, MD
APPLICANT/OWNER'S AGENT STEPPING TO	RUN Blvd. OWINGS Mills, MD DCGO PHONE NO. 484-883-3640
SIGN COMPANY NAME Martino Sigh!	PHONE NO
TYPE OF SIGN: Window Sign	TAX ACCOUNT NO. <u>641</u> 1908 / 6320
Temporary- Including Real Estate/Construction/Event	Temporary Signs in the Last Year: Yes No
Permanent Changeable Copy Wall	Face Change Only Non-Illuminated
Freestanding Pylon Monument Millum	
Size: 4.078 feet x 18.35 feet = 74.94 square feet	Each sign Height: feet (freestanding signs)
Property Line/Street Right-of-Way Setbacks: front, s	
NOTE: A construction plan, drawn to scale and clearly sho	wing that all requirements have been met, must be attached.
A site plan must also be attached for freestanding s	signs.
	le Copy Sign may only have a maximum frequency of one instantaneous
appearance of movement by flashing, blinking, strobing, scroll	copy signs must operate at a constant intensity and not give the ing, oscillating, or alternating lights.
 Signs cannot imitate or resemble government signs, e. Signs cannot be placed in or project into or above stree Sign or framework cannot obstruct window or opening Vehicle cannot be parked for the purpose of displayin Except for flags exempted, flags, pennants, ribbons, st prohibited. Portable signs are prohibited, except for A-frame and 	et right of way or governmental property. g for light and air or access to building, fire hydrant, or stand pipe. g an attached sign. treamers, tethered balloons, laser projections, and similar objects are sandwich board signs issued a use permit in B.M. – C.T. zones. s or message, except for an outdoor advertising sign with tri-vision, a
(2) sets of illuminated channel tetters (2) sets of face replacements (2) yets of face replacement (2) 212101=2156	1.6 x 11.93 = 16.656 Signs Total 32.956 CORNER LOT? (1) Rue replacement @ 1.45 45.91 - 2156
	ENT CERTIFICATION personal knowledge that the contents of the above are true and further
agree to locate the proposed sign such that it will not violate	
Signature Date	Print/Type Name
Require Planning Signature 10 M W	illians Date 7/15/19
Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)	Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)

Signature

Date

Initials



Permits, Approvals & Inspections

111W. Chesapeake Avenue Towson, MD 21204

Report Generated On: 7/15/2019

Permit Processing Commerical Permit & Development Report

Page 1 of 1

Property Information

Tax Account Number: 0419086320

Election District: 4

Owner Name(s): GGCAL RSC LLC

PDM #: 04-0726

Address: STE 100 10096 RED RUN BLVD

Zoning District(s): DR 3.5

BM CCC

Premise Address: 11989 REISTERSTOWN RD

OWINGS MILLS.MD 21117

Elevation Range: 654ft - 694ft

Temes Address. Tross Relateration						Elovation (angle of it of it									
Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111.	Bldg.	ts.	Add / Ext. Alts.	gs	M		Ret.Walls/Bulk		of Occup.	tenna	000000000000000000000000000000000000000		Agency	
Contact Agency	Potential Overlay Issues Growth Tier 1: Served by public sewer and inside URDL	New Com Bldg	Interior Alts.		Piers/Pilings	Grading/SW	Tanks		Razing	Chg. of O	Tower Antenna	Signs	t. &	Acknowledgment Initial & Date	
Planning Jefferson Building Room 101 Phone: 410-887-3211	Commercial Revitalization Districts - Reisterstown	Х		X				and the same of th				X	(Final 8M 7/15/19	
DEPS-Sed. Control Jefferson Building 4th Floor Phone: 410-887-3226	Note: All Razing Permits must be sent to Sediment Control for review.)-e-c													
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.						0 (00000000	1970000000							
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: 1962-5606-X; R-1962-5716; 1976-0206-A; 1979-0130-A; 2011-0262-A; 2008-0491-SPHA; 1960-5055-A; 1972-0130-A; 1984-0110-X; 1961-5187-A	X									X			SWP PINAL 7/15/19	

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant, Form171C

DESIGN DATE: 5-24-19 PROJECT MANAGER: Pat Blazer DESIGNER: SJV JOB NUMBER #: 7034516

APPROVED BY

18'-4 1/4" Channel Letterset

18" Pharmacy Channel Letterset

C1 C2 4'-0" x 8'-0" Face Replacement

2'-0" x 10'-0" D/T Face Replacement

5" x 4'-0" Clearance Plaque

1'-5 1/2" x 5'-11" Exit Face Replacement

1'-3 1/4" x 6'-0" Face Replacement











REV 04/17/2019

A 300°

BALTIMORE COUNTY DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS 111 WEST CHESAPEAKE AVENUE TOWSON, MD 21204

410-887-3391

SIGN USE PERMIT

USE PERMIT RECEIPT

The applicant must affirm by initials below that there are no current violations at this site, pursuant to Section 112.7, B.C.C. Initials:

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"
PROPERTY ADDRESS 1917 Reisterstown Rd. Reisterstown ZIP CODE 21134
BUSINESS NAME Walgreens ZONING BIMCC
OWNER'S NAME 66 CAL RSC LLC PHONE NO. (410) 559-2500 HISTORIC DISTRICT Yes No
MAILING ADDRESS 100910 Red Run Blvd., Ste. 100 Owing Mills, MD 21117
APPLICANT/OWNER'S AGENT Wendy Flichman PHONE NO. (117) 327-6304
SIGN COMPANY NAME Martino Signs PHONE NO. (267) 417-9871
TYPE OF SIGN: \square Window Sign TAX ACCOUNT NO. \square
☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☑ No
Permanent
Freestanding Pylon Monument Illuminated (separate electrical permit required)
Size: feet x feet = square feet Height: feet (freestanding signs)
Property Line/Street Right-of-Way Setbacks: front, sidesand, and rear
NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached.
A site plan must also be attached for freestanding signs.
Table of Sign Regulations: 450.4.1 An Electronic Changeable Copy Sign may only have a maximum frequency of one instantaneous message change per 15 second cycle. 450.6.B.3 - Changeable copy signs must operate at a constant intensity and not give the
appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.
 PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations): Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs. Signs cannot be placed in or project into or above street right of way or governmental property. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe. Vehicle cannot be parked for the purpose of displaying an attached sign. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. – C.T. zones. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock. No sign may emit sound
Work Description (including number of signs, special conditions, materials, locations and size):
Remove (2) Rite And awnings and install (2) 181-4.25" x 41-0.94" wall greens illuminated lettersets 74.94 SF persign - on (1) 122' wall and (1) 1251 wall
Replace (2) Pylon tenant faces with (2) new ones CORNER LOT?
OWNER/AGENT CERTIFICATION I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.
Signature Date Date Print/Type Name
Require Planning Signature DM William Date 7 11/19
Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records) Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)

Initials



Permits, Approvals & Inspections

111 W. Chesapeake Avenue Towson, MD 21204 Report Generated On: 7/11/2019

Permit Processing Commerical Permit & Development Report

Page 1 of 1

Property Information

Tax Account Number: 0419086320

Election District: 4

Owner Name(s): GGCAL RSC LLC

PDM #: 04-0726

Address: STE 100 10096 RED RUN BLVD

Zoning District(s): DR 3.5

OWINGS MILLS,MD 21117

BM CCC

Premise Address: 11989 REISTERSTOWN RD

Elevation Range: 654ft - 694ft

		4											
Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111	n Bldg.			sbı	WS		Ret.Walls/Bulk		Occup.	Tower Antenna		Agency Acknowledgment
	Potential Overlay Issues	Con	or A	Ext	/Pillir	s/gui	S	Valls	БL	of O	er An		∞
Contact Agency	Growth Tier 1: Served by public sewer and inside URDL	New Com	Interior Alts.	Add	Piers/Pilings	Grading/SW	Tanks	Ret.\	Razing	Chg. of	Towe	Signs	Initial & Date
Planning Jefferson Building Room 101 Phone: 410-887-3211	Commercial Revitalization Districts - Reisterstown	X		X								X	Final 184 7/11/19,
DEPS-Sed. Control Jefferson Building 4th Floor Phone: 410-887-3226	Note: All Razing Permits must be sent to Sediment Control for review.												
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.			35556 353	5000000			10000000					
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: 1962-5606-X; R-1962-5716; 1976-0206-A; 1979-0130-A; 2011-0262-A; 2008-0491-SPHA; 1960-5055-A; 1972-0130-A; 1984-0110-X; 1961-5187-A	X		X	X	X	X				X		

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant. Form171C

DESIGN DATE: 5-24-19 PROJECT MANAGER: Pat Blazer

DESIGNER: SJV JOB NUMBER #: 7034516 APPROVED BY:

Site Identification

Pylon Sign















DESIGN DATE: 5-24-19

PROJECT MANAGER: Pat Blazer DESIGNER: SJV JOB NUMBER #: 7034516

APPROVED BY:



1'-3 1/4" x 6'-0" Face Replacement

Site Identification

Face Replacement



Scale: 1" = 1'-0"

13.5 SF

Backer Type



3M #3630-53 "Cardinal Red" script Walgreens copy.

Background to remain white.







DESIGN DATE: 5-24-19
PROJECT MANAGER: Pat Blazer
DESIGNER: SJV
JOB NUMBER #: 7034516

APPROVED BY:

Site Identification

Front Elevation






Removed Sign Sq.ft. - 444 Signs to Remain Sq.ft. - 32 New Sign Sq.ft. - 91.54 Code Allowed Sq.ft. - 122

Remove existing illuminated awning. Patch and repair facade as necessary.

Paint Existing Tower Benjamin Moore 2121-70 Chantilly Lace. Paint 8" band above entrance 2087-10 Neon Red
Paint tower entrance ceiling 2081-10 Neon Red
Paint Drive-Thru Cabinet Dark Bronze







DESIGN DATE: 5-24-19 PROJECT MANAGER: DESIGNER: SJV JOB NUMBER #: 7034516

APPROVED BY:

Pat Blazer

Site Identification South Elevation









Removed Sign Sq.ft. - 444 Signs to Remain Sq.ft. - 32 New Sign Sq.ft. - 91.54 Code Allowed Sq.ft. - 125

Remove existing illuminated awning. Patch and repair facade as necessary.

Paint Existing Tower Benjamin Moore 2121-70 Chantilly Lace. Paint 8" band above entrance 2087-10 Neon Red Paint tower entrance ceiling 2081-10 Neon Red Paint Drive-Thru Cabinet Dark Bronze







DESIGN DATE: 5-24-19

Site Identification

Channel Letters

PROJECT MANAGER: Pat Blazer DESIGNER: SJV JOB NUMBER #: 7034516 APPROVED BY

8'-4 1/4" Channel Letterset



LETTER LAYOUT

Scale: 3/8" = 1'-0"

All letters to have a minimum of 3 weep holes. One of the 3 holes to be as close as possible to the letters' back.

74.94 SF








Channel Letters

PROJECT MANAGER: Pat Blazer DESIGN DATE: 5-24-19

108 NOWBER #: 7034516

8" Pharmacy Channel Letterset





as possible to the letters' back.

holes. One of the 3 holes to be as close





Reisterstown, MD 1917 Reisterstown Rd Store 19129

DESIGN DATE: 5-24-19 PROJECT MANAGER: Pat Blazer DESIGNER: SJV

JOB NUMBER #: 7034516 APPROVED BY:



4'-0" x 8'-0" Face Replacement

Site Identification

Face Replacement



Scale: 1" = 1'-0"

32.9 SF

QTY: 2

Backer Type

3/16" Thick Acrylic Face with 3M #3630-53 Cardinal Red copy. Background to remain white.

ä	Δ	Description	INITIALS 00/00/0	0	
9	4				
=	A				-
-	A.A.			Ail	






DESIGN DATE: 5-24-19 PROJECT MANAGER: Pat Blazer DESIGNER: SJV

JOB NUMBER #: 7034516 APPROVED BY:

Site Identification

Drive Thru Elevation















Face Replacement / Clearance Plaque


DESIGN DATE: 5-24-19
PROJECT MANAGER: Pat Blazer
DESIGNER: SJV
JOB NUMBER #: 7034516




2'-0" x 10'-0" D/T Face Replacement



5" x 4'-0" Clearance Plaque





.063" Thick Aluminum Panel with hemmed edges
Face to be yellow with 3" high black Helvetica Medium capital letter copy.
Background surface coating to be 3M Scotchlite reflective film, Yellow #580-71.
Flush Mounted to Fascia

Scale: 1 1/2" = 1'-0" 1.67 SF







DESIGN DATE: 5-24-19 PROJECT MANAGER: Pat Blazer

DESIGNER: SJV

JOB NUMBER #: 7034516


APPROVED BY:



1'-5 1/2" x 5'-11" Exit Face Replacement

Site Identification

Face Replacement



Backer Type

3/16" Thick Acrylic Face with 3M #3630-53 Cardinal Red copy. Background to remain white.

Scale: 1" = 1'-0"

21.0 SF

QTY: 1





