

UP-2019-0361-SI

BALTIMORE COUNTY

DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS 111 WEST CHESAPEAKE AVENUE TOWSON, MD 21204

410-887-3391

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"

SIGN USE PERMIT

USE	PERMIT RECEIPT
#	192051

The applicant must affirm by initials below that there are no current violations at this site, pursuant to Section 112.7, B.C.C. Initials:



Permits, Approvals & Inspections

111 W. Chesapeake Avenue Towson, MD 21204

Report Generated On: 11/4/2019

Permit Processing Commerical Permit & Development Report

Page 1 of 1

Property Information

Tax Account Number:

2500015278

Plat Ref: 031:846

Election District: 15

Owner Name(s): TRADEPOINT ATLANTIC LLC

Address: 1600 SPARROWS POINT BLVD

BALTIMORE,MD 21219

2003 RESERVOIR RD

PDM #:


Zoning District(s): MH IM


Elevation Range: 10ft - 14ft

Premise Address: 2003 RES	SERVOIR RD				E	Elev	atio	n Ra	nge:	: 10f	t - 14	4ft	
Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111.	Bldg.		Alts.	v >	V	the state of	alk 3	averdate	onb.	nna	1 1	Agency Acknowledgment
Contact Agency	Potential Overlay Issues Growth Tier 1: Served by public sewer and inside URDL	New Com	Interior Alts.	Add / Ext. /	Piers/Pilings	Grading/SW	Tanks	Ret.Walls/Bulk	Razing	Chg. of Occup.	Tower Antenna		Acknowledgment Ditial & Date
EPS-Dev. Coord. County Office Building Room 319 Phone: 410-887-3733	100 Year Flood Zone	X		X	Jacobson (con	X	X	X	-		X	-	
PAI-Sed. Control Insp. County Office Building Room G-21 Phone: 410-887-3226	Note: All Razing Permits must be sent to Sediment Control for review. 100 Year Flood Zone	X		X		X		X		aracta v	otoxon)		
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services. 100 Year Flood Zone	X	X	X		x	X	and the second		X	X		X OK To File
Building Plans Review County Office Building Room 120 Phone: 410-887-3987	100 Year Flood Zone	X	X	X	X		X	X	22004 0		X		

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant Form171C

Gotham Greens Painted Exterior Sign - Baltimore







BALTIMORE COUNTY DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS 111 WEST CHESAPEAKE AVENUE TOWSON, MD 21204

410-887-3391

SIGN USE PERMIT

	1910051
USE	PERMIT RECEIPT
#	272

The applicant must affirm by initials below that there are no current violations at this site, pursuant to Section 112.7, B.C.C. Initials:

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Marylan	d"
PROPERTY ADDRESS 2003 Reservoir Rd, Edgemere, MD	
BUSINESS NAME Gotham Greens Baltimore, LLC OWNER'S NAME Same T PHONE NO. (612) 616-02	-73 HISTORIC DISTRICT ☐ Yes 🖾 No
MAILING ADDRESS 810 Humbold + St, Brooklyn, NY 11222	
APPLICANT/OWNER'S AGENT Mike Zee	PHONE NO. (612)66-0273
SIGN COMPANY NAME Strategic Factory	
	500/017/1582
☐ Temporary- Including Real Estate/Construction/Event Temporary	Signs in the Last Year: Yes 🔀 No
Permanent Changeable Copy Wall Face Change Only	Non-Illuminated Fed TaxID:
☐Freestanding ☐Pylon	nit required) 82 352 1736
Size: 5.83 feet x 7 feet = 40.83 square feet Height:	feet (freestanding signs)
Property Line/Street Right-of-Way Setbacks: front $\phantom{aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa$	and rear <u>N/A</u> .
NOTE: A construction plan, drawn to scale and clearly showing that all requirements h	ave been met, must be attached.
A site plan must also be attached for freestanding signs.	
Table of Sign Regulations: 450.4.1 An Electronic Changeable Copy Sign may only have a	
message change per 15 second cycle. 450.6.B.3 - Changeable copy signs must operate at a coappearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating between the companion of	
 Signs cannot impair motorist's clear view of traffic or government signs. All signs at Signs cannot imitate or resemble government signs, except for private traffic control. Signs cannot be placed in or project into or above street right of way or government Signs or framework cannot obstruct window or opening for light and air or access to Vehicle cannot be parked for the purpose of displaying an attached sign. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, last prohibited. Portable signs are prohibited, except for A-frame and sandwich board signs issued at There can be no display or simulation of moving parts or message, except for an out changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or cl. No sign may emit sound 	and notice signs. If property, building, fire hydrant, or stand pipe, are projections, and similar objects are use permit in B.M. – C.T. zones, door advertising sign with tri-vision, a
Work Description (including number of signs, special conditions, materials, locations	and size):
Monument Sign at entrance to Greenhouse parting	lot (aty of 1)
Showing "GOTHAM GREENS" and leaf logo per of Sign may not be laced in zight of war	corner Lot?
OWNER/AGENT CERTIFICATION I solemnly affirm under the penalties of perjury and upon personal knowledge that the agree to locate the proposed sign such that it will not violate Baltimore County laws and	contents of the above are true and further
Signature Date Print/Type Name	ZEE
Require Planning Signature Date	
Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records) Authority under Section 500.4, BC2 Signature	ZR PAI Approval (SIGN ONLY) Initials Date
REV 04/17/2019	

Gotham Greens Monument Sign - Baltimore 40.81 SGUARE FEET 1.5 FT 84 in 18 " WIDE X 13" HIGH OVERALL GRAPHIC SIZE 0-16 FT 2" ALUMINUM FRAME AND FACES / painted Black with stippled effect for CAST IRON look 17 1/2" PVC LEAF AND TEXT PIN-MOUNTED 70 in 0.04 FT -16.375 LETTER HEIGHT 10 FT 1.364 FT 120 in - 2.5" GAP 0.2 FT 50 in 8" PRESSURE TREATED POSTS DIRECT BURIAL WITH CONCRETE 4 44 **b b b** 0.67 FT 丁丁 4 14 1" PAVERS AT BASE 0.08 FT