2019-0412-SI

# \*\*\*\*\*

100 -

#### BALTIMORE COUNTY

DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
111 WEST CHESAPEAKE AVENUE

TOWSON, MD 21204 410-887-3391 B A 180728

The applicant is authorized to affirm that there are no current violations at this site pursuant to Section 112.7 BQC

#### SIGN USE PERMIT

Permit Fees are Non-Refundable; Make Check Payable to	initials (3)
PROPERTY ADDRESS 3611 Wishington 131	vd Suit OZ ZIP CODE
BUSINESS NAME OUTSON MIKE'S	ZONING BLAS
	HONE NO. 410-363-37 HISTORIC DISTRICT [ Yes [ No
MAILING ADDRESS DON BOX 548	
APPLICANT/OWNER'S AGENT BOD BIROOM	14K PHONE NO. 270-778-4809
SIGN COMPANY NAME ART DISPINAL G	PHONE NO. 240-765-1400
TYPE OF SIGN: Window Sign	TAX ACCOUNT NO. 13 / / 2500 0 1 4 51
☐ Temporary- Including Real Estate/Construction/Event	Temporary Signs in the Last Year:   Yes   No
Permanent Changeable Copy Wall	☐ Face Change Only ☐ Non-Illuminated
Freestanding Pylon Monument Illum	uinated (separate electrical permit required)
Size: $3$ feet x $4$ feet = $13.05$ square feet	Height: feet (freestanding signs)
Property Line/Street Right-of-Way Setbacks: front, s	
NOTE: A construction plan, drawn to scale and clearly showing	g that all requirements have been met, must be attached; a site plan also
must be attached for freestanding signs.	
flashing, blinking, strobing, scrolling, oscillatin PROHIBITIONS: including roof signs (Sections 450.5.B.7 a  1. Signs cannot impair motorist's clear view of traffic or 2. Signs cannot imitate or resemble government signs, ex 3. Signs cannot be placed in or project into or above stree 4. Sign or framework cannot obstruct window or opening 5. Vehicle cannot be parked for the purpose of displaying 6. Except for flags exempted, flags, pennants, ribbons, st prohibited. 7. Portable signs are prohibited, except for A-frame and s	and 450.6.A, Baltimore County Zoning Regulations): government signs. All signs are subject to Section 102.5, BCZR. scept for private traffic control and notice signs. et right of way or governmental property. g for light and air or access to building, fire hydrant, or stand pipe. g an attached sign. reamers, tethered balloons, laser projections, and similar objects are sandwich board signs issued a use permit in B.M. – C.T. zones. or message, except for an outdoor advertising sign with tri-vision, a reather vane, barber pole, or clock.  ditions, materials, locations and size):
	CORNER LOT
OWNED I C	
I solemnly affirm under the penalties of perjury and upon pagree to locate the proposed sign such that it will not violate  Signature  Date	ENT CERTIFICATION Dersonal knowledge that the contents of the above are true and further a Baltimore County laws and regulations.
Require Planning Signature	Date
Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records) REV 10/14	Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)  Signature   Date

REV 10/14

### **BALTIMORE COUNTY** DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS 111 WEST CHESAPEAKE AVENUE

TOWSON, MD 21204 410-887-3391

#### SIGN USE PERMIT

1	A 180728	
	The applicant is authorized	
	to affirm that there are no	

B

current violations at this site pursuant to Section 112.7 B&C

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"  Initials
PROPERTY ADDRESS 3611 WUShing on Blyd guile 1021 ZIP CODE
BUSINESS NAME JUSTEM MIKES ZONING BC-AS
OWNER'S NAME YON THE BGLLC PHONE NO 410-263-3434 HISTORIC DISTRICT Yes Who
MAILING ADDRESS POBOX SAR DWINGS MIN S MID 7/1/2
APPLICANT/OWNER'S AGENT BOO BIRCONIAK PHONE NO. 240-778-9809
SIGN COMPANY NAME ART DISDING CO. PHONE NO. 240-765-1400
TYPE OF SIGN: Window Sign TAX ACCOUNT NO. 13 / 12500014517
Temporary- Including Real Estate/Construction/Event  Temporary Signs in the Last Year: Yes No
Permanent  Changeable Copy Wall Face Change Only Non-Illuminated
Freestanding Pylon Monument Illuminated (separate electrical permit required)
Size: $1.75$ feet x $17.7$ feet = $30$ square feet Height: feet (freestanding signs)
Property Line/Street Right-of-Way Setbacks: front, sidesand, and rear
NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached; a site plan also
must be attached for freestanding signs.
Table of Sign Regulations: 450.4.Attachment 1, 1 An Electronic Changeable Copy Sign may only have a maximum Frequency of one instantaneous message change per 15 second cycle.  450.6.B.3 Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.  PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):  1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.  2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.  3. Signs cannot be placed in or project into or above street right of way or governmental property.  4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.  5. Vehicle cannot be parked for the purpose of displaying an attached sign.  6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.  7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. – C.T. zones.  8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.  9. No sign may emit sound  Work Description (including number of signs, special conditions, materials, locations and size):  (1) Flow Further math States
CORNER LOT
OWNER/AGENT CERTIFICATION  I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further
agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.
Signature Date Print/Type Name
Require Planning Signature Date
Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)  Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)

Signature

Initials



## Permits, Approvals & Inspections

111W. Chesapeake Avenue Towson, MD 21204 Report Generated On: 2/15/2019

# Permit Processing Commerical Permit & Development Report

Page 1 of 1

**Property Information** 

Tax Account Number: 2500014517

Plat Ref: 079:717

**Election District: 13** 

Owner Name(s): VENTURE B G LLC

Premise Address: 3611 WASHINGTON BLVD

PDM #: 13-0208

Address: C/O DAVID S BROWN ENTERPRISES 100 PAINTERS MILL RD STE 900


Zoning District(s): BL AS

OWINGS MILLS,MD 21117


Elevation Range: 96ft - 98ft

Tremise Address. Seri With									_					
Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111.	Bldg.	ts.	Alts.	gs	N <sub>0</sub>	0.0000000000000000000000000000000000000	Ret.Walls/Bulk	690000000000000000000000000000000000000	Occup.	Tower Antenna			Agency
	Potential Overlay Issues	New Com	Interior Alts.	Add / Ext. Alts.	Piers/Pilings	Grading/SW	(S	Walls	ng	of O	er An	S	∞ŏ	Acknowledgment
<b>Contact Agency</b>	Growth Tier 1: Served by public sewer and inside URDL	New	Inter	Add	Pier	Grac	Tanks	Ret.	Razing	Chg. of	Tow	Signs	Elect.	Initial & Date
DEPS-Sed. Control Jefferson Building 4th Floor Phone: 410-887-3226	Note: All Razing Permits must be sent to Sediment Control for review.	*******		60002555			2000000	A 7000000		V0505655	-		20702330	
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.							2000000						
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: 2014-0189-A	X		X						X				PD 2/15/19

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant. Form171C



Front View Scale: 3/4" = 1'-0"



\*Note: All fasteners to be non-ferrous and all penetrations shall be sealed water tight

Front-Lit LED Channel Letter - Raceway Mount



**PROPOSED DESIGN** 



401 Hampton Park Boulevard Capitol Heights, MD, 20743 410.841.6363 240.765.1401

PROJECT

CLIENT JM Baltimore Subs LLC

3611 Washington Blvd, Suite 101 Landsdowne, MD

Jersey's Mike Subs

DRAWING FILE 2002-04xhz-dr jersey's mike subs \_ landsdowne signage DRAWING TYPE FABRICATION

REPRESENTATIVE Steve Bortz

Xing Zhuang

DESIGNER

REVISIONS 1 11/15/18 xhz 2 11/28/18 xhz 3 01/16/19 dr 4 02/01/19 dr

APPROVED BY: CLIENT SALES & PM


PRODUCTION MEASUREMENTS PER:

FIELD CHECK

Designs and sketches are sole property of Art Display Company and may not be used or reproduced without permission. Sketch colors are limited by printing technology and may not reflect the exact colors of the finished product. Signs shown on photos may not represent actual size and proportion to building.

(1) ALL ELECTRICAL COMPONENTS ARE TO BE UL APPROVED


All electrical components are intended to be installed in accordance with the requirements of article 600 of the national electrical code and/or other applicable local codes, including proper grounding and bonding of the entire sign. ALL REQUIRED ELECTRICAL SERVICE TO SIGN LOCATION BY OTHERS



## ILLUMINATED OVAL SIGN CABINE - FLUSHED MOUNTED SCALE: 1/2" = 1' - 0"



**PROPOSED DESIGN** 





**OVAL CABINET DETAIL** QTY: (1X) SINGLE-FACED

A-2

#### EXTERIOR OVAL CABINET / FLUSH MOUNTED LED ILLUMINATED / EFIS w/ METAL STUDS SCALE: 1:4

Fa Bo	ice Material: ice finish: order: / Color: nyl: / Color:	3/16" thk. Acrylic Translucent White #7382 n/a Translucent Reversed Blue Vinyl
Co	eturn Material: / Depth: blor & Finish: side Finish:	6" x .040" thk. Aluminum Metallic Silver / Satin White
	abinet Back Material: olor / Finish:	.063" thk. Aluminum PreoCoat White / Satin
4 M	etal Retainer: / Color:	1" X 1" Painted Metallic Silver
<b>6</b> Se	elf-Tap Screw:	Color matches trimpcap
	umination: olor:	L.E.D. GOQ Samsung 3LED White ( RGB/S )
<b>18</b>	3g Low Volt Wiring:	n/a
	E.D. Trasformer: lass 2 Power Supply	MW: LPV-60-12 Class 2 Input: 100-240VAC 1.2A Output: + 12V === 5.0a
9 G	TO Pass Thru:	GTO Wiring from transformer to electrical feed
<b>1</b> /4	" Drain Weep Hole	Drilled at bottom of each letter
<b>(i)</b> OI	N/OFF Switch	Mounted on the cabient return
<b>②</b> M	ounting Fastener	1⁄2" dia. Threaded Rods & Nut ( Fasteners may change after Field Survey )
<b>❸</b> Fa	acade	EFIS
<b>4</b> ВІ	ocking	Block Type and Sizes Optional; Wood Blocking shown in this section By Others

COLORS & FINISHES											

M1 White Acrylic # 7382

Translucent Blue Vinyl 3M 3630-36

Franslucent Red Vinyl 3M 3630-33

Pantone Red Matching 3M 3630-33



401 Hampton Park Boulevard Capitol Heights, MD, 20743 410.841.6363 240.765.1401

PROJECT Jersey's Mike Subs CLIENT ADDRESS

JM Baltimore Subs LLC 3611 Washington Blvd, Suite 101 Landsdowne, MD DRAWING FILE 2002-04xhz-dr jersey's mike subs \_ landsdowne signage DRAWING TYPE FABRICATION

DESIGNER Xing Zhuang REPRESENTATIVE Steve Bortz

REVISIONS 1 11/15/18 xhz 2 11/28/18 xhz 3 01/16/19 dr 4 02/01/19 dr

NOTE: ELECTRICAL MUST BE BROUGHT WITH

- 0" OF THE SIGN LOCATION BY OTHERS

APPROVED BY: CLIENT SALES & PM PRODUCTION MEASUREMENTS PER:


FIELD CHECK


NOTES:

Designs and sketches are sole property of Art Display Company and may not be used or reproduced without permission. Sketch colors are limited by printing technology and may not reflect the exact colors of the finished product. Signs shown on photos may not represent actual size and proportion to building.

4 ALL ELECTRICAL COMPONENTS ARE TO BE UL APPROVED


All electrical components are intended to be installed in accordance with the requirements of article 600 of the national electrical code and/or other applicable local codes, including proper grounding and bonding of the entire sign. ALL REQUIRED ELECTRICAL SERVICE TO SIGN LOCATION BY OTHERS





Partial Front Elevation Scale: 1/8" = 1'- 0"

Partial South Elevation Scale: 1/8" = 1'- 0"



**FACE-LIT OVAL CABINET** 

South Elevation



401 Hampton Park Boulevard Capitol Heights, MD, 20743 410.841.6363 240.765.1401

Jersey's Mike Subs PROJECT JM Baltimore Subs LLC CLIENT

3611 Washington Blvd, Suite 101 Landsdowne, MD ADDRESS

DRAWING FILE 2002-04xhz-dr jersey's mike subs \_ landsdowne signage DRAWING TYPE FABRICATION

Xing Zhuang REPRESENTATIVE Steve Bortz

APPROVED BY: REVISIONS CLIENT 1 11/15/18 xhz SALES & PM 2 11/28/18 xhz 3 01/16/19 dr 4 02/01/19 dr MEASUREMENTS PER: FIELD CHECK

PRODUCTION

Designs and sketches are sole property of Art Display Company and may not be used or reproduced without permission. Sketch colors are limited by printing technology and may not reflect the exact colors of the finished product. Signs shown on photos may not represent actual size and proportion to building.

1 all electrical components are to be ul approved

All electrical components are intended to be installed in accordance with the requirements of article 600 of the national electrical code and/or other applicable local codes, including proper grounding and bonding of the entire sign. ALL REQUIRED ELECTRICAL SERVICE TO SIGN LOCATION BY OTHERS