## DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS 111 WEST CHESAPEAKE AVENUE

TOWSON, MD 21204 410-887-3391

current violations at this

182047 The applicant is authorized to affirm that there are no

site pursuant to Section

### SIGN USE PERMIT

	112.7 BCC											
	Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland" Initials											
	PROPERTY ADDRESS 915 YORK RD TOWSON MD ZIP CODE 2/204											
	BUSINESS NAME TOP SHEFF. WINE & SPIRITS ZONING											
	OWNER'S NAME KEN TAIATI PHONE NO. 4109779697 HISTORIC DISTRICT Yes No											
	MAILING ADDRESS 915 YORK R.D. TOUSON MD. Z1209											
	APPLICANT/OWNER'S AGENT CAROS MATA PHONE NO. 240 380 5 7 79											
	SIGN COMPANY NAME CHERRY ADVORTANO (BBA SIGNARY) PHONE NO. 24 0 38 54 79.											
	TYPE OF SIGN: Window Sign TAX ACCOUNT NO. 09 / 6 / 000 930											
	☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☐ No											
	Permanent Changeable Copy Wall Face Change Only Non-Illuminated											
اعدا	Freestanding Pylon Monument Illuminated (separate electrical permit required)											
	Size:feet xfeet =square feetfeet (freestanding signs)  Property Line/Street Right-of-Way Setbacks: front 31-3, sides, and rear, and rear											
	NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached; a site plan also											
	must be attached for freestanding signs.											
	Table of Sign Regulations: 450.4. Attachment 1, 1 An Electronic Changeable Copy Sign may only have a maximum Frequency of one											
	instantaneous message change per 15 second cycle.  450.6.B.3 Changeable copy signs must operate at a constant intensity and not give the appearance of movement by											
	flashing, blinking, strobing, scrolling, oscillating, or alternating lights.											
	PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, <u>Baltimore County Zoning Regulations</u> ):  1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.											
	<ol> <li>Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.3, BCZR.</li> <li>Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.</li> </ol>											
	3. Signs cannot be placed in or project into or above street right of way or governmental property.											
	4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.											
	<ul> <li>Vehicle cannot be parked for the purpose of displaying an attached sign.</li> <li>Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are</li> </ul>											
	prohibited.											
	7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. – C.T. zones.											
	8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.											
	9. No sign may emit sound											
	Work Description (including number of signs, special conditions, materials, locations and size):											
	Work Description (including number of signs, special conditions, materials, locations and size):  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA  Light Box Sign (Side Building Entrance) MADE of 0.040 AWA MUNHA											
	INDIVIDUAL CHANNEL betters FRONT UT MOUNTED ON PACCURY, CORNER LOT											
	THOUTOUR CHANNEL LETTERS FRONT UT MODITED ON LARCE ON, COLDER SOLL THANK WITHOUT 0.040 AND ACRYLIC FRACE											
	OWNER/AGENT CERTIFICATION											
	I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.											
	(100/11) 03/27/19 CANDS MATA.											
	Signature Date Print/Type Name											
	- 2/2/22/22/5											
	Require Planning Signature Date Date											
	Copies: White-Office; Yellow- Applicant (keep  Authority under Section 500.1, BCZR/PAI Approval (SIGN ONLY)											
	this Copy for your permanent records)											
	REV 10/14 Signature Initials Date											



# Permits, Approvals & Inspections

111W. Chesapeake Avenue Towson, MD 21204

Report Generated On: 3/28/2019

# Permit Processing Commerical Permit & Development Report

Page 1 of 1

**Property Information** 

Tax Account Number: 0916000930

**Election District: 9** 

Owner Name(s): PAGE HARRY F 3RD and PAGE ANNA M

PDM #:

GLEN ARM, MD 21057

Address: 12100 HOOPER LANE

Zoning District(s): BR

Elevation Range: 372ft - 372ft


Premise Address: 915 YORK RD							Elevation Range: 37211 - 37211										
Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111	m Bldg.	Alts.	t. Alts.	ings	/SW	And standing and the state of	lls/Bulk		Occup.	Tower Antenna	& Plumb	Agency Acknowledgmer				
Contact Agency	Potential Overlay Issues  Growth Tier 1: Served by public sewer and inside URDL	New Com	Interior Alts.	Add / Ext. Alts.	Piers/Pilings	Grading/SW	Tanks	Ret.Walls/Bulk	Razing	Chg. of (	Tower /	Signs Elect. 8	Initial & Date				
Contact Agency																	
Code Enforcement County Office Building	Open Code Enforcement Actions: Do NOT Issue Permit Case# Type Action Status																
Room 213 Phone: 410-887-8099	CC99CO0142005 Constituent Complaint Pending		quant	-pountains	garvanas		n ransserrenar	egowawa:	optower the same	The state of		and the same of th					
Rental Housing: 410-887-6060 Bldg. Inspections: 410-887-3953 Finance: 410-887-4100				The state of the s			and incarconductions of the control of	And desired and the second sec	And the second s	THE REAL PROPERTY OF THE PROPE		V Total					
	Commercial Design Review Areas - OLDTowson	X	m.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	X			n consenses		es monteses.		L	X	m months and the second				
Planning Jefferson Building	Commercial Revitalization Districts - Towson	X		Χ			er consessor		en zaosaoni		ļ	X					
Room 101 Phone: 410-887-3211				ALL THE PERSON NAMED IN COLUMN TWO			100 To 10	The second second second	Carlo Charles	A CONTROL OF THE PARTY OF THE P							
DEPS-Sed. Control Jefferson Building 4th Floor Phone: 410-887-3226	Note: All Razing Permits must be sent to Sediment Control for review.						an and a second										
PAI-Public Services County Office Building	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.	<del></del>															
Room 119 Phone: 410-887-3751				<b>&gt;</b>		X	~	And the second s		Y	X	X					
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: R-1946-0658	X															

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant. Form171C

# TOP SHELF WINE & SPIRIT INDIVIDUAL CHANNEL LETTERS FRONT LIT WITH LIGHTBOX LOGO MOUNTED ON RACEWAY



Scale 1/3" = 1'-0"



Sign band: 313.25 in (26'-1")



375.50 in (31'-3")

Scale 1/4" = 1'-0"

## Specs:


- 1. Faces should be 1/8" white acrylic
  2. Sign text should be in all uppercase letters IMPACT font
  3. Texts will be 18" and Lightbox 24" height maximum
  4. 1" black trim cap molding
  5. black return 3" .040 pre-painted black aluminum
  6. LED lighting works with 12V power supplies 20 Amp.
  9. Letters UL listed and labeled

- 10. Channel letter will be drained hole at the bottom

UI#E481543

ESIGNER CLIENT:  CARLOS MATA TOP SHELF WINE & SPIRIT															
CHECKED BY		Ken Talati													
DIMENSIONS: INDICATED ABOVE		915 York R	d, Towson	*											
	CREART														
OVERALL SF: 24.5 SF		SIZE SHEET	IDWG N	0		I REV	ADVERTISING								
APPROVED	11x8.5 in	DWG N	U		REV										
		SCALE													

# TOP SHELF WINE & SPIRIT LIGHTBOX (FRONT LIT WITH LED SYSTEM), INSTALLED FLUSHED ON THE WALL - SIDE ENTRANCE



WALL Acrylic Face Aluminum Back 9/16 Nut and bolts Wire Connection LED Modules -**No Scale** Jewelite Trimcap 120v / 60w .040 Aluminum LED transformer Channel Letter 120V P wer Supply Can

### **EXISTING**



54.00 in

1380.00 in (115'-0")

**ENTRANCE** 

ile 1/10" = 1'-0"

le 1/5" = 1'-0"

**POSED** 

s should be 1/8" white flexiglass with full color translucent graphics ck trim cap molding

c return 12".040 pre-painted black aluminum lighting works with 12V power supplies 20 Amp. box UL listed and labeled

pox will be drained hole at the bottom

1543

DESIGNER  CARLOS MATA  CHECKED BY		CLIENT: TOP SHELF WIN Ken Talati	NE & SPIRIT	_	_		
CHECKED BY		LOCATION:				· · · · · · · · · · · · · · · · · · ·	 1
DIMENSIONS: INDICATED ABOVE		915 York Rd, To	owson, MD 21	204			
		1					CR
OVERALL SF: 20.25 SF		CTZE CHEET	IDMC NO			I REV	
APPROVED	11x8.5 in	SIZE SHEET	DWG NO	l.		KEV	
		SCALE					