



\$100

2020-0035-SI

BALTIMORE COUNTY
DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
 111 WEST CHESAPEAKE AVENUE
 TOWSON, MD 21204
 410-887-3391

USE PERMIT RECEIPT
 # 191964

The applicant must affirm by initials below that there are no current violations at this site, pursuant to Section 112.7, B.C.C.
 Initials: _____

SIGN USE PERMIT

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"

PROPERTY ADDRESS 7216A Windsor Mill Rd ZIP CODE 21244
 BUSINESS NAME Armitos Pizza & Pasta ZONING _____
 OWNER'S NAME Brenda Escobar PHONE NO. 4435178851 HISTORIC DISTRICT ☐ Yes ☒ No
 MAILING ADDRESS 7216A Windsor Mill Rd Baltimore md 21244
 APPLICANT/OWNER'S AGENT _____ PHONE NO. _____
 SIGN COMPANY NAME Sign City PHONE NO. _____
 TYPE OF SIGN: ☐ Window Sign TAX ACCOUNT NO. _____ / 10212000251

☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☐ No

☐ Permanent ☐ Changeable Copy ☒ Wall ☐ Face Change Only ☐ Non-Illuminated

☐ Freestanding ☐ Pylon ☐ Monument ☐ Illuminated (separate electrical permit required)

Size: 14 feet x 7.23 feet = 14.46 square feet Height: 24 feet (freestanding signs)

Property Line/Street Right-of-Way Setbacks: front _____, sides _____ and _____, and rear _____.

NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached.

A site plan must also be attached for freestanding signs.

Table of Sign Regulations: 450.4.1.- An Electronic Changeable Copy Sign may only have a maximum frequency of one instantaneous message change per 15 second cycle. 450.6.B.3 - Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.

PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):

1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.
2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.
3. Signs cannot be placed in or project into or above street right of way or governmental property.
4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.
5. Vehicle cannot be parked for the purpose of displaying an attached sign.
6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.
7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. - C.T. zones.
8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.
9. No sign may emit sound

Work Description (including number of signs, special conditions, materials, locations and size):

1 Wall mounted sign 24in x 86.761 in

20 SUITE 6070 2 x 7.23 = 14.46

CORNER LOT? ☐

OWNER/AGENT CERTIFICATION

I solemnly affirm under the penalties of perjury and upon personal knowledge that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.

Brenda Escobar
 Signature

1/1/2020
 Date

Brenda Escobar
 Print/Type Name

☐ Require Planning Signature N/A Date _____

Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)

Authority under Section 500.4, BCZR **PAI Approval** (SIGN ONLY)

[Signature] JSS 1/7/20
 Signature Initials Date



Permits, Approvals & Inspections

111 W. Chesapeake Avenue
Towson, MD 21204

Report Generated On:
12/31/2019

Permit Processing Commerical Permit & Development Report

Page 1 of 2

Property Information

Tax Account Number: 0212000251

Election District: 2

Owner Name(s): HARBOR PARTNERSHIP

PDM #:

Address: C/O DAVID S BROWN ENT 100 PAINTERS MILL RD STE 900
OWINGS MILLS,MD 21117

Zoning District(s): BL

Premise Address: 7214 WINDSOR MILL RD

Elevation Range: 498ft - 500ft

Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111.	New Com Bldg.	Interior Alts.	Add / Ext. Alts.	Piers/Pilings	Grading/SW	Tanks	Ret.Walls/Bulk	Razing	Chg. of Occup.	Tower Antenna	Signs	Elect. & Plumb	Agency Acknowledgment
Contact Agency	Potential Overlay Issues													Initial & Date
	Growth Tier 1: Served by public sewer and inside URDL													
Dev. Management County Office Building Room 123 Phone: 410-887-3321	Microwave Tower Path Protection Buffer Area - Applies to any proposed buildings and/or structures in the Microwave Path Protection Buffer Area that exceed 60 feet in height as defined in the C.M.D.P.	X		X			X				X			
Planning Jefferson Building Room 101 Phone: 410-887-3211	Microwave Tower Path Protection Buffer Area - Applies to any proposed buildings and/or structures in the Microwave Path Protection Buffer Area that exceed 60 feet in height as defined in the C.M.D.P.	X		X			X				X			
PAI-Sed. Control Insp. County Office Building Room G-21 Phone: 410-887-3226	Note: All Razing Permits must be sent to Sediment Control for review.													
PAI-Public Services County Office Building Room 119 Phone: 410-887-3751	Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.													
OIT Balto. Co. Electronic Services 11112 Gilroy Rd, STE 101 Hunt Valley, MD 21031 Phone: 410-887-1878	Microwave Tower Path Protection Buffer Area - Applies to any proposed buildings and/or structures in the Microwave Path Protection Buffer Area that exceed 60 feet in height as defined in the C.M.D.P.	X		X			X				X			
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: CR-1998-0367-A; R-1966-0046	X		X	X	X	X			X	X	X		



Permits, Approvals & Inspections

111 W. Chesapeake Avenue
Towson, MD 21204

Report Generated On:
12/31/2019

Permit Processing Commerical Permit & Development Report

Page 2 of 2

Property Information

Tax Account Number: 0212000251

Election District: 2

Owner Name(s): HARBOR PARTNERSHIP

PDM #:

Address: C/O DAVID S BROWN ENT 100 PAINTERS MILL RD STE 900
OWINGS MILLS,MD 21117

Zoning District(s): BL

Premise Address: 7214 WINDSOR MILL RD

Elevation Range: 498ft - 500ft

Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111.	New Com Bldg.	Interior Alts.	Add / Ext. Alts.	Piers/Pilings	Grading/SW	Tanks	Ret.Walls/Bulk	Razing	Chg. of Occup.	Tower Antenna	Signs	Elect. & Plumb	Agency Acknowledgment
Contact Agency	Potential Overlay Issues	X		X			X				X			Initial & Date
	Growth Tier 1: Served by public sewer and inside URDL													
Building Plans Review County Office Building Room 120 Phone: 410-887-3987	Microwave Tower Path Protection Buffer Area - Applies to any proposed buildings and/or structures in the Microwave Path Protection Buffer Area that exceed 60 feet in height as defined in the C.M.D.P.													

Saludos

Gaiters Service RAD 20677

signcity inc.com

CRE

Ayn

J. L. A. Janssen
Biology Department, McGill University,
Montreal, Quebec H3A 2B4, Canada
(e-mail: janssen@atm.mcgill.ca)

DESIGN

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26



FOR VENDOR USE

SECTION
SHEET 1

COMMENT

CLIENT/LAND
APPROVAL
(Signature & Seal)

© 2011 Cengage Learning



Signal Type: LMS-EP1142
INDIVIDUAL CHANNEL LETTERS & CLOUD SASH BOTH ON RACONNA

- Sign Identification**
- Pileus should be 1-1.5" white filamentous *mycelia* with black hole ring
 - Gills are should be in all appearance and lower edge lobes modified enough form
 - Stem and 18 inches, length with 1" black line ring consisting and black ridges 2" O.D. diameter
 - Black lighting will occur with 12" pattern usually 20 fangs
 - Leaves (L) should not be used
 - Change of letters will follow, some have the last letter.

www.steelcase.com

Channel layers will be welded to assembly and installed back in the vessel station next using 1/8 in. 304 stainless steel rod with 200

Stucco veneer over
perforated burnout board,
over expanded metal lath
over (2) layers of 3/8" x 4"
over 3/4" FT plywood

2020-0036-55

RE: Job #57087, Alex Cooper



400

BALTIMORE COUNTY
DEPARTMENT OF PERMITS, APPROVALS & INSPECTIONS
111 WEST CHESAPEAKE AVENUE
TOWSON, MD 21204
410-887-3391

B _____
A 194756

The applicant is authorized to affirm that there are no current violations at this site pursuant to Section 112.7 BCC
Initials *[Signature]*

SIGN USE PERMIT

Permit Fees are Non-Refundable; Make Check Payable to "Baltimore County, Maryland"

PROPERTY ADDRESS 908 York Road, Baltimore, MD ZIP CODE 21204
BUSINESS NAME Alex Cooper ZONING BR
OWNER'S NAME Laurel Oaks Partnership PHONE NO. 410-828-4838 HISTORIC DISTRICT ☐ Yes ☒ No
MAILING ADDRESS 908 York Road, Baltimore, MD 21204

APPLICANT/OWNER'S AGENT Joe Trabert, Agent PHONE NO. 443-297-5025
SIGN COMPANY NAME Triangle Sign & Service, LLC PHONE NO. 410-247-5300
11-13 Azar Ct., P.O. Box 24186, Baltimore, MD 21227
TYPE OF SIGN: ☐ Window Sign TAX ACCOUNT NO. 09 / 254 / 50410

☐ Temporary- Including Real Estate/Construction/Event Temporary Signs in the Last Year: ☐ Yes ☒ No

☒ Permanent ☐ Changeable Copy ☒ Wall ☐ Face Change Only ☐ Non-Illuminated

☐ Freestanding ☐ Pylon ☐ Monument ☒ Illuminated (separate electrical permit required)

Size: _____ feet x _____ feet = _____ square feet each Height: _____ feet (freestanding signs)

Property Line/Street Right-of-Way Setbacks: front _____, sides _____ and _____, and rear _____.

NOTE: A construction plan, drawn to scale and clearly showing that all requirements have been met, must be attached; a site plan also must be attached for freestanding signs.

Table of Sign Regulations: 450.4. Attachment 1, 1.- An Electronic Changeable Copy Sign may only have a maximum Frequency of one instantaneous message change per 15 second cycle.

PROHIBITIONS: including roof signs (Sections 450.5.B.7 and 450.6.A, Baltimore County Zoning Regulations):

1. Signs cannot impair motorist's clear view of traffic or government signs. All signs are subject to Section 102.5, BCZR.
2. Signs cannot imitate or resemble government signs, except for private traffic control and notice signs.
3. Signs cannot be placed in or project into or above street right of way or governmental property.
4. Sign or framework cannot obstruct window or opening for light and air or access to building, fire hydrant, or stand pipe.
5. Vehicle cannot be parked for the purpose of displaying an attached sign.
6. Except for flags exempted, flags, pennants, ribbons, streamers, tethered balloons, laser projections, and similar objects are prohibited.
7. Portable signs are prohibited, except for A-frame and sandwich board signs issued a use permit in B.M. - C.T. zones.
8. There can be no display or simulation of moving parts or message, except for an outdoor advertising sign with tri-vision, a changeable copy sign, or a thermometer, barometer, weather vane, barber pole, or clock.
9. No sign may emit sound

450.6.B.3 Changeable copy signs must operate at a constant intensity and not give the appearance of movement by flashing, blinking, strobing, scrolling, oscillating, or alternating lights.

Work Description (including number of signs, special conditions, materials, locations and size):

Install 3 illum signs, 1 above each customer entrance, as well as 1 logo & letter set to the front elevation.

Sign 'B' reads: Fine Art & Jewelry Auctions, 1.0'H x 19.75'W = 19.75 sf

Sign 'C' reads: Real Estate Auctions, 1.0'H x 14.8'W = 14.8 sf

Sign 'D' reads: Gallery of Rugs, 1.0'H x 11.41'W = 11.42 sf

Sign 'E' reads: Logo | Alex Cooper Auctioneers, 10.87'H x 18.47'W = 201.18 sf

Linear Bldg Dimension: 244'-5"

CORNER LOT ☐

I, the undersigned, do hereby certify that the contents of the above are true and further agree to locate the proposed sign such that it will not violate Baltimore County laws and regulations.

[Signature]
Signature

Jan 15, 2020
Date

Joe Trabert c/o Triangle Sign & Service
Print/Type Name

☐ Require Planning Signature *[Signature]*

Date 01/15/2020

Copies: White-Office; Yellow- Applicant (keep this Copy for your permanent records)

REV 03/12

Authority under Section 500.4, BCZR PAI Approval (SIGN ONLY)

[Signature] JSS/GH 1/15/20
Signature Initials Date

**Permits, Approvals & Inspections**111 W. Chesapeake Avenue
Towson, MD 21204Report Generated On:
1/15/2020**Permit Processing Commercial Permit & Development Report**

Page 1 of 2

Property InformationTax Account Number: **0925450410**Election District: **9**

Owner Name(s): LAUREL OAKS PARTNERSHIP

Address: 908 YORK RD

BALTIMORE, MD 21204

Premise Address: 908 YORK RD

PDM #:

Zoning District(s): BR

DR 5.5

Elevation Range: 370ft - 394ft

Affected Overlays

Instructions: Begin review process with Zoning Review, Room 111.

Contact Agency**Potential Overlay Issues**

Growth Tier 1: Served by public sewer and inside URDL

Dev. ManagementCounty Office Building
Room 123
Phone: 410-887-3321

Microwave Tower Path Protection Buffer Area - Applies to any proposed buildings and/or structures in the Microwave Path Protection Buffer Area that exceed 60 feet in height as defined in the C.M.D.P.

PlanningJefferson Building
Room 101
Phone: 410-887-3211

Commercial Design Review Areas - OLD Towson

Commercial Revitalization Districts - Towson

Microwave Tower Path Protection Buffer Area - Applies to any proposed buildings and/or structures in the Microwave Path Protection Buffer Area that exceed 60 feet in height as defined in the C.M.D.P.

PAI-Sed. Control Insp.County Office Building
Room G-21
Phone: 410-887-3226

Note: All Razing Permits must be sent to Sediment Control for review.

PAI-Public ServicesCounty Office Building
Room 119
Phone: 410-887-3751

Note: All permits for Grading, New Buildings & Building Additions must be sent to Public Services.

OITBalto. Co. Electronic Services
11112 Gilroy Rd, STE 101
Hunt Valley, MD 21031
Phone: 410-887-1878

Microwave Tower Path Protection Buffer Area - Applies to any proposed buildings and/or structures in the Microwave Path Protection Buffer Area that exceed 60 feet in height as defined in the C.M.D.P.

New Com Bldg.	Interior Alts.	Add / Ext. Alts.	Piers/Pillings	Grading/SW	Tanks	Ret. Walls/Bulk	Razing	Chg. of Occup.	Tower Antenna	Signs	Elect. & Plumb	Agency Acknowledgment
												Initial & Date
X		X			X				X			
X		X								X		
X		X			X				X			410-887-3211 Fried 01/15/2020
X	X				X				X			

Notice: This report is not inclusive as additional issues may arise which would affect the ability to obtain a building permit. This Report is solely for Departmental use and nothing herein creates any right which would accrue to the applicant.
Form171C

**Permits, Approvals & Inspections**111 W. Chesapeake Avenue
Towson, MD 21204Report Generated On:
1/15/2020**Permit Processing Commerical Permit & Development Report**

Page 2 of 2

Property Information

Tax Account Number: 0925450410

Election District: 9

Owner Name(s): LAUREL OAKS PARTNERSHIP

PDM #:

Address: 908 YORK RD

Zoning District(s): BR

BALTIMORE, MD 21204

DR 5.5

Premise Address: 908 YORK RD

Elevation Range: 370ft - 394ft

Affected Overlays	Instructions: Begin review process with Zoning Review, Room 111.	New Com Bldg.	Interior Alts.	Add / Ext. Alts.	Piers/Pilings	Grading/SW	Tanks	Ret. Walls/Bulk	Razing	Chg. of Occup.	Tower Antenna	Signs	Elect. & Plumb	Agency Acknowledgment
Contact Agency	Potential Overlay Issues													Initial & Date
	Growth Tier 1: Served by public sewer and inside URDL													
Zoning Review County Office Building Room 111 Phone: 410-887-3391	Zoning Cases: R-1952-2389; R-1946-0700	X		X	X	X	X			X	X	X		
Building Plans Review County Office Building Room 120 Phone: 410-887-3987	Microwave Tower Path Protection Buffer Area - Applies to any proposed buildings and/or structures in the Microwave Path Protection Buffer Area that exceed 60 feet in height as defined in the C.M.D.P.	X		X			X				X			

PROJECT SCHEDULE

SIGN TYPE/ DESCRIPTION:	QTY.:	PG.
REVERSE LIT CH LTR SIGN	ONE (1)	2 - 3
REVERSE LIT CH LTR SIGN	ONE (1)	4 - 5
REVERSE LIT CH LTR SIGN	ONE (1)	6 - 7
REVERSE & ROUTE & BK LOGO W/ REV. LIT CHANNEL LETTERS	ONE (1)	8 - 9
FABRICATION DETAILS	N/A	10 - 11

PROJECT:




ALEX COOPER

ALEX COOPER
908 YORK ROAD
TOWSON, MARYLAND 21204

REVISIONS

#	DATE	DB	NOTES
R1	09/17/2019	MF2	REMOVE SIGN A / MODIFY SIGN E AS REQUESTED
R2	09/18/2019	MF2	REDRAW SIGN E SCALE IS OFF / LARGER SIGN C
R3	01/14/2020	MF2	FACADE (CENTER ON MIDDLE DRYVIT SECTION) ADD FT DECIMAL MEASUREMENTS / ADD DISCONNECT SWITCH TO DETAIL SECTIONS / ADD MEASUREMENTS OF SPACE BETWEEN WORK

VICINITY MAP



TRIANGLE
SIGN SERVICES

CLIENT & LOCATION



ALEX COOPER

ALEX COOPER
908 YORK ROAD
TOWSON, MARYLAND 21204

LEAD NO.
184774 R3

SALESMAN
RR

DATE
08/02/2019

DRAWN BY
MF2 (Mark)

REVIEWED BY

SEG. NO.

REVISION

SHEET NO.

1 OF 1

SIGN B - ILLUM. HALO-LIT LED CH LTRS

SCALE: 1/2"=1'-0"

QTY.: ONE (1)

AREA: 19' 9" x 1' = 19.75' ∇




DISCONNECT SWITCH ON FACADE WITHIN SIGHT OF SIGN
PAINT TO MATCH FACADE (VIF)
(ACTUAL LOCATION WILL VARY)




PROPOSED - SIGN B




EXISTING



SIMULATED LETTER ILLUMINATION



SIGN B - FRONT ELEVATION - SECTION ENLARGEMENT 2.E
SCALE: 1-16" = 1 FOOT





SIGN C - ILLUM. HALO-LIT LED CH LTRS / PHOTO MOCKUP

SCALE: 1/2"=1'-0"

QTY.: ONE (1)

AREA: 14' 9-5/8" x 1' = 14.8' ±



SIMULATED LETTER ILLUMINATION



PROPOSED - SIGN C



EXISTING

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION



ALEX COOPER

ALEX COOPER
908 YORK ROAD
TOWSON, MARYLAND 21204

LEAD NO.
184774 R3

SALESMAN
RR

DATE
08/02/2019

DRAWN BY
MF2 (Mark)


REVIEWED BY

SEG. NO.

REVISION

SHEET NO.


4 OF



SIGN C - FRONT ELEVATION - SECTION ENLARGEMENT

SCALE: 1-16" = 1 FOOT

3.E




SIGN C - ILLUM. HALO-LIT LED CH LTRS / PHOTO MOCKUP


SCALE: 1/2"=1'-0"

QTY.: ONE (1)

AREA: 14' 9-5/8" x 1' = 14.8' ∇



DISCONNECT SWITCH ON
FACADE WITHIN SIGHT OF SIGN
PAINT TO MATCH FACADE (VIF)
(ACTUAL LOCATION WILL VARY)



SIMULATED LETTER
ILLUMINATION



PROPOSED - SIGN C



EXISTING

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION



ALEX COOPER

ALEX COOPER
908 YORK ROAD
TOWSON, MARYLAND 21204

LEAD NO.
184774 R3

SALESMAN
RR

DATE
08/02/2019

DRAWN BY
MF2 (Mark)

REVIEWED BY

SEG. NO.

REVISION

SHEET N


4

SIGN D - ILLUM. HALO-LIT LED CH LTRS / PHOTO MOCKUP

SCALE: 1/2"=1'-0"

QTY.: ONE (1)

AREA: 11' 5" x 1' = 11.42' ±



A

SIMULATED LETTER
ILLUMINATION



PROPOSED - SIGN D



EXISTING

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION



ALEX COOPER

ALEX COOPER
908 YORK ROAD
TOWSON, MARYLAND 21204

LEAD NO.
184774 R3

SALESMAN
RR

DATE
08/02/2019

DRAWN BY
MF2 (Mark)


REVIEWED BY

SEG. NO.

REVISION

SHEET NO.


60



SIGN D - FRONT ELEVATION - SECTION ENLARGEMENT

SCALE: 1-16" = 1 FOOT

4.E





SIGN E - ILLUM. HALO-LIT LED CH LTRS W/ ROUTED & BACKED LOGO / PHOTO MOCKUP

SCALE 3/16"=1'-0"


QTY.: ONE (1)

AREA: 18' 6" x 11' 4" = 201.18 sq

DISCONNECT SWITCH ON
FACADE WITHIN SIGHT OF SIGN
PAINT TO MATCH FACADE (VIF)
(ACTUAL LOCATION WILL VARY)



SIMULATED LETTER
ILLUMINATION



SIMULATED LOGO ILLUMINATION

MOUNT SIGN
CENTERED ON
CENTER DRYVIT
SECTION



EXISTING



PROPOSED - SIGN E

TRIANGLE
SIGN SERVICES

CLIENT & LOCATION

ALEX COOPER

ALEX COOPER
908 YORK ROAD
TOWSON, MARYLAND 21204

LEAD NO.
184774 R3

SALESMAN
RR

DATE
08/02/2019

DRAWN BY
MF2 (Mark)


REVIEWED BY

SEG. NO.

REVISION

SHEET NO.

8 OF



SIGN E - FRONT ELEVATION - SECTION ENLARGEMENT 5.E
SCALE: 1-16" = 1 FOOT

